

ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Д.В. Сокольский атындағы
«Жанармай, катализ және электрохимия институты» АҚ

ХАБАРЛАРЫ

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
АО «Институт топлива, катализа и
электрохимии им. Д.В. Сокольского»

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
JSC «D.V. Sokolsky institute of fuel, catalysis
and electrochemistry»

SERIES
CHEMISTRY AND TECHNOLOGY

3 (447)

MAY – JUNE 2021

PUBLISHED SINCE JANUARY 1947

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of chemistry and technologies scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of chemistry and technologies in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of chemical sciences to our community.

Қазақстан Республикасы Улттық гылым академиясы «ҚР ҰҒА Хабарлары. Химия және технология сериясы» ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуға қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын үсінады. ҚР ҰҒА Хабарлары. Химия және технология сериясы Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді химиялық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия химии и технологий» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество в глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по химическим наукам для нашего сообщества.

Бас редактор:

ЖҰРЫНОВ Мұрат Жұрынұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Қазақстан Республикасы Ұлттық ғылым академиясының президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан) Н = 4

Редакция алқасы:

ӘДЕКЕНОВ Серғазы Мыңжасарұлы (бас редактордың орынбасары), химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, «Фитохимия» Халықаралық ғылыми-өндірістік холдингінің директоры (Караганды, Қазақстан) Н = 11

АГАБЕКОВ Владимир Енокович (бас редактордың орынбасары), химия ғылымдарының докторы, профессор, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры (Минск, Беларусь) Н = 13

СТРНАД Мирослав, профессор, Чехия ғылым академиясының Эксперименттік ботаника институтының зертхана менгерушісі (Оломоуц, Чехия) Н = 66

БҮРКІТБАЕВ Мұхамбетқали, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, әл-Фараби атындағы ҚазҰУ-дың бірінші проректоры (Алматы, Қазақстан) Н = 11

ХОХМАНН Джудит, Сегед университетінің Фармацевтика факультетінің Фармакогнозия кафедрасының менгерушісі, Жаратылыстану ғылымдарының пәнаралық орталығының директоры (Сегед, Венгрия) Н = 38

РОСС Самир, PhD докторы, Миссисипи университетінің Өсімдік өнімдерін ғылыми зерттеу ұлттық орталығы, Фармация мектебінің профессоры (Оксфорд, АҚШ) Н = 35

ХУТОРЯНСКИЙ Виталий, философия докторы (PhD, фармацевт), Рединг университетінің профессоры (Рединг, Англия) Н = 40

ТЕЛТАЕВ Бағдат Бұрханбайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент-мүшесі, Қазақстан Республикасы Индустрія және инфрақұрылымдық даму министрлігі (Алматы, Қазақстан) Н = 13

ФАРУК Асана Дар, Хамдар аль-Маджида Шығыс медицина колledgeінің профессоры, Хамдард университетінің Шығыс медицина факультеті (Карабчи, Пәкістан) Н = 21

ФАЗЫЛОВ Серік Драхметұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Органикалық синтез және көмір химиясы институты директорының ғылыми жұмыстар жөніндегі орынбасары (Қарағанды, Қазақстан) Н = 6

ЖОРОБЕКОВА Шарипа Жоробекқызы, химия ғылымдарының докторы, профессор, Қырғызстан ҰҒА академигі, ҚР ҰҒА Химия және химиялық технология институты (Бішкек, Қырғызстан) Н = 4

ХАЛИКОВ Джурабай Халикович, химия ғылымдарының докторы, профессор, Тәжікстан ҒА академигі, В.И. Никитин атындағы Химия институты (Душанбе, Тәжікстан) Н = 6

ФАРЗАЛИЕВ Вагиф Меджидоглы, химия ғылымдарының докторы, профессор, ҰҒА академигі (Баку, Әзіrbайжан) Н = 13

ГАРЕЛИК Хемда, философия докторы (PhD, химия), Халықаралық таза және қолданбалы химия одағының Химия және қоршаған орта бөлімінің президенті (Лондон, Англия) Н = 15

«ҚР ҰҒА Хабарлары. Химия және технология сериясы»

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РКБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № KZ66VPY00025419 мерзімдік басылым тіркеуіне қойылу туралы күләлік.

Тақырыптық бағыты: *химия және жаңа материалдар технологиясы саласындағы басым ғылыми зерттеулерді жариялау.*

Мерзімділігі: жылына 6 рет.

Тиражы: 300

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., тел.: 272-13-19, 272-13-18
<http://chemistry-technology.kz/index.php/en/arhiv>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2021

Редакцияның мекенжайы: 050100, Алматы қ., Қонаев к-сі, 142, «Д. В. Сокольский атындағы отын, катализ және электрохимия институты» АҚ, каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Типографияның мекен-жайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Главный редактор:

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик НАН РК, президент Национальной академии наук Республики Казахстан, генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан) Н = 4

Редакционная коллегия:

АДЕКЕНОВ Сергазы Мынжасарович (заместитель главного редактора), доктор химических наук, профессор, академик НАН РК, директор Международного научно-производственного холдинга «Фитохимия» (Караганда, Казахстан) Н = 11

АГАБЕКОВ Владимир Енокович (заместитель главного редактора), доктор химических наук, профессор, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь) Н = 13

СТРНАД Мирослав, профессор, заведующий лабораторией института Экспериментальной ботаники Чешской академии наук (Оломоуц, Чехия) Н = 66

БУРКИТБАЕВ Мухамбеткали, доктор химических наук, профессор, академик НАН РК, Первый проректор КазНУ имени аль-Фараби (Алматы, Казахстан) Н = 11

ХОХМАНН Джудит, заведующий кафедрой Фармакогнозии Фармацевтического факультета Университета Сегеда, директор Междисциплинарного центра естественных наук (Сегед, Венгрия) Н = 38

РОСС Самир, доктор PhD, профессор Школы Фармации национального центра научных исследований растительных продуктов Университета Миссисипи (Оксфорд, США) Н = 35

ХУТОРЯНСКИЙ Виталий, доктор философии (Ph.D, фармацевт), профессор Университета Рединга (Рединг, Англия) Н = 40

ТЕЛЬТАЕВ Багдат Бурханбайулы, доктор технических наук, профессор, член-корреспондент НАН РК, Министерство Индустрии и инфраструктурного развития Республики Казахстан (Алматы, Казахстан) Н = 13

ФАРУК Асана Дар, профессор колледжа Восточной медицины Хамдарда аль-Маджида, факультет Восточной медицины университета Хамдарда (Карачи, Пакистан) Н = 21

ФАЗЫЛОВ Серик Драхметович, доктор химических наук, профессор, академик НАН РК, заместитель директора по научной работе Института органического синтеза и углехимии (Караганда, Казахстан) Н = 6

ЖОРОБЕКОВА Шарипа Жоробековна, доктор химических наук, профессор, академик НАН Кыргызстана, Институт химии и химической технологии НАН КР (Бишкек, Кыргызстан) Н = 4

ХАЛИКОВ Джурabay Халикович, доктор химических наук, профессор, академик АН Таджикистана, Институт химии имени В.И. Никитина АН РТ (Душанбе, Таджикистан) Н = 6

ФАРЗАЛИЕВ Вагиф Меджид оглы, доктор химических наук, профессор, академик НАНА (Баку, Азербайджан) Н = 13

ГАРЕЛИК Хемда, доктор философии (Ph.D, химия), президент Отдела химии и окружающей среды Международного союза чистой и прикладной химии (Лондон, Англия) Н = 15

«Известия НАН РК. Серия химии и технологий».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № KZ66VPY00025419, выданное 29.07.2020 г.

Тематическая направленность: *публикация приоритетных научных исследований в области химии и технологий новых материалов.*

Периодичность: 6 раз в год.

Тираж: 300

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, оф. 219, тел.: 272-13-19, 272-13-18

<http://chemistry-technology.kz/index.php/en/arhiv>

© Национальная академия наук Республики Казахстан, 2021

Адрес редакции: 050100, г. Алматы, ул. Кунаева, 142, АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского», каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75.

Editor in chief:

ZHURINOV Murat Zhurinovich, doctor of chemistry, professor, academician of NAS RK, president of NAS RK, general director of JSC ‘Institute of fuel, catalysis and electrochemistry named after D.V. Sokolsky (Almaty, Kazakhstan) H = 4

Editorial board:

ADEKENOV Sergazy Mynzhasarovich (deputy editor-in-chief) doctor of chemical sciences, professor, academician of NAS RK, director of the international Scientific and production holding «Phytochemistry» (Karaganda, Kazakhstan) H = 11

AGABEKOV Vladimir Enokovich (deputy editor-in-chief), doctor of chemistry, professor, academician of NAS of Belarus, honorary director of the Institute of Chemistry of new materials (Minsk, Belarus) H = 13

STRNAD Miroslav, head of the laboratory of the institute of Experimental Botany of the Czech academy of sciences, professor (Olomouc, Czech Republic) H = 66

BURKITBAYEV Mukhambetkali, doctor of chemistry, professor, academician of NAS RK, first vice-rector of al-Farabi KazNU (Almaty, Kazakhstan) H = 11

HOHMANN Judith, head of the department of pharmacognosy, faculty of Pharmacy, university of Szeged, director of the interdisciplinary center for Life sciences (Szeged, ungary) H = 38

ROSS Samir, Ph.D., professor, school of Pharmacy, national center for scientific research of Herbal Products, University of Mississippi (Oxford, USA) H = 35

KHUTORIYANSKY Vitaly, Ph.D., pharmacist, professor at the University of Reading (Reading, England) H = 40

TELTAYEV Bagdat Burkhanbayuly, doctor of technical sciences, professor, corresponding member of NAS RK, ministry of Industry and infrastructure development of the Republic of Kazakhstan (Almaty, Kazakhstan) H = 13

PHARUK Asana Dar, professor at Hamdard al-Majid college of Oriental medicine. faculty of Oriental medicine, Hamdard university (Karachi, Pakistan) H = 21

FAZYLOV Serik Drakhmetovich, doctor of chemistry, professor, academician of NAS RK, deputy director for institute of Organic synthesis and coal chemistry (Karaganda, Kazakhstan) H = 6

ZHOROBKOVA Sharipa Zhorobekovna, doctor of chemistry, professor, academician of NAS of Kyrgyzstan, Institute of Chemistry and chemical technology of NAS KR (Bishkek, Kyrgyzstan) H = 4

KHALIKOV Jurabay Khalikovich, doctor of chemistry, professor, academician of the academy of sciences of tajikistan, institute of Chemistry named after V.I. Nikitin AS RT (Tajikistan) H = 6

FARZALIEV Vagif Medzhid ogly, doctor of chemistry, professor, academician of NAS of Azerbaijan (Azerbaijan) H = 13

GARELIK Hemda, PhD in chemistry, president of the department of Chemistry and Environment of the International Union of Pure and Applied Chemistry (London, England) H = 15

News of the National Academy of Sciences of the Republic of Kazakhstan.

Series of chemistry and technology

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No. KZ66VPY00025419**, issued 29.07.2020.

Thematic scope: *publication of priority research in the field of chemistry and technology of new materials*

Periodicity: 6 times a year.

Circulation: 300

Editorial address: 28, Shevchenko str., of. 219, Almaty, 050010, tel. 272-13-19; 272-13-18,
<http://chemistry-technology.kz/index.php/en/arhiv>

© National Academy of Sciences of the Republic of Kazakhstan, 2021

Editorial address: JSC «D.V. Sokolsky institute of fuel, catalysis and electrochemistry», 142, Kunayev str., of. 310, Almaty, 050100, tel. 291-62-80, fax 291-57-22, e-mail: orgcat@nursat.kz

Address of printing house: ST «Aruna», 75, Muratbayev str, Almaty.

- [11] Ostanina TN, Rudoy VM, Nikitin VS, Darintseva AB, Demakov SL (2017) Change in the physical characteristics of the dendritic zinc deposits in the stationary and pulsating electrolysis, *J. Electroanal. Chem.*, 784, 12: 13-24. DOI: 10.1016/j.jelechem.2016.11.063 (in Eng.).
- [12] Dospaev MM, Baeshova AK, Figurinene IV, Dospaev DM, Malashkevichute EI (2012) Influence of various parameters of alternating current electrolysis on the formation of powdered copper oxide (I), *News of the National Academy of Sciences of the Republic of Kazakhstan, Series chemistry and technology*, 6: 27-34 (In Russ.).
- [13] Kasymova MK, Bayeshov AB, Zhylysbayeva GN, Mamyrbekova AK, Chechina ON (2018) Kinetic researches and electrochemical behaviour of lead at polarization alternating current, *Bulletin of the National Academy of Sciences of the Republic of Kazakhstan*, 6, 376: 139 – 146. DOI: 10.32014/2018.2518-1467.37 (in Eng.).
- [14] Galus Z (1974) Theoretical foundations of electrochemical analysis. Moscow: Mir, 552 p. (in Russ.).
- [15] Gorokhovskaya VI, Gorokhovsky VM (1983) Practicum on electrochemical methods of analysis. Moscow: Higher School of Economics, 191 p. (in Russ.).
- [16] Gomez Becerra J, Salvarezza RC, Arvia AJ (1988) The influence of slow Cu(OH)₂ phase formation on the electrochemical behavior of copper in alkaline solutions, *Electrochim. Acta*, 33, 5: 613 – 621. DOI: 10.1016/0013-4686(88)80059-8 (in Eng.).
- [17] Helen Annal Therese G, Vishnu Kamath P (2000) Electrochemical Synthesis of Metal Oxides and Hydroxides, *Chem. Mater.*, 12, 5: 1195–1204. DOI: 10.1021/cm990447a (in Eng.).
- [18] Dolinina AS, Korobochkin VV, Usoltseva NV, Pugacheva SE, Popov MV (2015) The porous structure of copper-cadmium oxide system prepared by AC electrochemical synthesis, *Procedia Chemistry*, 15: 143 – 147. DOI: 10.1016/j.proche.2015.10.023 (in Eng.).
- [19] Damaskin BB, Petryy OA, Tsirlina GA (2006) Electrochemistry. Chemistry: ColosS, Moscow. ISBN 5-98109-011-1 (in Russ.).

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN
SERIES CHEMISTRY AND TECHNOLOGY

ISSN 2224-5286

Volume 3, Number 447 (2021), 59 – 65

<https://doi.org/10.32014/2021.2518-1491.51>

UDC663. 41

G. Madet*, M.M. Bayazitova

Almaty Technological University, Almaty, Kazakhstan

E-mail: gulika1121@mail.ru

**RESEARCH OF MALTING PROPERTIES OF KAZAKHSTAN TRITIKALE GRAIN
VARIETIES FOR USE IN THE BEVERAGE INDUSTRY**

Abstract. Today the beverage industry occupies an important place in the processing industry of the Republic of Kazakhstan and is one of the most attractive investment sectors of the economy.

However, this industry is still not provided in sufficient quantities with its own, domestic high-quality raw materials - rye and / or barley malt. For example, fermented malt is used as a source of colors and aromas. It is the main raw material in the preparation of kvass, kvass wort concentrate and kvass bread, the rate of application of this type of malt is from 40 to 60%, depending on the method of production of this type of product.

The processing of cereals with a high protein content (above 12%) and a low starch content and extractiveness is economically disadvantageous, and undesirable from a quality point of view.

The most important directions in solving this problem should be recognized as the improvement and development of new resource-saving technologies of malt using non-traditional types of raw materials.

Currently, the use of triticale grain in the fermentation industry in the production of malt and the further replacement of traditional types of malt for the preparation of alcohol, beer, kvass is promising. In recent years, new varieties of triticale have been obtained in the Republic of Kazakhstan, which are distinguished by high technological properties, which are included in the State Register.

In this regard, it is obvious that the performance of work related to theoretical and experimental research aimed at the development of new technological modes of preparation of malt from triticale is one of the urgent tasks, the decision of which, to create an assortment of drinks. The purpose of the research work is to study the malting properties of Kazakhstani varieties of triticale grain.

Key words: Malt, barley, triticale, fermentation industry, kvass, kvass wort concentrate, ethyl alcohol, extract, variety, germination ability.

Introduction. Along with traditional types of cereals, in the production of malt, cereals such as triticale, amaranth, sorghum, buckwheat, oats, etc. are used, which until recently were mainly used for fodder purposes [1-5]. Among the listed alternative crops, triticale should be noted as the most promising type of grain raw material [6-7].

Triticale (lat. *Triticosecale*, from lat. "Triticum" - wheat and lat. "Secale" - rye) is a new botanical species created by man. By combining the chromosome complexes of two different botanical genera - wheat and rye, man was able to synthesize a new agricultural crop for the first time in the history of agriculture. Triticale attracts special attention for a number of important indicators, such as yield, winter hardiness, nutritional value of the product, etc. The artificially created cereal that did not exist before in nature - triticale - is a crop that does not have intermediate properties between rye and wheat, which has its own characteristics [8].

Triticale is superior to rye and barley in total extract, enzymatic activity and protein dissolution. These indicators suggest its use as a raw material for the production of malt [9].

In recent years, new varieties of triticale have been obtained in the Republic of Kazakhstan, which are distinguished by high technological properties, which are included in the State Register [10-12].

In this regard, it is obvious that the implementation of work related to the improvement of the theoretical and experimental research aimed at the development of new technological modes for the preparation of triticale malt is one of the urgent tasks, the decision of which will create an assortment of quality.

Materials and methods. The object of the study was triticale grains of the varieties: Aziada, Balausa 8, Kozha, Orda, Taza and barley malt of the Tekeli variety, corresponding to GOST 29294-2014.

Kazakhstan varieties of triticale grain (Figure 1) have been experimentally developed and submitted for research by the Kazakh Research Institute of Agriculture and Crop Production LLP (Almaty region, Kazakhstan).



Figure 1 - Photos of the studied varieties of triticale grain

Experimental studies to study the quality indicators of triticale grain were carried out at the Educational and Scientific Center for the Production of Fermentation Products at the Department of Technology of Bread Products and Processing Industries of the Technopark of the Almaty Technological University.

The results of the study. The experiments were carried out in three - four times repetition, analogous determinations for each sample in three repetitions. Only those results were discussed that were reproducible in each experiment.

Determination of organoleptic and some physicochemical parameters (absolute weight, natural weight, vitreousness, filmness, water sensitivity, extractivity, mass fraction of moisture) of the initial grain raw material was carried out in accordance with the standard methods adopted in the technochemical control of malting production [13].

The determination of the germination energy was carried out according to GOST 10968-88. The suitability of grain for malting is determined by its ability to germinate. The grain is germinated in a glass funnel, at the end of which a rubber tube with a clip is put on. The number of germinated grains is determined by the formula (1)

$$x = 100 * A / B, \quad (1)$$

where, A - the number of grains germinated in the sample, where B - the number of grains in the sample (500 pcs.)

The determination of the germination ability was carried out according to the EBC method. Count 100 whole grains. Soak in a prepared 5% solution of Tetrazolium solution for 24 hours. After 24 hours, the number of red-colored grains is counted and expressed as a percentage (Figure 2).



Grain samples, after 24 hours of soaking in solution
Longitudinal section of grain

Figure 2 - Determination of germination ability grains of triticale grade "Balausa 8"

The determination of fat content was carried out according to the EBC method 6.10. The fat content of the triticale grain is determined by extraction with ethyl sulfate in a Soxhlet apparatus. The method is based on the property of vegetable fats to dissolve in ethyl sulfate. By subjecting the raw material

to be extracted with ethyl sulfate ether, the fat is transferred into an ether solution, from which ether is then distilled off [14].

The ash content was determined according to the EBC method. Ash content - expressed as a percentage, the amount of minerals remaining after the complete combustion of organic matter in the sample. The essence of the method lies in the combustion of a sample of ground grain, followed by a quantitative determination of the incombustible residue [15].

Determination of the content of protein substances in grain was carried out according to the EBC 3.31 method (Kjeldahl method) using the Kjeldahl apparatus. An important technological indicator in the production of malt is the protein content, which more containing in the grain make more difficults to germinate. The essence of the method lies in the mineralization of organic matter with sulfuric acid in the presence of a catalyst with the formation of ammonium sulfate, destruction of ammonium sulfate

with alkali with the release of ammonia, stripping ammonia with water vapor into a solution of sulfuric or boric acids, followed by titration [16].

Determination of starch content in grain was carried out on spectrophotometer at 510 nm, according to ICC standard No. 168, using a Total starch Assay procedure from Megazyme Kit. The method is based on determining the concentration of optical active sugars formed as a result of acid hydrolysis of starch [17]. Determination of β -glucan in grain was carried out by spectrophotometric method at wavelength 510 nm, according to ICC standard No. 166.

To assess the quality and suitability of Kazakhstan varieties of triticale grain, the physicochemical indicators of 5 varieties (Aziada, Balausa 8, Kozha, Orda, Taza) were studied, which are presented in table 1.

Results and discussion. The most common variety of barley, Tekeli, grown in Kazakhstan for malt production, served as a control.

Table 1 - Qualitative indicators of various grades of triticale and barley grains, zoned in the Republic of Kazakhstan

Indicators	Triticale					Tekeli barley
	Aziada	Balausa 8	Kozha	Orda	Taza	
The nature of the grain, g/l (n=3)	665±0.85	683±0.46	710±0.53	716±0.45	707±0.54	725±0.94
Absolute weight of 1000 grains, g (n=3)	38.95±0.2	45.3±0.32	46.8±0.18	47.09±0.3	46.8±0.37	46.9±0.24
Moisture content, % (n=3)	12±0.18	11.8±0.23	12.7±0.52	13±0.32	11.7±0.36	12.2±0.22
Protein content, % CB (n=3)	12.8±0.71	10.6±0.07	12.3±0.53	12.9±0.61	13.2±0.27	11.3±0.47
Starch content, % CB (n=3)	68.65±5.2	70.73±5.4	65.43±3.3	61.13±4.7	64.62±5.1	69.48±3.8
Extractivity, in% for DM (n=3)	79±0.15	81±0.21	76±0.17	75±0.09	75±0.22	80±0.28
Germination energy, % (n=3)	91±0.11	99±0.13	86±0.17	85±0.09	92±0.25	98±0.08
Germination ability, % (n=3)	91±0.07	99±0.13	86±0.12	85±0.21	92±0.25	98±0.18
Water sensitivity, % (n=3)	3±0.51	2±0.37	5±0.22	6±0.26	3±0.35	3±0.41
Glassiness, % (n = 3)	56±0.03	44±0.19	61±0.20	60±0.32	58±0.33	42±0.09
Filminess, % (n = 3)	8.48±0.12	7.62±0.13	9.36±0.08	10.1±0.18	11.2±0.24	8.12±0.26
Ash content, % (n=3)	1.62±0.13	2.02±0.03	1.72±0.12	1.88±0.26	1.71±0.07	1.51±0.06
Fats, % (n=3)	1.53±0.06	1.2±0.01	1.70±0.03	1.88±0.08	1.64±0.07	1.27±0.09
B glucan content, in% for DM(n=3)	0.83±0.18	0.7±0.05	0.9±0.03	0.9±0.07	0.8±0.23	0.76±0.14

According to Table 1, the quality indicators: nature and absolute weight, as well as the content of the mass fraction of moisture, starch, extract, ash, fat and β glucan of all samples are normal, however, for the production of malt, a wider range of indicators should be considered.

Empirical dependencies more revealingly characterize the relationship between the extract and quality indicators: the mass fraction of starch and the absolute mass of triticale, which were determined according to the methods adopted in the malting industry (Figure 3, 4).




Figure 3 - Relationship between extractivity and starch content




Figure 4 - Relationship between extractivity and absolute weight

Obtained empirical dependencies:

$$E = 0.597ms + 38.22 \quad (2)$$

where E is the content of extractives,%; ms - mass fraction of starch,%.

$$E = 0.759ma + 44.50 \quad (3)$$

where ma is the absolute weight of triticale grain, g.

The experimental dependences are described by a linear equation with a sufficiently high degree of approximation reliability ($R_2 = 0.932$ and $R_2 = 0.981$). High extractiveness of grain is one of the main indicators of the quality of barley used in malting, the main part of which is contained in starch [18].

Conclusion. As follows from Table 1, the triticale variety Balausa 8 surpasses not only the grain of barley of the Tekeliisky variety, but also the triticale varieties Aziada, Ozha, Orda and Taza with a high starch content (by 1.7%, 3%, 7.5%, 13.5 % and 8.7%), high extractability (by 1.3%, 2.5%, 6.2%, 7.5% and 7.5%), energy and germination ability (by 1.1%, 8 , 1%, 13.1%, 14.1% and 7%). The content of ash, fats, β glucan and moisture content in all studied samples is normal.

It should be noted that variety Balausa 8, in contrast to other studied varieties, meets the requirements of GOST 29294-2014 in terms of the main technological quality indicators such as: protein content, water sensitivity, glassiness and filmness. High water sensitivity characterizes a decrease in the ability to germinate even with a slight excess of water and requires strict adherence to a special soaking technology. High graininess of grain, negatively affects its extract. High vitreous grains tend to contain higher amounts of protein, making them difficult to process and yielding lower quality malt [19-21].

Triticale varieties Asiada and Taza have higher energy and germination ability compared to varieties Kozha and Orda, however, in terms of filmness, glassiness and protein are unsuitable for preparation of malt.

Triticale varieties Kozha and Orda are distinguished by their high nature and absolute weight of grain, but due to the high protein content (an increase in protein content by 1% leads to a decrease in extractability by 0.8%) [22-23], fat and glassiness, as well as more low energy and germination ability are unsuitable for malt production.

Thus, on the basis of the studies carried out on the physicochemical indicators of quality and biochemical characteristics of Kazakhstan varieties of triticale grain, the variety "Balausa 8" was selected as the most suitable for obtaining malt, characterized by high extractability (81% on DM), low protein content (10.6%), high values of energy and germination ability (99%), which has the best technological indicators corresponding to the requirements of GOST 29294-2014.

Г. Мадет*, М.М. Баязитова

Алматы технологиялық университеті, Алматы қаласы, Қазақстан
E-mail: gulika1121@mail.ru

СУСЫНДАР ИНДУСТРИЯСЫНДА ҚОЛДАНЫЛАТЫН ТРИТИКАЛЕ ДӘНДЕРІНІҢ ҚАЗАҚСТАНДЫҚ СҮРҮПТАРЫНЫҢ ҮЙТТАНУ ҚАСИЕТТЕРІН ЗЕРТТЕУ

Аннотация: Бұғынгі таңда сусындар өнеркәсібі Қазақстан Республикасының өңдеу өнеркәсібінде маңызды орын алады және экономиканың ең тартымды инвестициялық секторларының бірі болып табылады.

Алайда, бұл сала әлі күнге дейін өзіндік, отандық жоғары сапалы шикізатпен - қара бидай немесе арпа үйтімен жеткілікті мөлшерде қамтамасыз етілмеген. Мысалы, ферменттелген үйт өнімнің түстілігі мен хош істерінің көзі ретінде қолданылады. Бұл квас, квас сусыны концентратын және квас нандарын дайындаудағы негізгі шикізат болып табылады, үйттың осы түрін қолдану өнімнің түрін өндіру әдісіне байланысты 40-тан 60%-ға дейін құрайды.

Құрамында ақуыз мөлшері көп (12% -дан жоғары) және құрамында крахмал және экстрактивтілік мөлшері төмен дәнді дақылдарды өңдеу экономикалық тұрғыдан тиімсіз және сапа жағынан айтарлықтай төмен.

Бұл мәселені шешудің маңызды бағыттары дәстүрлі емес шикізат түрлерін қолданатын және ресурстарды үнемдейтін үйт технологияларын жетілдіру және дамыту деп тану керек.

Казіргі уақытта тритикале дәнін ферменттеу және оны үйт өндірісінде қолдану алкоголь, сыра, квас дайындау үшін үйттың дәстүрлі түрлерін одан әрі алмастыру перспективалы болып табылады. Соңғы жылдары Қазақстан Республикасында мемлекеттік тізіміне енгізілген тритикаленің жоғары технологиялық қасиеттерімен ерекшеленетін жаңа сорттары алынды.

Осыған байланысты, тритикале үйттың дайындаудың жаңа технологиялық режимдерін әзірлеуге бағытталған теориялық және эксперименттік зерттеулермен байланысты жұмыстарды жүзеге асыру - шешілетін сусындардың түрлерін құру кезек күттірмейтін міндеттердің бірі екені анық. Зерттеу жұмысының мақсаты - тритикале дәндерінің Қазақстандық сорттарының үйттану қасиеттерін зерттеу.

Түйін сөздер: үйт, арпа, тритикале, ашыту өнеркәсібі, квас, квас сусластының концентраты, этил спирті, сығынды, сорт, есу қабілеттілігі.

Г. Мадет*, М.М. Баязитова

Алматинский технологический университет, Алматы, Казахстан
E-mail: gulika1121@mail.ru

ИССЛЕДОВАНИЕ СОЛОДОВЕННЫХ СВОЙСТВ КАЗАХСАНСКИХ СОРТОВ ЗЕРНА ТРИТИКАЛЕ ДЛЯ ИСПОЛЬЗОВАНИЯ В ИНДУСТРИИ НАПИТКОВ

Аннотация: На сегодня индустрия напитков занимает важное место в перерабатывающей промышленности Республики Казахстан и является одним из инвестиционно привлекательных секторов экономики.

Однако, данная отрасль до сих пор не обеспечена в достаточном количестве собственным, отечественным качественным сырьем – ржаным и/или ячменным солодом. К примеру, ферментированный солод используется в качестве источника красящих и ароматических веществ. Является основным сырьем при приготовлении кваса, концентрата квасного сусла и квасных хлебцев, норма внесения данного вида солода составляет от 40 до 60 %, в зависимости от способа производства данного вида продукта.

Переработка зерновых с высоким содержанием белка (выше 12%) и низким содержанием крахмала и экстрактивностью с экономической точки зрения невыгодна, а с точки зрения качества нежелательна.

Важнейшими направлениями в решении этой задачи следует признать совершенствование и разработку новых ресурсосберегающих технологий солода с использованием нетрадиционных видов сырья.

В настоящее время перспективным является использование зерна тритикале в бродильной промышленности при производстве солода и дальнейшей замены традиционных видов солодов для приготовления спирта, пива, кваса. В последние годы в Республике Казахстан получены новые сорта тритикале, отличающиеся высокими технологическими свойствами, которые включены в Государственный реестр.

В связи с этим, очевидно, что проведение работ, касающихся теоретических и экспериментальных исследований, направленных на разработку новых технологических режимов приготовления солода из тритикале является одной из актуальных задач, решение которой, позволит создать

ресурсосберегающую технологию и расширить ассортимент напитков. Целью исследовательской работы является изучение солодовенных свойств казахстанских сортов зерна тритикале.

Ключевые слова: солод, ячмень, тритикале, бродильная промышленность, квас, концентрат квасного сусла, этиловый спирт, экстракт, сорт, способность прорастания

Information about authors:

Madet Gulina – undergraduate, Almaty Technological University, e-mail: gulika1121@mail.ru, <https://orcid.org/0000-0003-1602-435X>.

Bayazitova Meruert Mysyrovna – PhD, Almaty Technological University, e-mail: mikab_87@mail.ru, <https://orcid.org/0000-0002-0037-5094>.

REFERENCES:

- [1] Kiseleva T.F. et al. Improving the technology of oat malt // Beer and drinks. - 2014. - No. 1.- P. 26-32
- [2] Shakirov D.R., Krivov N.V. Use of grain sorghum as malted and unmalted raw materials in beer production // Bulletin of Science and Education of the North-West of Russia. - 2018. - V. 4. - No. 2. - p. 46-53. (in Russ.).
- [3] Satish Kumar L., Daodu M. A., Shetty H. S., Malleshi N. G. Seed Mycoflora and malting characteristics of some sorghum cultivars. - Journal of Cereal Science, 2012. vol. 15, pp. 203 - 209.
- [4] Trotsenko A.S. et al. Features of the technology of freshly sprouted buckwheat malt // Storage and processing of agricultural raw materials. - 2012. - No. 4. - p. 10-13.(in Russ.).
- [5] Petrova N.A., Ogannisyan V.G., Ivanchenko O.B. Method of preparation of non-alcoholic buckwheat beer // Beer and drinks. - 2011. - No. 5.- p. 88-95.(in Russ.).
- [6] Zdaniewicz M. et al. Tritordeum malt: An innovative raw material for beer production // Journal of Cereal Science. - 2020. - Vol. 96.
- [7] Zipaev D.V., Kashaev A.G., Rybakova K.A. The use of triticale grain as a raw material for the production of beer // News of higher educational institutions. Food technology. - 2015. - No. 4. - p. 70-72. (in Russ.).
- [8] Gruji Olgica S., Pej Jelena D. The application of triticale malt as the substitute for barley malt in wort production // ActaPeriodica Technologica. -2017. - Vol. 38. - P. 117-126.
- [9] Bayazitova M.M., Baigazieva G.I., Kekibaeva A.K. Use of triticale in the fermentation industry // Scientific discussion: innovations in the modern world: collection of articles. Art. based on the materials of the LIII International Scientific and Practical Conference "Scientific Discussion: Innovations in the Modern World". - No. 9 (52). - M : Ed. "Internauka", 2016. - pp. 37-42.
- [10] Samim M.M., Zhumashev Zh.Zh. The area of triticale cultivation in the world // Bulletin of the National Academy of Sciences of the Republic of Kazakhstan. - Almaty, 2017. - No. 3. - P. 216-221.
- [11] State Institution "State Commission for Variety Testing of Agricultural Crops" of the Ministry of Agriculture of the Republic of Kazakhstan "Official Bulletin ". - Astana, 2014. - No. 1. -p. 19-33.(in Russ.).
- [12] Bayazitova M.M., Baygazieva G.I. Characteristics of triticale varieties zoned in the Republic of Kazakhstan // International scientific and practical conference "Kozybayev readings - 2017: Kazakhstan and modern challenges of the time." - Petropavl, 2017 .-- pp. 84-88.
- [13] Meledina T.V. Raw materials and auxiliary materials in brewing.- SPb .: Professiya, 2003 – 205p. (in Russ.).
- [14] EBC The European Brewery Convention / MEBAK The Mittel europäische Brautechnische Analysen kommission.
- [15] Rakha, A., Aman, P., Andersson, R.: Dietary fiber in triticale grain: Variation in content, composition, and molecular weight distribution of extractable components // Journal of Cereal Science. –2011. - No. 54 (3). -P. 324-331
- [16] Goncharov S.V., Gorbunov V.N. Prospects for the use of triticale grain in the fermentation industry // Selection, agricultural technology, processing and use of raw materials from triticale: collection of Triticale of Russia. –Rostov-on-Don: RAAS, DZNIISKh, 2012. - P.118-121.
- [17] Osegueda-Toledo M., Contreras-Jiménezac B. Physicochemical changes of starch during malting process of sorghum grain // Journal of Cereal Science. - Vol. 95, 2020, 103069.
- [18] Kobelev K.V. et al. Production of malt from triticale for fermentation drinks // Beer and drinks. - 2014. - No. 5.
- [19] Gordeeva L.N. Maltase activity of sorghum malt // Food and processing industry. Abstract journal. - 2012. - No. 4. - p. 1450-1450.(in Russ.).
- [20] Daribayeva G.T., Magomedov G. Iztaev B. Zhexenbay N. Tyussiyupova B. Preparation triticale flour by ion-ozone treatment for improve the quality of pasta. Eastern-European Journal of Enterprise Technologies. - 2019. - No. 4/11 (100). - P. 64-73
- [21] Narcissus L. Technology of malting. - SPb .: Professiya, 2017. - P.658.

- [22] Karpenko D.V., Kashankov V.O., Savina M.V. Influence of nanopreparations on the activity of amylases of light barley malt // Beer and drinks. - 2017. - No. 6.
- [23] Bayazitova M.M., Baygazieva G.I., Askarbekov E.B., Batyrbaeva N.B., Mukasheva T.K. Selection of the mashing mode in the preparation of beer wort with use of triticale malt Journal of Engineering and Applied Sciences, Volume: 13, Issue: 8 SI, Page No.: 6446-6450

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN
SERIES CHEMISTRY AND TECHNOLOGY

ISSN 2224-5286

Volume 3, Number 447 (2021), 65 – 70

<https://doi.org/10.32014/2021.2518-1491.52>

UDC 541.1:669.791.5:621.793+66.001.5

A.S. Mussina, G.U. Baitasheva, N.O. Myrzakhmetova, Zh.A. Tagabergenova, E.P. Gorbulicheva
Kazakh National Women's Teacher Training University, Almaty, Kazakhstan
E-mail: mussina_as@mail.ru

DEVELOPMENT OF THE CONDITIONS FOR STORING THALLIUM AMALGAM

Abstract. It has been established that $1\text{NH}_2\text{SO}_4$ solution and distilled water can be used as a protective medium for a long-term storage (30-40 days) of thallium amalgam of eutectic composition (8.6 mas.%), without sliming of its surface and an insignificant change of its concentration. An inverse dependence between the decomposition reaction rate and the ratio of the solution volume per unit of the contact surface (V:S), which corresponds to the height of the liquid layer (h) above the amalgam, is observed. At $h \sim 2.5$ cm and higher, the reaction rate becomes stabilized. The value of metal loss during its storage for 10-15 days does not exceed 0.5-1.0 mas.% of the initial thallium content in the amalgam.

It has been shown that the rate of dissolution of thallium from amalgam is rather low, and in sulfuric acid solution it is only slightly higher than that in water with all S:V ratios. A similar picture is observed upon thallium amalgam decomposition in the same media in an open vessel; the difference consists only in a higher K value (Table 4). Thus, with S:V = 1:2.5, in an open vessel K in $1\text{NH}_2\text{SO}_4$ makes up $10.5 \cdot 10^{11}$ mol/cm².sec, and in H_2O – $7.3 \cdot 10^{11}$ mol/cm².sec, whereas in a closed vessel K in $1\text{NH}_2\text{SO}_4$ makes up $1.9 \cdot 10^{11}$ mol/cm².sec, and in H_2O – $1.5 \cdot 10^{11}$ mol/cm².sec.

For 40 days of thallium amalgam (8.54 mas.%) storage in $1\text{NH}_2\text{SO}_4$ the loss of thallium has been 1.3 mas.%, and in the distilled water - 1 mas.%. The quantity of the dissolved metal increases in proportion to the experiment duration, which is characteristic for a zero-order reaction, and this dependence is observed for all S:V ratios from 1:1 to 1:7.

Besides, a possibility to use some saturated hydrocarbons, wherein no sliming of thallium amalgam occurs, as a protective wash liquid has been shown.

Key words: thallium amalgam, chemical preparation, storage, decomposition, sulfuric acid, water, wash liquid.

Introduction. Thallium is a very important metal in both theoretical and practical terms, combining the properties of both alkali and heavy (Pb, Ag, Au) metals. It is highly soluble in mercury, which is very important for amalgam hydrometallurgy (at 293 K - 43 mas.%), and for solving other technical problems.

The development of structures and technologies for manufacturing mercury-thallium thermometers, hermetic contacts, contactrons and thermal contactrons is complicated by the fact that there are no reliable data on thallium amalgam permanency in water solutions, methods of controlling the content of metal in amalgam and methods of processing the amalgam wastes, formed in the process of filling the stocks.

The literature data on thallium amalgam

permanency in various media are rather limited. The basic data, related mainly to the behavior of amalgam in the water solutions, have been obtained upon the development of a technology for thallium production by the methods of amalgam hydrometallurgy [1-6]. It has been found that in some cases amalgam sliming occurs. This is facilitated by the presence in the solution of the substances - emulsifiers, which are not sulfur-containing compounds or metal oxides, formed due to oxidation, for example, by air oxygen. Small droplets of amalgam are enveloped with these substances or particles, which form stable adsorption salts on the surface, which contributes to the fragmentation of thallium amalgam [2].

The work practice with thallium amalgam shows that sliming occurs when amalgam is in the air, due

МАЗМҰНЫ – СОДЕРЖАНИЕ – CONTENTS

Аппазов Н.О., Диярова Б.М., Базарбаев Б.М., Асылбекқызы Т., Джиембаев Б.Ж. КҮРІШ ҚАЛДЫҒЫМЕН МҰНАЙ ШЛАМЫН БІРГЕ ӨНДЕУДЕ БАЙЛАНЫСТЫРУШЫ КРАХМАЛ НЕГІЗІНДЕ БРИКЕТТЕЛГЕН БЕЛСЕНДІРІЛГЕН КӨМІР АЛУ.....	6
Anarbekova Z.A., Baigazieva G.I. THE INFLUENCE OF YEAST RACES ON THE AROMA-FORMING SUBSTANCES OF TABLE WINES.....	12
Augaliev D.B., Erkibaeva M.K., Aidarova A.O., Tungatarova S.A., Baizhumanova T.S. OXIDATIVE DIMERIZATION OF METHANE TO C2 HYDROCARBONS.....	18
Әбдібек А.Ә., Мулдабекова Б.Ж., Якияева М.А., Идаятова М.А., Әбіл А.Ж. ҰНДЫ КОНДИТЕР ӨНДІРІСІНДЕ ДӘСТУРЛІ ЕМЕС ШИКІЗАТТАРДЫ ҚОЛДАNUДЫҢ ТИМДІЛІГІ.....	24
Исаева Н.А., Байгазиева Г.И. ҚАНТ АЛМАСТЫРҒЫШ – СТЕВИЯ [STEVIA REBAUDIANA BERTONI (L.)] ҚОСЫЛҒАН СУЫҚ ҚАРА ШАЙ ӨНДІРІСІ.....	31
Ikhsanov Y.S., Kusainova K.M., Tasmagambetova G.Y., Andasova N.T., Litvinenko Y.A. AMINO ACID, FATTY ACID AND VITAMIN COMPOSITION OF ROSA CANINA L.....	39
Jalmakhanbetova R.I., Suleimen Ye.M., Kasenov B.K. CALCULATE THE STANDARD ENTHALPIES OF COMBUSTION, FORMATION AND MELTING OF THE COMPLEX ROSEOFUNGIN WITH α -, β - and γ -CYCLODEXTRIN.....	44
Kairbekov Zh.K., Jeldybayeva I.M., Abilmazhinova D.Z., Suimbayeva S.M. PHYSICOCHEMICAL AND ANTIOXIDANT PROPERTIES OF HUMIC ACIDS OF LOW-MINERALIZED PELOIDS OF THE TUZKOL DEPOSIT.....	48
Mamyrbekova Aizhan, Mamyrbekova Aigul, Kassymova M.K., Aitbayeva A.Zh., Chechina O.N. STUDY OF KINETICS OF COPPER OXIDATION BY ELECTROLYSIS UND NON-STATIONARY CONDITIONS.....	54
Madet G., Bayazitova M.M. RESEARCH OF MALTING PROPERTIES OF KAZAKHSTAN TRITIKALE GRAIN VARIETIES FOR USE IN THE BEVERAGE INDUSTRY.....	59
Mussina A.S., Baitasheva G.U., Myrzakhmetova N.O., Tagabergenova Zh.A., Gorbulicheva E.P. EVELOPMENT OF THE CONDITIONS FOR STORING THALLIUM AMALGAM.....	65
Naguman P.N., Zhorabek A.A., Amanzholova A.S., Kulakov I.V., Rakhimbaeva A.N. PHYTONCIDES IN THE COMPOSITION OF COMMON BIRD CHERRY.....	70
Nurdillayeva R.N., Saurbay Zh.G., Bayeshov A.B. DISSOLUTION OF STAINLESS STEEL IN SODIUM CHLORIDE SOLUTION AT POLARIZATION BY NON-STATIONARY CURRENT.....	75
Rakhimberlinova Zh.B., Kulakov I.V., Alimzhanova A.Zh., Mussirepov M.M., Nakypbekova N.E. CHEMICAL ACTIVATION OF THE SURFACE OF THE BURNT ROCK BY VARIOUS MODIFIERS.....	81
Rasulov S.R., Mustafayeva G.R. DEVELOPMENT OF EFFECTIVE CATALYSTS FOR PROCESSING C3-C4 HYDROCARBONS.....	87

Tyan A., Bayazitova M.M. SELECTION OF THE MASHING MODE IN THE PREPARATION OF BEER WORT BY USING THE WHEAT MALT.....	94
Vysotskaya N.A., Kabylbekova B. N., Spabekova R.S., Asylbekova D.D., Lukin E.G. SOME FEATURES OF ELECTRODEPOSITION OF METALS FROM ELECTROLYTES WITH SURFACTANTS.....	99
Yermagambet B.T., Kazankapova M.K., Nauryzbayeva A.T., Kassenova Zh.M. SYNTHESIS OF CARBON NANOFIBERS BASED ON HUMIC ACID AND POLYACRYONITRILE BY ELECTROSPINNING METHOD.....	103

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>. Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyrightholder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>. The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации
в журнале смотреть на сайте:

[www:nauka-nanrk.kz](http://nauka-nanrk.kz)

<http://chemistry-technology.kz/index.php/en/arhiv>

ISSN 2518-1491 (Online), ISSN 2224-5286 (Print)

Редакторы: *М.С. Ахметова, Р.Ж. Мрзабаева, Д.С. Аленов*
Верстка на компьютере *В.С. Зикирбаева*

Подписано в печать 12.06.2021.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
10,2 п.л. Тираж 300. Заказ 3.

*Национальная академия наук РК
050010, Алматы, ул. Шевченко, 28, т. 272-13-18, 272-13-19*