

ISSN 2518-1483 (Online),  
ISSN 2224-5227 (Print)

2025 • 1



«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ФЫЛЫМ  
АКАДЕМИЯСЫ» РҚБ

«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ФЫЛЫМ АКАДЕМИЯСЫ» РҚБ

# БАЯНДАМАЛАРЫ

---

ДОКЛАДЫ  
РОО «НАЦИОНАЛЬНОЙ  
АКАДЕМИИ НАУК РЕСПУБЛИКИ КАЗАХСТАН»

REPORTS  
OF THE ACADEMY OF SCIENCES  
OF THE REPUBLIC OF KAZAKHSTAN

PUBLISHED SINCE JANUARY 1944

ALMATY, NAS RK

# ҚАЗАҚСТАН РЕСПУБЛИКАСЫ ҮЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ БАЯНДАМАЛАРЫ

2025 • 1

## Бас редактор:

**ЖҰРЫНОВ Мұрат Жұрынұлы**, химия ғылымдарының докторы, профессор, КР ҰФА академигі, КР ҰФА РКБ президенті м.а., АҚ «Д.В. Сокольский атындағы Отын, катализ және электрохимия институтының» бас директоры (Алматы, Казакстан) <https://www.scopus.com/authid/detail.uri?authorId=6602177960>

## Редакция ұжымы:

**ҚАЛИМОЛДАЕВ Мақсат Нұрәділұлы**, физика-математика ғылымдарының докторы, профессор, КР ҰФА академигі (Алматы, Қазакстан) <https://www.scopus.com/authid/detail.uri?authorId=56153126500>

**ӘДЕКЕНОВ Сергазы Мыңжасарұлы**, химия ғылымдарының докторы, профессор, КР ҰФА академигі, «Фитохимия» халықаралық ғылыми-өндірістік холдингінің директоры (Қарағанды, Қазакстан) <https://www.scopus.com/authid/detail.uri?authorId=7006153118>

**РАМАЗАНОВ Тілекқабыл Сабитұлы**, физика-математика ғылымдарының докторы, профессор, КР ҰФА академигі, әл-Фараби атындағы Қазак ұлттық университетінің ғылыми-инновациялық қызмет жөніндегі проректоры, (Алматы, Қазакстан) <https://www.scopus.com/authid/detail.uri?authorId=6701328029>

**ӘБИЕВ Руфат**, техника ғылымдарының докторы (биохимия), профессор, Санкт-Петербург мемлекеттік технологиялық институты «Химиялық және биотехнологиялық аппаратураны оңтайландыру» кафедрасының меншерушісі, (Санкт-Петербург, Ресей) <https://www.scopus.com/authid/detail.uri?authorId=6602431781>

**ОЛИВЬЕРО Rossi Cesare**, PhD (химия), Калабрия университетінің профессоры (Калабрия, Италия) <https://www.scopus.com/authid/detail.uri?authorId=57221375979>

**ТИГИНИЯНУ Ион Михайлович**, физика-математика ғылымдарының докторы, академик, Молдова Ғылым Академиясының президенті, Молдова техникалық университеті (Кишинев, Молдова) <https://www.scopus.com/authid/detail.uri?authorId=7006315935>

**САНГ-СУ Квак**, PhD (биохимия, арохимия), профессор, Корея Биогылым және биотехнология ғылыми-зерттеу институты (KRIBB), осміндіктердің инженерлік жүйелері ғылыми-зерттеу орталығының бас ғылыми қызметкері, (Дэчон, Корея) <https://www.scopus.com/authid/detail.uri?authorId=59286321700>

**БЕРСІМБАЕВ Рахметқажы Ескендерұлы**, биология ғылымдарының докторы, профессор, КР ҰФА академигі, Л.Н. Гумилев атындағы Еуразия ұлттық университеті. (Астана, Қазакстан) <https://www.scopus.com/authid/detail.uri?authorId=7004012398>

**КАЛАНДРА Пьетро**, PhD (физика), наноқұрьылымды материалдарды зерттеу институтының профессоры (Рим, Италия) <https://www.scopus.com/authid/detail.uri?authorId=7004303066>

**БОШКАЕВ Қуантай Авғазұлы**, Ph.D. Теориялық және ядролық физика кафедрасының доценті, әл-Фараби атындағы Қазак ұлттық университеті (Алматы, Қазакстан), <https://www.scopus.com/authid/detail.uri?authorId=54883880400>

**Бүркітбаев Мұхамбетқали**, химия ғылымдарының докторы, профессор, КР ҰФА академигі, (Алматы, Қазакстан) <https://www.scopus.com/authid/detail.uri?authorId=8513885600>

**QUEVEDO Hernando**, профессор, Мексика ұлттық автономиялық университеті (UNAM), Ядролық ғылымдар институты (Мехико, Мексика), <https://www.scopus.com/authid/detail.uri?authorId=55989741100>

**ЖУСІПОВ Марат Абжанұлы**, физика-математика ғылымдарының докторы, теориялық және ядролық физика кафедрасының профессоры, әл-Фараби атындағы Қазак ұлттық университеті (Алматы, Қазакстан), <https://www.scopus.com/authid/detail.uri?authorId=6602166928>

**КОВАЛЕВ Александр Михайлович**, физика-математика ғылымдарының докторы, Украина ҰФА академигі, Қолданбалы математика және механика институты (Донецк, Украина), <https://www.scopus.com/authid/detail.uri?authorId=720279931>

**ТАКІБАЕВ Нұргали Жабагаұлы**, физика-математика ғылымдарының докторы, профессор, КР ҰФА академигі, әл-Фараби атындағы Қазак ұлттық университеті (Алматы, Қазакстан), <https://www.scopus.com/authid/detail.uri?authorId=24077239000>

**ХАРИН Станислав Николаевич**, физика-математика ғылымдарының докторы, профессор, КР ҰФА академигі, (Алматы, Қазакстан), <https://www.scopus.com/authid/detail.uri?authorId=6701353063>

**ДАВЛЕТОВ Асқар Ербуланович**, физика-математика ғылымдарының кандидаты, доцент, ҰЯЗУ МИФИ әл-Фараби атындағы Қазак ұлттық университеті (Алматы, Қазакстан), <https://www.scopus.com/authid/detail.uri?authorId=6602642543>

**ӘБІШЕВ Меде Ержанұлы**, физика-математика ғылымдарының докторы, профессор, КР ҰФА академигі, (Алматы, Қазакстан) <https://www.scopus.com/authid/detail.uri?authorId=26530759900>

**ӘБІЛМАҒЖАНОВ Арлан Зайнутталайұлы**, химия ғылымдарының кандидаты, Д.В. Сокольский атындағы "Отын, катализ және электрохимия институты" АҚ Бас директорының бірінші орынбасары, (Алматы, Қазакстан), <https://www.scopus.com/authid/detail.uri?authorId=57197468109>

«Қазақстан Республикасы Үлттық ғылым академиясының баяндамалары»

ISSN 2518-1483 (Online), ISSN 2224-5227 (Print)

Меншіктеуші: «Қазақстан Республикасының Үлттық ғылым академиясы» Республикалық қоғамдық бірлестігі (Алматы қ.)

Ақпарат агенттігінің мерзімді баспасоз басылымын, ақпарат агенттігін және желілік басылымды кайта есепке қою туралы КР Медениет және Ақпарат министрлігі «Ақпарат комитеті» Республикалық мемлекеттік мекемесі 31.01.2025 ж. берген № KZ31VPY00111215 Күләлік.

Такырыптық бағыты: *физика, химия*.

Мерзімділігі: жылдан 4 рет.

<http://reports-science.kz/index.php/en/archive>

© «Қазақстан Республикасының Үлттық ғылым академиясы» РКБ, 2025

**Главный редактор:**

**ЖУРИНОВ Мурат Журинович**, доктор химических наук, профессор, академик НАН РК, и.о. президента РОО НАН РК, Генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан) <https://www.scopus.com/authid/detail.uri?authorId=6602177960>

**Редакционная коллегия:**

**КАЛИМОЛДАЕВ Максат Нурадилович**, доктор физико-математических наук, профессор, академик НАН РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=56153126500>

**АДЕКЕНОВ Сергазы Мынжасарович**, доктор химических наук, профессор, академик НАН РК, директор Международного научно-производственного холдинга «Фитохимия» (Караганда, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=7006153118>

**РАМАЗАНОВ Тлеккабул Сабитович**, (заместитель главного редактора), доктор физико-математических наук, профессор, академик НАН РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6701328029>

**АБИЕВ Руфат**, доктор технических наук (биохимия), профессор, заведующий кафедрой «Оптимизация химической и биотехнологической аппаратуры», Санкт-Петербургский государственный технологический институт (Санкт-Петербург, Россия), <https://www.scopus.com/authid/detail.uri?authorId=6602431781>

**ОЛИВЬЕРО Rossi Чезаре**, доктор философии (PhD, химия), профессор Университета Калабрия (Калабрия, Италия), <https://www.scopus.com/authid/detail.uri?authorId=57221375979>

**ТИГИНИЯНУ Ион Михайлович**, доктор физико-математических наук, академик, президент Академии наук Молдовы, Технический университет Молдовы (Кишинев, Молдова), <https://www.scopus.com/authid/detail.uri?authorId=700615935>

**САНГ-СУ Квак**, доктор философии (PhD, биохимия, агрохимия), профессор, главный научный сотрудник, Научно-исследовательский центр инженерных систем растений, Корейский научно-исследовательский институт бионауки и биотехнологии (KRIBB), (Дэчон, Корея), <https://www.scopus.com/authid/detail.uri?authorId=59286321700>

**БЕРСИМБАЕВ Рахметкали Исекендирович**, доктор биологических наук, профессор, академик НАН РК, Евразийский национальный университет им. Л.Н. Гумилева (Астана, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=7004012398>

**КАЛАНДРА Пьетро**, доктор философии (PhD, физика), профессор Института по изучению наноструктурированных материалов (Рим, Италия), <https://www.scopus.com/authid/detail.uri?authorId=7004303066>

**БОШКАЕВ Куантай Авгазыевич**, PhD, преподаватель, доцент кафедры теоретической и ядерной физики, Казахский национальный университет им. аль-Фараби (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=548833880400>

**БҮРКИТБАЕВ Мухамбеткали**, доктор химических наук, профессор, академик НАН РК, (Алматы, Казахстан) <https://www.scopus.com/authid/detail.uri?authorId=8513885600>

**QUEVEDO Hernando**, профессор, Национальный автономный университет Мексики (UNAM), Институт ядерных наук (Мехико, Мексика), <https://www.scopus.com/authid/detail.uri?authorId=55989741100>

**ЖУСУПОВ Марат Абжанович**, доктор физико-математических наук, профессор кафедры теоретической и ядерной физики, Казахский национальный университет им. аль-Фараби (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6602166928>

**КОВАЛЕВ Александр Михайлович**, доктор физико-математических наук, академик НАН Украины, Институт прикладной математики и механики (Донецк, Украина), <https://www.scopus.com/authid/detail.uri?authorId=7202799321>

**ТАКИБАЕВ Нургали Жабагаевич**, доктор физико-математических наук, профессор, академик НАН РК, Казахский национальный университет им. аль-Фараби (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=24077239000>

**ХАРИН Станислав Николаевич**, доктор физико-математических наук, профессор, академик НАН РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6701353063>

**ДАВЛЕТОВ Аскар Ербуланович**, кандидат физико-математических наук, доцент, Филиал НИЯУ МИФИ Казахский национальный университет им. аль-Фараби (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6602642543>

**АБИШЕВ Медеу Ержанович**, доктор физико-математических наук, профессор, академик НАН РК, (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=26530759900>

**АБИЛЬМАГЖАНОВ Арлан Зайшутталаевич**, кандидат химических наук, первый заместитель генерального директора АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского», (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57197468109>

---

**Доклады Национальной академии наук Республики Казахстан»**

**ISSN 2518-1483 (Online), ISSN 2224-5227 (Print)**

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство №**KZ31V ру00111215** о повторной регистрации периодического печатного издания информационного агентства, информационного агентства и сетевого издания, выданное Республиканским государственным учреждением «Комитет информации» Министерства культуры и информации Республики Казахстан **31.01.2025**

Тематическая направленность: *физика, химия*.

Периодичность: 4 раза в год.

<http://reports-science.kz/index.php/en/archive>

**Editor-in-Chief:**

**ZHURINOV Murat Zhurinovich**, Doctor of Chemical Sciences, Professor, Academician of NAS RK, Acting President of RPA NAS RK, General Director of JSC "Institute of Fuel, Catalysis and Electrochemistry named after D.V. Sokolsky" (Almaty, Kazakhstan) <https://www.scopus.com/authid/detail.uri?authorId=6602177960>

**Editorial Board:**

**KALIMOLDAYEV Maksat Nuradilovich**, Doctor of Physical and Mathematical Sciences, Professor, Academician of NAS RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=56153126500>

**ADEKENOV Sergazy Mynzhasarovich**, Doctor of Chemical Sciences, Professor, Academician of NAS RK, Director of the International Science and Production Holding "Phytochemistry" (Karaganda, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=7006153118>

**RAMAZANOV Tlekkabul Sabitovich**, (Deputy Editor-in-Chief), Doctor of Physical and Mathematical Sciences, Professor, Academician of NAS RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6701328029>

**ABIEV Rufat**, Doctor of Technical Sciences (Biochemistry), Professor, Head of the Department of Optimization of Chemical and Biotechnological Equipment, St. Petersburg State Technological Institute (St. Petersburg, Russia) <https://www.scopus.com/authid/detail.uri?authorId=6602431781>

**OLIVIERO Rossi Cesare**, PhD (Chemistry), Professor at the University of Calabria (Calabria, Italy), <https://www.scopus.com/authid/detail.uri?authorId=57221375979>

**TIGINYANU Ion Mihailovich**, Doctor of Physical and Mathematical Sciences, Academician, President of the Academy of Sciences of Moldova, Technical University of Moldova (Chisinau, Moldova), <https://www.scopus.com/authid/detail.uri?authorId=7006315935>

**SANG SU Kwak**, PhD (Biochemistry, Agricultural Chemistry), Professor, Chief Scientist, Research Center for Plant Systems Engineering, Korea Research Institute of Bioscience and Biotechnology (KRIBB), (Daejeon, Korea), <https://www.scopus.com/authid/detail.uri?authorId=59286321700>

**BERSIMBAEV Rakhatkazhi Iskenderovich**, Doctor of Biological Sciences, Professor, Academician of NAS RK, L.N. Gumilyov Eurasian National University (Astana, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=7004012398>

**CALANDRA Pietro**, PhD (Physics), Professor, Institute for the Study of Nanostructured Materials (Rome, Italy), <https://www.scopus.com/authid/detail.uri?authorId=7004303066>

**BOSHKAEV Kuantai Avgazayevich**, PhD, Associate Professor, Department of Theoretical and Nuclear Physics, Al-Farabi Kazakh National University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=54883880400>

**BURKITBAEV Mukhambetkali**, Doctor of Chemical Sciences, Professor, Academician of NAS RK, (Almaty, Kazakhstan) <https://www.scopus.com/authid/detail.uri?authorId=8513885600>

**QUEVEDO Hernando**, Professor, National Autonomous University of Mexico (UNAM), Institute of Nuclear Sciences (Mexico City, Mexico), <https://www.scopus.com/authid/detail.uri?authorId=55989741100>

**ZHUSUPOV Marat Abzhanovich**, Doctor of Physical and Mathematical Sciences, Professor of the Department of Theoretical and Nuclear Physics, Al-Farabi Kazakh National University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6602166928>

**KOVALEV Alexander Mikhailovich**, Doctor of Physical and Mathematical Sciences, Academician of NAS of Ukraine, Institute of Applied Mathematics and Mechanics (Donetsk, Ukraine), <https://www.scopus.com/authid/detail.uri?authorId=7202799321>

**TAKIBAEV Nurgali Zhabagayevich**, Doctor of Physical and Mathematical Sciences, Professor, Academician of NAS RK, Al-Farabi Kazakh National University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=24077239000>

**KHARIN Stanislav Nikolaevich**, Doctor of Physical and Mathematical Sciences, Professor, Academician of NAS RK, Kazakh-British Technical University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6701353063>

**DAVLETOV Askar Erbulanovich**, Candidate of Physical and Mathematical Sciences, Associate Professor, Branch of NRNU MEPhI Kazakh National University named after Al-Farabi (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6602642543>

**ABISHEV Medeu Erzhanovich**, Doctor of Physical and Mathematical Sciences, Professor, Academician of NAS RK, (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=26530759900>

**ABILMAGZHANOV Arlan Zainutallaevich**, PhD in Chemistry, First Deputy Director General of JSC "Institute of Fuel, Catalysis and Electrochemistry named after D.V. Sokolsky" , (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57197468109>

**Reports of the National Academy of Sciences of the Republic of Kazakhstan.**

**ISSN 2518-1483 (Online), ISSN 2224-5227 (Print)**

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of Information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No.KZ31VPY00111215** issued **31. 01. 2025**

Thematic scope: *physics and chemistry*.

Periodicity: 4 times a year.

<http://reports-science.kz/index.php/en/archive>

**A.K. Nurlybekova<sup>1,2</sup>, A.A. Minkayeva<sup>1</sup>, E. Shybyrai<sup>1</sup>, H.A. Aisa<sup>3</sup>, J. Jenis<sup>1,2\*</sup>, 2025.**

<sup>1</sup>Research Center for Medicinal Plants, Al Farabi Kazakh National University, Almaty, Kazakhstan;

<sup>2</sup>Research Institute of Natural Products and Technology, Almaty, Kazakhstan;

<sup>3</sup>Xinjiang Technical Institutes of Physics and Chemistry, Chinese Academy of Sciences, Urumqi, China.

E-mail: janarjenis@kaznu.kz

## **GC-MS STUDY OF ORGANIC AND MINERAL COMPONENTS IN ARTEMISIA SPECIES FROM KAZAKHSTAN**

**Nurlybekova Aliya Kairatovna** – PhD student, Scientific Researcher of the Research Center for Medicinal Plants, Al Farabi Kazakh National University, Almaty, Kazakhstan, e-mail: nurl\_al@mail.ru, <https://orcid.org/0000-0001-9797-284X>;

**Minkayeva Ayaulym Azamatkyzy** – Master student, Scientific Researcher of the Research Center for Medicinal Plants, Al Farabi Kazakh National University, Almaty, Kazakhstan, e-mail: minkaeva.a@gmail.com, <https://orcid.org/0000-0002-6236-5393>;

**Shybyray Yergazy** – PhD, Senior Researcher of Research Center for Medicinal Plants, Al Farabi Kazakh National University, Almaty, Kazakhstan, e-mail: Erhazi88@mail.ru, <https://orcid.org/0009-0002-5718-5053>;

**Aisa Haji Akber** – PhD, Professor, Xinjiang Technical Institutes of Physics and Chemistry, Chinese Academy of Sciences, Urumqi, China, e-mail: haji@ms.xjb.ac.cn, <https://orcid.org/0000-0003-4652-6879>;  
**Jenis Janar** – PhD, Professor, Director of the Research Center for Medicinal Plants, Al Farabi Kazakh National University, Almaty, Kazakhstan, e-mail: janarjenis@kaznu.kz, <https://orcid.org/0000-0002-7148-7253>.

**Abstract.** The article represent the comparable results of qualitative and quantitative analysis together with mineral composition and GC-MS based examination of liposoluble constituents of two Artemisia species: *Artemisia albida* and *Artemisia diffusa*. The genus Artemisia, one of the largest within the Asteraceae family, represents a promising source of bioactive compounds, particularly sesquiterpenoids, such as guaiac, germacran, and eudesman types. These compounds have demonstrated a range of pharmacological activities, including antimalarial, antidiabetic, antitumor, antimicrobial, anti-inflammatory, and immunomodulatory properties. In this regard, the purpose of the paper is to conduct in depth research of the phytochemical content of insufficient studied Artemisia species growing in the Republic of Kazakhstan. The results of investigation have shown the maximum content of extractive substances (20.76%), polysaccharides (2.14%), and tannins (1.52%) in the plant *A. albida*. The content of organic acid (1.45%), flavonoids (0.06%), alkaloids (0.60%) and coumarins

(1.60%) can be noticed in higher concentration in the plant *A. diffusa*. The species *A. diffusa* showed intriguing results of elements daily needed by the human, including – K (39.19 mg/g), Ca (11.15 mg/g), Fe (0.181 mg/g) and Zn (0.043 mg/g). The liposoluble constituents in petroleum ether extract of investigated medicinal plants have been identified by GC-MS method. The results of analyses indicated that the studied plants contain a significant amount of bioactive substances, which could potentially expand the range of effective domestic phytopreparations from the Kazakhstan in the future.

**Keywords:** *Artemisia albida*; *Artemisia diffusa*; phytochemical components; macro-microelements; petroleum ether extract; liposoluble constituents, GC-MS.

### *Acknowledgments*

Authors thank Research Institute of Natural Products and Technology, Almaty, Kazakhstan for support in conducting analyses.

**А.К. Нұрлышбекова<sup>1,2</sup>, А. А. Минкаева<sup>1</sup>, Е. Шыбырай<sup>1</sup>, Х.А. Айса<sup>3</sup>,  
Ж. Женіс<sup>1,2\*</sup>, 2025.**

<sup>1</sup>Дәрілік өсімдіктерді ғылыми зерттеу орталығы, Әл-Фараби атындағы қазақ Ұлттық Университеті, Алматы, Қазақстан;

<sup>2</sup>Табиғи өнімдер мен технологияларды ғылыми-зерттеу институты,  
Алматы, Қазақстан;

<sup>3</sup>Синцзян Физика және Химия Техникалық Институты, Қытай Ғылымдар Академиясы, Урімші, Қытай.  
E-mail: janarjenis@kaznu.kz

## **ҚАЗАҚСТАНДАҒЫ *ARTEMISIA* ТҮРЛЕРИНІҢ ОРГАНИКАЛЫҚ ЖӘНЕ МИНЕРАЛДЫ ҚҰРАМЫН ГХ-МС АРҚЫЛЫ ЗЕРТТЕУ**

**Нұрлышбекова Алия Кайратовна** – PhD докторанты, Дәрілік өсімдіктерді ғылыми зерттеу орталығының ғылыми қызметкері, Әл-Фараби атындағы Қазақ Ұлттық Университеті, Алматы, Қазақстан, e-mail: nurl\_al@mail.ru, <https://orcid.org/0000-0001-9797-284X>;

**Минкаева Аяулым Азаматқызы** – Магистрант, Дәрілік өсімдіктерді ғылыми зерттеу орталығының ғылыми қызметкері, Әл-Фараби атындағы Қазақ Ұлттық Университеті, Алматы, Қазақстан, e-mail: minkaeva.a@gmail.com, <https://orcid.org/0000-0002-6236-5393>;

**Шыбырай Ергазы** – PhD, Дәрілік өсімдіктерді ғылыми зерттеу орталығының аға ғылыми қызметкері, Әл-Фараби атындағы Қазақ Ұлттық Университеті, Алматы, Қазақстан, e-mail: Erhazi88@mail.ru, <https://orcid.org/0009-0002-5718-5053>;

**Айса Хаджи Ақбер** – PhD, Профессор, Шыңқаш Техникалық Физика және Химия Институты, Қытай Ғылым Академиясы, Урімші, Қытай, e-mail: haji@ms.xjb.ac.cn, <https://orcid.org/0000-0003-4652-6879>;

**Женіс Жанар** – PhD, Профессор, Дәрілік өсімдіктерді ғылыми зерттеу орталығының директоры, Әл-Фараби атындағы Қазақ Ұлттық Университеті, Алматы, Қазақстан, e-mail: janarjenis@kaznu.kz, <https://orcid.org/0000-0002-7148-7253>.

**Аннотация.** Мақалада *Artemisia* өсімдігінің екі түрінің: *Artemisia albida* және *Artemisia diffusa* майда еритін құрамас боліктерінің минералды құрамы мен ГХ-МС негізіндегі зерттеуімен бірге сапалық және сандық талдаудың салыстырмалы

нәтижелері ұсынылды. *Artemisia* тұқымдасы, Asteraceae тұқымдасының ең үлкендерінің бірі, биоактивті қосылыстардың, әсіреле гуаяқ, гермақран және эвдесман сияқты сесквитерпеноидтардың перспективалы көзі болып табылады. Бұл қосылыстар безгекке, диабетке, ісікке, микробқа, қабынуға қарсы және иммуномодуляциялық қасиеттер сияқты бірқатар фармакологиялық белсенділік көрсетеді. Осылан байланысты *жұмыстық мақсаты* Қазақстан Республикасында өсетін *Artemisia* өсімдігінің жеткіліксіз зерттелген түрлерінің фитохимиялық құрамын терең зерттеу. Зерттеу нәтижелері бойынша, *A. albida* өсімдігі экстрактивті заттардың (20,76%), полисахаридтердің (2,14%) және таниндердің (1,52%) максималды мөлшерін көрсетті. Органикалық қышқылдың (1,45%), флавоноидтардың (0,06%), алкалоидтардың (0,60%) және кумариндердің (1,60%) концентрациясы *A. diffusa* өсімдігінде жоғары концентрацияда байқауга болады. *A. diffusa* түрі адамға күнделікті қажет элементтердің жоғары нәтижелерін көрсетті, соның ішінде – K (39,19 мг/г), Ca (11,15 мг/г), Fe (0,181 мг/г) және Zn (0,043 мг/г). Зерттелетін дәрілік өсімдіктердің мұнай эфирінің сығындысындағы майда еритін компоненттері ГХ-МС әдісімен анықталды. Талдау нәтижелері зерттелетін өсімдіктерде биоактивті заттардың едәуір мөлшері бар екенін көрсетті, бұл болашакта Қазақстанда тиімді отандық фитопрепараттардың ассортиментін көнегейтуге ықпалын тигізеді.

**Түйін сөздер:** *Artemisia albida*; *Artemisia diffusa*; фитохимиялық компоненттер; макро-микроэлементтер; мұнай эфирлі сығынды; майда еритін компоненттер, ГХ-МС.

**А.К. Нурлыбекова<sup>1,2</sup>, А.А. Минкаева<sup>1</sup>, Е. Шыбырай<sup>1</sup>, Х.А. Айса<sup>3</sup>,  
Ж. Женис<sup>1,2\*</sup>, 2025.**

<sup>1</sup>Научно-исследовательский центр лекарственных растений, Казахский национальный университет им. аль-Фараби, Алматы, Казахстан;

<sup>2</sup>Научно-исследовательский институт природных продуктов и технологий, Алматы, Казахстан;

<sup>3</sup>Синьцзянский технический институт физики и химии, Китайская Академия Наук, Урумчи, Китай.  
E-mail: janarjenis@kaznu.kz

## **ИССЛЕДОВАНИЕ ОРГАНИЧЕСКИХ И МИНЕРАЛЬНЫХ КОМПОНЕНТОВ ВИДОВ *ARTEMISIA* ИЗ КАЗАХСТАНА МЕТОДОМ ГХ-МС**

**Нурлыбекова Алия Кайратовна** – PhD докторант, научный сотрудник Научно-исследовательского центра лекарственных растений, Казахский Национального Университета имени аль-Фараби, Алматы, Казахстан, E-mail: nurl\_al@mail.ru, <https://orcid.org/0000-0001-9797-284X>;

**Минкаева Аяулым Азаматқызы** – магистрант, научный сотрудник Научно-исследовательского центра лекарственных растений Казахского Национального Университета имени аль-Фараби, Алматы, Казахстан, E-mail: minkaeva.a@gmail.com, <https://orcid.org/0000-0002-6236-5393>;

**Шыбырай Ергазы** – PhD, старший научный сотрудник Научно-исследовательского центра

лекарственных растений Казахского Национального Университета имени аль-Фараби, Алматы, Казахстан, E-mail: Erhazi88@mail.ru, <https://orcid.org/0009-0002-5718-5053>;

**Айса Хаджи Акбер** – PhD, профессор Синьцзянского технического института физики и химии Китайской академии наук, Урумчи, Китай, E-mail: haji@ms.xjb.ac.cn, <https://orcid.org/0000-0003-4652-6879>;

**Женис Жанар** – PhD, профессор, директор научно-исследовательского центра лекарственных растений Казахского Национального Университета имени аль-Фараби, Алматы, Казахстан, E-mail: janarjenis@kaznu.kz, <https://orcid.org/0000-0002-7148-7253>.

**Аннотация.** В статье представлены сопоставимые результаты качественного и количественного анализа, а также минерального состава и исследования на основе ГХ-МС жирорастворимых компонентов двух видов *Artemisia*: *Artemisia albida* и *Artemisia diffusa*. Род *Artemisia*, один из крупнейших в семействе астровых, представляет собой многообещающий источник биологически активных соединений, в частности сесквитерпеноидов, таких как гвяжковый, гермакран и эвдесман. Эти соединения продемонстрировали целый ряд фармакологических свойств, включая противомалярийные, противодиабетические, противоопухолевые, противомикробные, противовоспалительные и иммуномодулирующие свойства. В связи с этим целью данной работы является проведение углубленного исследования фитохимического состава недостаточно изученных видов *Artemisia*, произрастающих в Республике Казахстан. Результаты исследований показали максимальное содержание экстрактивных веществ (20,76%), полисахаридов (2,14%) и дубильных веществ (1,52%) в растении *A. albida*. А в виде *A. diffusa* можно заметить более высокое содержание органических кислот (1,45%), флавоноидов (0,06%), алкалоидов (0,60%) и кумаринов (1,60%). Вид *A. diffusa* показал впечатляющие результаты по содержанию элементов, необходимых человеку ежедневно, включая – К (39,19 мг/г), Са (11,15 мг/г), Fe (0,181 мг/г) и Zn (0,043 мг/г). Методом ГХ-МС определены жирорастворимые компоненты в петролейном эфирном экстракте исследуемых лекарственных растений. Результаты анализов показали, что исследуемые растения содержат значительное количество биологически активных веществ, которые потенциально могут расширить ассортимент эффективных отечественных фитопрепаратов из Казахстана в будущем.

**Ключевые слова:** *Artemisia albida*, *Artemisia diffusa*, фитохимические компоненты, макро-микроэлементы, петролейно-эфирный экстракт, жирорастворимые компоненты, ГХ-МС.

**Introduction.** *Artemisia* L. includes more than 500 species belonging to the Asteraceae family, which is one of the widely distributed herbal plants all over the world. The *Artemisia* L. species are found across of different temperature regions of Asia, Africa, Australia, and North America (Pavlov, 1961). Most species have been identified in Central Asia. For instance, there are 186 species in China, among which 82 are endemic. There are more than 80 species in Russian Federation's flora, 54 species distributed in Kyrgyzstan (1 endemic), 47 species of *Artemisia* are in Uzbekistan and 33 species with only one endemic grows in Turkmenistan. Comparing with Central Asian countries,

*Artemisia* species have wide range in Kazakhstan: 81 species are registered and 19 of them are endemic (Nurlybekova, et al, 2022). Phytochemical investigations have shown that the *Artemisia* L. species from Kazakhstan contain various chemical substances such as sesquiterpene lactone, lignans, flavonoids, coumarins, polysaccharides, alkaloids, extractive substances that show variety of health benefits (Adekenov, 2016).

*Artemisia albida* Willd (*A. albida*) is a semi-white medicinal plant, which is occupied in Altai, Tarbagatai, Zaysan and Akmola regions of East Kazakhstan (Pavlov, 1961). Firstly, Adekenov S.M and Suleimenov E.M. studied *A. albida* Willd, from 2005 to 2008. As a result of the study, sesquiterpene lactones such as austricin, matricarin, canin and agrolide were obtained (Suleimenov, et al, 2005). In addition to this, anhydroaustricin was isolated from *A. albida* (Suleimenov, et al, 2008). These constituents possess pharmacological activities like angioprotector and antilipidemic, low activity against malaria (Plutno, et al, 1995).

*Artemisia diffusa* (*A. diffusa*) grows in the desert zone on sandy and sandy loam soils, along the outcrops of variegated flowers. Occurs in North Ustyurt, Muyunkum, South Ustyurt, Kyzyl Kum, Turkestan region (Baitenov, 2001). *A. diffusa* is a family of Asteraceae, a genus of Seriphidium, a plant resistant to drought and cold. Pests do not damage leaves and seeds. *Artemisia* genus has been studied chemically and presence of monoterpenes, sesquiterpenes, especially sesquiterpene lactones and essential oils were reported (Kelsey, et al, 1979).

It is clear that the pharmacological characteristics of plants that belong to the wormwood family (antimalarial, antitumor, anthelmintic, cardiotonic, anti-inflammatory, analgesic characteristics, etc.) are justified by the presence of essential oils and sesquiterpene lactones in their composition (Kupriyanov, et al, 2012; Geissman, et al, 2000; Pandey, et al, 2017). The studies on chemical composition of Iranian *Artemisia* species have been reported about the presence of monoterpenes, sesquiterpenes, especially sesquiterpene lactones and essential oils (Rustaiyan, et al, 1987; Rustaiyan, et al, 2000 a; Rustaiyan, et al, 2000 b; Rustaiyan, et al, 1989; Costa, et al, 2009).

Twenty-six compounds were identified in the oil of *A. diffusa*, which represented about 94.43% of the total composition of the oil. In the volatile oil of this species, the oxygen containing monoterpenoids represented the most abundant constituents (92.59%) (Khazraei-Alizadeh, et al, 2001; Khayyat, et al, 2004). The *in vivo* antimalarial activity of *A. diffusa* extracts was investigated and the fraction which contains sesquiterpene lactones as tehranolide showed activity against *Plasmodium berghei* on the mice model of malaria (Noori, et al, 2014; Rustaiyan, et al, 2009; Taghizadeh, et al, 2011; Rustaiyan, et al, 2011).

In current study, the medicinal plants *A. albida* and *A. diffusa* growing in Kazakhstan were analyzed on quantitative-qualitative content, mineral composition and lipophilic substituents for the first time. The research involved evaluating key biologically active components, including the determination of organic acids, flavonoids, polysaccharides, moisture content, total ash, and extractive substances. The concentrations of macro- and microelements in the plant ash were assessed using multi-element atomic emission spectral analysis. Additionally, liposoluble components in petroleum ether extracts of *A.*

*albida* and *A. diffusa* from Kazakhstan were identified for the first time using the GC-MS (gas chromatography-mass spectrometry) method.

**Materials and methods.** Plant material. Research sources such as *A. albida* were collected in September 2023 from Almaty region in Southern Kazakhstan. The aerial part of plant *A. diffusa* was collected in September 2020 from Turkestan region, Kazakhstan. Raw materials after being well dried in the shade, were crushed into small pieces in a crushing machine and preserved at room temperature.

The quantitative and qualitative profile of biologically active constituents of *A. albida* and *A. diffusa* was determined in strict accordance with the methodologies prescribed in the I edition of the State Pharmacopoeia of the Republic of Kazakhstan (2008).

The mineral composition was identified, using a Shimadzu 6200 series spectrometer. 3 g of raw material was placed in a pre-calcined and accurately weighed porcelain crucible. Then the crucible was gently heated, first letting the substance burn at the lowest possible temperature, and the flame was gradually increased. Calcination was performed at 500°C to obtain a constant mass. At the end of the calcination, the crucible was cooled in a desiccator and then the resulting ash was burned again at 600°C until a uniform gray color was obtained. The ash of plant was dissolved in 10.0 mL of 40% nitric acid by heating. After that, the resulting solution was heated to obtain wet salts. Subsequently, it was dissolved in 15.0 mL of 1 N nitric acid and transferred to a 25.0 mL volumetric flask for analysis. And so, it will need to be done with each of the three plants (Nurlybekova, et al, 2021).

GC-MS conditions. Analyses were conducted on Agilent 7890A/5975C gas chromatograph coupled to mass spectrometer equipped with a 7683B auto injector (Agilent Technologies, USA). Separation was carried out with a HP-5MS fused silica capillary column (0.25 mm x 30 m, 0.25 µm film, J&W Scientific, USA). The injection port temperature was 310°C. The injection volume was 1 µL, split ratio 5:1. Helium (99.99 %, China) was used as the carrier gas at a rate of 1.0 mL/min. The column temperature was held at 50°C for 10 min, increased by 10°C/min to 300°C, and then held for 40 min. Mass spectra were obtained by electron impact (EI) ionization at 70 eV in scan mode (m/z 30-1000 amu). Solvent delay was 3 min. The detector, ion source and transfer line temperature were set to 150, 230 and 250 °C, respectively (Adams, 1974).

Identification and quantitation. The compounds were identified using NIST14 library. Mass fraction of each detected compound was estimated using normalization of peak areas. The sample was analyzed three times. All data are expressed as the mean ± standard deviation of three replicates.

**Results and Discussion.** A quantitative and qualitative analysis of bioactive constituents, moisture content, total ash, and extractives was conducted on *A. albida* and *A. diffusa*. The results are presented in Table 1, Figure 1.

Moisture and ash content fluctuate within specific limits for each plant, depending on the characteristics of the plant material, as well as how it is harvested and dried. These data are essential for further calculations during analysis, making the determination of these contents necessary to confirm the high quality of *A. albida* and *A. diffusa*.

The highest quantity of extractive substances from two plant species was obtained

using 80% ethyl alcohol. Therefore, this solvent is the most optimal for extraction of bioactive complexes. Identifying extractive substances with the appropriate solvent is crucial, as it indicates the quality of the plant based on its biological metabolite content.

Flavonoids are the largest class of dietary polyphenols, comprising over 4,000 different biologically active compounds synthesized during plant metabolism. Once consumed, flavonoids can contribute to a variety of beneficial biological activities in human body. Strong and consistent evidence now shows that flavonoids help maintain and enhance nitric oxide levels, improving endothelial function. Additionally, these compounds have been shown to influence blood pressure, oxidative stress, inflammation, platelet function, thrombosis, blood lipids, and glucose metabolism. These effects may help explain why flavonoids and flavonoid-rich foods are associated with cardioprotective and antineoplastic properties.

Organic acids play a key role in the taste, flavor, microbial stability, and consistency of plant-derived beverages. They are also used in food preservation due to their ability to affect bacterial growth. Polysaccharides, on the other hand, are unique substances that help retain moisture in the skin, maintain its elasticity, stimulate collagen fiber synthesis, and enhance cellular immunity.

Tannin bioactivity is related to their chemistry. Tannins have been studied during years due to their beneficial properties including anti-inflammatory, antidiabetic, antihypercholesterolemic, and anticancer activity.

In plants, alkaloids protect plants from predators and regulate their growth. Therapeutically, alkaloids are particularly well known as anaesthetics, cardioprotective, and anti-inflammatory agents. Well-known alkaloids used in clinical settings include morphine, strychnine, quinine, ephedrine, and nicotine.

Numerous coumarins possess several biological activities such as anti-inflammatory, anti-ulcers, anti-tumor, anti-microbial, anti-coagulant.

Table 1 – Quantitative and qualitative analysis of biologically active constituents of *A. albida* and *A. diffusa*

No.	Content	<i>A. albida</i> , %	<i>A. diffusa</i> , %
1	Moisture	8.19	8.08
2	Ash content	6.78	5.70
3	Extractives (80% EtOH)	20.76	14.83
4	Organic acids	0.21	1.45
5	Flavonoids	0.03	0.06
6	Polysaccharides	2.14	0.90
7	Tannins	1.52	1.91
8	Alkaloids	0.53	0.60
9	Coumarins	1.60	5.02




Figure 1 – Quantitative and qualitative content of biologically active constituents of *A. albida* and *A. diffusa*

According to the data obtained during quantitative and qualitative assays, moisture and ash content of both species have almost equivalent values, which are equal to 8.19 and 8.08 percent of moisture and 6.78 and 5.70 percent by ash content appropriately to *A. albida* and *A. diffusa*. Comparing the extractive substances concentration isolated during the extraction by 80% ethanol, *A. albida* differentiated with the higher content – 20.76% of the total plant and 14.83% of biocomplexes extracted from *A. diffusa*. The content of organic acid (1.45%), flavonoids (0.06%), alkaloids (0.60%) and coumarins (5.02%) was higher in the plant *A. diffusa*. By contrast, analysis on *A. albida* has shown the maximum content of polysaccharides and tannins, which are 2.15 and 1.52 by percent, respectively.

Eleven mineral compounds were identified from the ash of the plant that consists of seven microelements and four macroelements, as shown in Table 2 and Figure 2. These findings indicate that the two plants are excellent sources of macro- and microelements essential for the functioning of the muscular, cardiovascular, immune, and nervous systems. They also play a role in the synthesis of vital compounds, metabolic processes, hematopoiesis, digestion, and the neutralization of metabolic byproducts.

The results of our research revealed the highest content of iron (0.160 mg/g) in the plant *A. albida*. In contrast, the levels of Cd, Cu, Mn, Zn, Ca, Mg, Na, and K were found to be higher in *A. diffusa*.

Table 2 – Composition of macro-, microelements in the ash and plant of *A. albida* and *A. diffusa*

Element	Content in ash, mg/g		Content in the plant, mg/g	
	<i>A. albida</i>	<i>A. diffusa</i>	<i>A. albida</i>	<i>A. diffusa</i>
Microelements				
Cd	0.002	0.014	0.0001	0.001
Ni	0.039	0.208	0.002	0.011
Pb	-	-	-	-

Cu	0.037	0.458	0.002	0.025
Mn	0.413	2.676	0.026	0.145
Zn	0.099	0.801	0.006	0.043
Fe	2.573	2.468	0.160	0.181
Macroelements				
Ca	46.08	206.5	2.866	11.15
Mg	16.86	95.19	1.049	5.140
Na	4.731	5.509	0.294	0.889
K	57.87	725.8	3.600	39.19




Figure 2 – Composition of micro- (A) and macroelements (B) of *A. albida* and *A. diffusa*

Our research revealed that the studied plants are rich in macronutrients, with K, Na, Mg, and Ca being the most abundant, while micro elements such as Cu, Fe, Zn, and Mn are present in high concentrations. Therefore, all two plants tested can be regarded as potential sources of trace elements, which could expand the potential applications of these plant materials in the future. The macro- and microelements in *A. albida* and *A. diffusa* play an important role in supporting various physiological functions. Macroelements such as calcium, magnesium, sodium, and potassium contribute to bone strengthening, improving cardiovascular and muscle function, as well as maintaining fluid balance and nerve activity. Microelements like iron, copper, zinc, and manganese support blood health, the immune system, tissue healing, and protect cells from oxidative stress. The high concentrations of these elements in *A. albida* and *A. diffusa* make them promising for the development of phytopharmaceuticals aimed at improving bone health, cardiovascular function, immunity, and metabolic processes.

The liposoluble constituents present in petroleum ether extract from *A. albida* were analyzed by GC-MS for the first time (Table 3). Twenty compounds from *A. albida* were separated and their relative contents were determined by area normalization in which the major constituents were neoisolongifolene, 8-oxo- (14.8%), cyclohexane, 1,2,3,4-bis(epoxy)-2,6,6-trimethyl-1-(pent-2-en-4-one-2-yl)- (11.5%), 2-propen-1-ol, 3-phenyl- (7.9%), (+)-2-bornanone (6.1%), 2H-1-benzopyran-2-one, 7-methoxy- (3.9%) (Figure 3).

Table 3 – The liposoluble constituents from the petroleum ether extract of *A. albida*

Nº	Retention time, min	Constituents	Structure	Degree of compliance, %	Content <sup>a</sup> , %
	13.56	l-Menthone		92	0.5±0.02
	14.23	(+)-2-Bornanone		97	6.1±0.03
	16.20	Bornyl acetate		86	0.5±0.01
	17.80	Cyclohexanol, 5-methyl-2-(1-methylethyl)-, (1 $\alpha$ ,2 $\beta$ ,5 $\alpha$ )-(±)-		95	1.1±0.02
	18.25	Butanedioic acid, diethyl ester		94	1.1±0.02
	18.72	Endo-Borneol		95	2.3±0.03
	24.00	2-Cyclopenten-1-one, 3-methyl-2-(2-pentenyl)-, (Z)-		88	0.7±0.01
	24.52	1,3-Cyclopentadiene, 5,5-dimethyl-1-ethyl-		83	0.8±0.01

	25.56	3-Phenylpropanol		90	0.7±0.03
	27.53	(-)Spathulenol		88	0.7±0.02
	27.89	Tetradecanic acid		88	0.8±0.01
	29.77	2-Propen-1-ol, 3-phenyl-		90	7.9±0.03
	34.84	9,12-Octadecadienoic acid, ethyl ester		89	2.8±0.03
	36.65	Dibutyl phthalate		96	3.6±0.03
	36.84	Neoisolongifolene, 8-oxo-		75	14.8±0.03
	37.57	Isoaromadendrene epoxide		83	2.3±0.03

	38.87	Cyclohexane, 1,2,3,4-bis(epoxy)-2,6,6-trimethyl-1-(pent-2-en-4-one-2-yl)-		75	11.5±0.03
	40.17	2H-1-Benzopyran-2-one, 7-methoxy-		91	3.9±0.03
	42.93	9-Octadecenoic acid, (E)-		83	1.4±0.03
	43.54	9,12-Octadecadienoic acid (Z,Z)-		86	1.3±0.02

<sup>a</sup> Data are expressed as means ± standard deviation of three replicates







Figure 3 – Chromatogram of petroleum ether extract of *A. albida*

For the first time, the liposoluble constituents in the petroleum ether extract of *A. diffusa* were analyzed using GC-MS (Table 4). Twenty compounds were detected in the *A. diffusa* extract, and their relative contents were determined through area normalization. The major constituents identified were eudesma-5,11(13)-dien-8,12-olide (6.02%), nitrosine (4.33%), α-santonin (4.16%), nonacosane (3.71%), and hexadecanoic acid, ethyl ether (2.63%) (Figure 4).

Table 4 – The liposoluble constituents from the petroleum ether extract of *A. diffusa*

No	Retention time, min	Constituents	Structure	Degree of compliance, %	Content <sup>a</sup> , %
	10.29	Cyclohexanol, 1- methyl-4-(1- methylphenyl)-,cis-		92	0.94±0.02
	11.33	2-Heptanone, 3- propylidene-		79	0.52±0.02
	11.41	Bicyclo[3.1.0]hexane- 2-ol, 2-methyl-5-(1- methylethyl)-, (1 $\alpha$ ,2 $\beta$ ,5 $\alpha$ )-		89	1.05±0.02
	11.56	Nonanal		87	0.43±0.01
	12.13	2(3H)-Furanon, 5-ethinylidihydro-5- methyl-		91	1.78±0.02
	13.73	Endo-Borneol		85	0.40±0.02
	17.81	1,4-dihydroxy-p- Menth-2-ene		83	0.78±0.01

	23.07	Vanillin		86	0.66±0.01
	24.92	(-)-Spathulenol		88	1.96±0.01
	28.49	Tetradecanic acid		86	1.22±0.03
	32.26	Hexadecanoic acid, ethyl ether		89	2.63±0.02
	32.65	Hexadecanoic acid		88	2.04±0.02
	34.29	Dibutyl phthalate		92	1.68±0.02
	36.13	Octadecanoic acid		78	1.16±0.02
	40.20	Eudesma-5,11(13)- dien-8,12- olide		76	6.02±0.03
	41.18	Behenic alcohol		88	1.46±0.02

	41.77	$\alpha$ -Santonin		91	4.16±0.03
	43.17	Nitrosine		91	4.33±0.03
	45.87	Nonacosane		91	3.71±0.03
	48.55	Tetratricontane		92	1.77±0.02

<sup>a</sup> Data are expressed as means ± standard deviation of three replicates




Figure 4. Chromatogram of petroleum ether extract of *A. diffusa*

By comparing the liposoluble constituent compositions of these species, it is evident that *A. albida* is chemotaxonically related to *A. diffusa*. The results show that the differences in their volatile profiles are primarily qualitative. The liposoluble compounds present in both species exhibit anti-inflammatory, antimicrobial, and anticancer properties. Collectively, these findings imply that *A. albida* and *A. diffusa* could be crucial in the development of new plant-based pharmaceutical preparations.

In comparison to the more extensively studied species like *A. annua* (Juteau, et al, 2002) and *A. absinthium* (Akzhigitova, et al, 2018), *A. albida* and *A. diffusa* have a different, yet complementary, profile of bioactive compounds. While *A. annua* remains

the gold standard for artemisinin production, both *A. albida* and *A. diffusa* contribute to the broader medicinal potential of the *Artemisia* genus with unique essential oil compositions, flavonoids, and other secondary metabolites. These species could hold untapped therapeutic potentials, especially for antimicrobial, anti-inflammatory, and antioxidant applications. Further research would be beneficial to explore these species' full phytochemical profiles and their potential medicinal uses.

In summary, the identified compounds in *A. albida* and *A. diffusa*, especially sesquiterpene lactones, flavonoids, and essential oils, show promise for a variety of therapeutic activities. Future studies can focus on conducting *in vivo* and clinical trials to further evaluate the efficacy of these compounds in treating conditions such as inflammation, infections, and cancer. Based on the identified bioactive compounds, further phytochemical research could lead to the development of targeted drugs or supplements.

**Conclusion.** The quantitative and qualitative analysis was conducted on the plants *A. albida* and *A. diffusa*, which were collected from the territory of the Republic of Kazakhstan. The study determined the overall quantity of biologically active components and the levels of macro- and microelements in the plant materials. Notably, the species *A. albida* and *A. diffusa* showed high concentrations of elements vital for the daily needs of the human body. The liposoluble constituents in petroleum ether extracts of *A. albida* and *A. diffusa* from Kazakhstan have been identified by GC-MS method for the first time. The presence of these bioactive constituents suggests that the plant extracts may have anti-inflammatory, antimicrobial, and anticancer properties. These findings can serve as a basis for future studies on *A. albida* and *A. diffusa*, enhancing our understanding of the plant and providing a platform for developing and exploring new ideas. Further phytochemical research on *A. albida* and *A. diffusa* holds promise for the creation of new phytopreparations. In recent years, the use of medicinal plants has been increasing due to their affordability, wide-ranging therapeutic benefits, low toxicity, and the potential for prolonged use without causing side effects. Advancing this field by integrating medicinal plants into medical practice and expanding the range of phytopharmaceuticals is highly promising.

#### Әдебиеттер

Adams R.F. (1974) Determination of amino acid profiles in biological samples by gas chromatography. Journal of Chromatography A, 95(2), 189-212. [https://doi.org/10.1016/S0021-9673\(00\)84078-9](https://doi.org/10.1016/S0021-9673(00)84078-9)

Adekenov S.M. (2016) Chemical modification of arglabin and biological activity of its new derivatives. Fitoterapia, 110, 196-205. <https://doi.org/10.1016/j.fitote.2015.11.018>

Akzhigitova Zh.Zh., Baiseitova A.M., Ye Yang, Jenis J. (2018) Investigation of chemical constituents of *Artemisia absinthium*. International Journal of Biology and Chemistry, 11 (1), -P. 169-177

Байтегенов М.С. (2001) Флора Казахстана. Гылым, Казахстан. ISBN 9965-07-036-9.

Costa R., De Fina M.R., Valentino M. R., Rustaiyan A., Dugo P., Dugo G., Mondello L. (2009) An investigation on the volatile composition of some *Artemisia* species from Iran. Flavour and Fragrance Journal, 24(2), 75-82. <https://doi.org/10.1002/ffj.1919>

Geissman T. A., Irwin M. A. (1970) Chemical contributions to taxonomy and phylogeny in the genus *Artemisia*. Pure and Applied Chemistry, 21(2), 167-180. <https://doi.org/10.1351/pac197021020167>

Государственная фармакопея Республики Казахстан (2008) Алматы: Жибек жолы, 592-609.

Juteau F., Masotti V., Bessiere J.M., Dherbomez M., Viano J. (2002) Antibacterial and antioxidant

- activities of *Artemisia annua* essential oil, 73 (6), 532-535. [https://doi.org/10.1016/s0367-326x\(02\)00175-2](https://doi.org/10.1016/s0367-326x(02)00175-2)
- Kelsey R.G., Shafizadeh F. (1979) Sesquiterpene lactones and systematics of the genus *Artemisia*. *Phytochemistry*, 18(10), 1591-1611. [https://doi.org/10.1016/0031-9422\(79\)80167-3](https://doi.org/10.1016/0031-9422(79)80167-3)
- Khayyat M.H., Karimi H. (2005) Composition of the Volatile Oils of Three Different Species of *Artemisia*: Composition of volatile oils of *Artemisia* species. *Iranian Journal of Pharmaceutical Sciences*, 1(1), 33-37. <https://doi.org/10.22037/ijps.v1.39440>
- Khazraei-Alizadeh K., Rustaiyan A. (2001) Composition of the volatile oil of *Artemisia diffusa* Krasch. ex Poljak. growing wild in Iran. *Journal of Essential Oil Research*, 13(3), 185-186. <https://doi.org/10.1080/10412905.2001.9699656>
- Куприянов А.Н., Адекенов С.М. (2012) Полянь (Artemisia L.) казахского мелкосопочника. *Rastitelnyj mir i ego ohrana [Растительный мир и его охрана]*, 55-56.
- Noori S., Hassan Z.M. (2014) Tehranolide inhibits cell proliferation via calmodulin inhibition, PDE, and PKA activation. *Tumor Biology*, 35, 257-264. <https://doi.org/10.1007/s13277-013-1031-5>
- Nurlybekova A., Kudaibergen A.A., Dyusebaeva M.A., Ibrahim M., Jenis J. (2021) Chemical constituents of *Artemisia serotina*. *Reports of the National Academy of Sciences of the Republic of Kazakhstan*, 5(339), 158-165.
- Nurlybekova A.K., Kudaibergen A.A., Kazymbetova A., Amangeldi M., Baiseitova A., Ospanov M., Haji Akber Aisa, Yang Ye, Mohamed Ali Ibrahim, Jenis J. (2022) Traditional use, phytochemical profiles and pharmacological properties of *Artemisia* genus from Central Asia. *Molecules*, 27(16), 5128. <https://doi.org/10.3390/molecules27165128>
- Pandey A.K., & Singh P. (2017) The genus *Artemisia*: A 2012–2017 literature review on chemical composition, antimicrobial, insecticidal and antioxidant activities of essential oils. *Medicines*, 4(3), 68. <https://doi.org/10.3390/medicines4030068>
- Павлов Х.В. (1961) Флора Казахстана, составные растения. 8-е изд., Академия наук Казахской ССР. Ин-т ботаники, Алматы, Казахстан.
- Plutno A.B., Sham'yanov I.D., Aizikov M.I., Prokhorova M.R., Galyust'yan G.G., Kurmukov A.G. (1995) Modification of the sesquiterpene lactones leukomisin and austricin biological activities of some of their derivatives. *Chemistry of Natural Compounds*, 31, 579-583. <https://doi.org/10.1007/BF01164884>
- Rustaiyan A., Komeylizadeh H., Masoudi S., Yari M., Monfared A., Kardar M., Shahgholi A. (2000 a) Composition of the volatile oil of *Artemisia deserti* Krasch and *Artemisia oliveriana*. *J. Gayex DC. from Iran. J. Sci. I.R. Iran*, 3, 213-215
- Rustaiyan A., Masoudi S. (2011) Chemical constituents and biological activities of Iranian *Artemisia* species. *Phytochemistry Letters*, 4(4), 440-447. <https://doi.org/10.1016/j.phytol.2011.07.003>
- Rustaiyan A., Bamonieri A., Raffatrad M., Jakupovic J., Bohlmann F. (1987) Eudesmane derivatives and highly oxygenated monoterpenes from Iranian *Artemisia* species. *Phytochemistry*, 26(8), 2307-2310. [https://doi.org/10.1016/S0031-9422\(00\)84708-1](https://doi.org/10.1016/S0031-9422(00)84708-1)
- Rustaiyan A., Nahrevanian H., Kazemi M. (2009) A new antimalarial agent: Effect of extracts of *Artemisia diffusa* against *Plasmodium berghei*. *Pharmacognosy Magazine*, 5(17). <http://www.phcog.com/text.asp?2009/5/17/1/57978>
- Rustaiyan A., Sigari H., Jakupovic J., Grenz M. (1989) A sesquiterpene lactone from *Artemisia diffusa*. *Phytochemistry*, 28(10), 2723-2725. [https://doi.org/10.1016/S0031-9422\(00\)98075-0](https://doi.org/10.1016/S0031-9422(00)98075-0)
- Rustaiyan A., Balalaei S., Mohammadi F., Masoudi S., Yari M. (2000 b) Comparison of the volatile oils of *Artemisia santolina Schrenk* and *Artemisia gypsacea Krasch.*, M. Pop. et Lincz. *Journal of Essential Oil Research*, 12(3), 330-332. <https://doi.org/10.1080/10412905.2000.9699529>
- Suleimenov E.M., Raldugin V.A., Adekenov S.M. (2008) Anhydroaustricin from *Artemisia albida*. *Chemistry of Natural Compounds*, 44, 541-542. <https://doi.org/10.1007/s10600-008-9118-8>
- Suleimenov E.M., Smagulova F.M., Morozova O.V., Raldugin V.A., Bagryanskaya I.Y., Gatalov Y.V., Yamovoi S.M., Adekenov S. M. (2005) Sesquiterpene lactones and flavonoids from *Artemisia albida*. *Chemistry of Natural Compounds*, 41, 689-691. <https://doi.org/10.1007/s10600-006-0013-x>
- Taghizadeh Rabe S.Z., Mahmoudi M., Ahi A., Emami S.A. (2011) Antiproliferative effects of extracts from Iranian *Artemisia* species on cancer cell lines. *Pharmaceutical Biology*, 49(9), 962-969. <https://doi.org/10.3109/13880209.2011.559251>

### References

- Adams R. F. (1974) Determination of amino acid profiles in biological samples by gas chromatography. *Journal of Chromatography A*, 95(2), 189-212. [https://doi.org/10.1016/S0021-9673\(00\)84078-9](https://doi.org/10.1016/S0021-9673(00)84078-9) (in English)
- Adekenov S. M. (2016) Chemical modification of arglabin and biological activity of its new derivatives. *Fitoterapia*, 110, 196-205. <https://doi.org/10.1016/j.fitote.2015.11.018> (in English)
- Akzhigitova Zh.Zh., Baiseitova A.M., Ye Yang, Jenis J. (2018) Investigation of chemical constituents of *Artemisia absinthium*. *International Journal of Biology and Chemistry*, 11 (1), 169-177 (in English)
- Baitenov M.S. (2001) Flora Kazakhstan [Flora of Kazakhstan]. Gylym, Kazakhstan. ISBN 9965-07-036-9. (in Russian)
- Costa R., De Fina M.R., Valentino M.R., Rustaiyan A., Dugo P., Dugo G., Mondello L. (2009) An investigation on the volatile composition of some *Artemisia* species from Iran. *Flavour and Fragrance Journal*, 24(2), 75-82. <https://doi.org/10.1002/ffj.1919> (in English)
- Geissman T.A., Irwin M.A. (1970) Chemical contributions to taxonomy and phylogeny in the genus *Artemisia*. *Pure and Applied Chemistry*, 21(2), 167-180. <https://doi.org/10.1351/pac197021020167> (in English)
- Gosudarstvennaya farmakopeya respubliki Kazakhstan [State Pharmacopoeia of the Republic of Kazakhstan] (2008) Almaty: Zhibek zholy, 592-609. (in Russian)
- Juteau F., Masotti V., Bessiere J.M., Dherbomez M., Viano J. (2002) Antibacterial and antioxidant activities of *Artemisia annua* essential oil, 73 (6), 532-535. [https://doi.org/10.1016/s0367-326x\(02\)00175-2](https://doi.org/10.1016/s0367-326x(02)00175-2) (in English)
- Kelsey R.G., Shafizadeh F. (1979) Sesquiterpene lactones and systematics of the genus *Artemisia*. *Phytochemistry*, 18(10), 1591-1611. [https://doi.org/10.1016/0031-9422\(79\)80167-3](https://doi.org/10.1016/0031-9422(79)80167-3) (in English)
- Khayyat M.H., Karimi H. (2005) Composition of the Volatile Oils of Three Different Species of *Artemisia*: Composition of volatile oils of *Artemisia* species. *Iranian Journal of Pharmaceutical Sciences*, 1(1), 33-37. <https://doi.org/10.22037/ijps.v1.39440> (in English)
- Khazraei-Alizadeh K., Rustaiyan A. (2001) Composition of the volatile oil of *Artemisia diffusa* Krasch. ex Poljak. growing wild in Iran. *Journal of Essential Oil Research*, 13(3), 185-186. <https://doi.org/10.1080/10412905.2001.9699656> (in English)
- Kupriyanov A.N., Adekenov S.M. (2012) Polyn (*Artemisia* L.) kazakhskogo melkosopochnika [Wormwood (*Artemisia* L.) of the Kazakh melkosopochnik]. *Rastitelnyj mir i ego okhrana* [Flora and its protection], 55-56. (in Russian)
- Noori S., Hassan Z.M. (2014) Tehranolide inhibits cell proliferation via calmodulin inhibition, PDE, and PKA activation. *Tumor Biology*, 35, 257-264. <https://doi.org/10.1007/s13277-013-1031-5> (in English)
- Nurlybekova A., Kudaibergen A.A., Dyusebaeva M.A., Ibrahim M., Jenis J. (2021) Chemical constituents of *Artemisia serotina*. *Reports of the National Academy of Sciences of the Republic of Kazakhstan*, 5(339), 158-165. (in English)
- Nurlybekova A.K., Kudaibergen A.A., Kazymbetova A., Amangeldi M., Baiseitova A., Ospanov M., Haji Akber Aisa, Yang Ye, Mohamed Ali Ibrahim, Jenis J. (2022) Traditional use, phytochemical profiles and pharmacological properties of *Artemisia* genus from Central Asia. *Molecules*, 27(16), 5128. <https://doi.org/10.3390/molecules27165128> (in English)
- Pandey A.K., & Singh P. (2017) The genus *Artemisia*: A 2012–2017 literature review on chemical composition, antimicrobial, insecticidal and antioxidant activities of essential oils. *Medicines*, 4(3), 68. <https://doi.org/10.3390/medicines4030068> (in English)
- Pavlov H.V. (1961) Flora Kazakhstan, Compositae [Flora of Kazakhstan, Compositae]. 8th ed., Academy of Sciences of the Kazakh SSR. In-t Botany: Almaty, Kazakhstan (in Russian)
- Plutno A.B., Sham'yanov I.D., Aizikov M.I., Prokhorova M.R., Galyust'yan G.G., Kurmukov A.G. (1995) Modification of the sesquiterpene lactones leukomisin and austricin biological activities of some of their derivatives. *Chemistry of Natural Compounds*, 31, 579-583. <https://doi.org/10.1007/BF01164884> (in English)
- Rustaiyan A., Komeylizadeh H., Masoudi S., Yari M., Monfared A., Kardar M., Shahgholi A. (2000 a)

Composition of the volatile oil of *Artemisia deserti Krasch* and *Artemisia oliveriana*. J. Gayex DC. from Iran. J. Sci. I.R. Iran, 3, 213-215 (in English)

Rustaiyan A., Masoudi S. (2011) Chemical constituents and biological activities of Iranian *Artemisia* species. Phytochemistry Letters, 4(4), 440-447. <https://doi.org/10.1016/j.phytol.2011.07.003> (in English)

Rustaiyan A., Bamonieri A., Raffatrad M., Jakupovic J., Bohlmann F. (1987) Eudesmane derivatives and highly oxygenated monoterpenes from Iranian *Artemisia* species. Phytochemistry, 26(8), 2307-2310. [https://doi.org/10.1016/S0031-9422\(00\)84708-1](https://doi.org/10.1016/S0031-9422(00)84708-1) (in English)

Rustaiyan A., Nahrevanian H., Kazemi M. (2009) A new antimalarial agent: Effect of extracts of *Artemisia diffusa* against *Plasmodium berghei*. Pharmacognosy Magazine, 5(17). <http://www.phcog.com/text.asp?2009/5/17/1/57978> (in English)

Rustaiyan A., Sigari H., Jakupovic J., Grenz M. (1989) A sesquiterpene lactone from *Artemisia diffusa*. Phytochemistry, 28(10), 2723-2725. [https://doi.org/10.1016/S0031-9422\(00\)98075-0](https://doi.org/10.1016/S0031-9422(00)98075-0) (in English)

Rustaiyan A., Balalaei S., Mohammadi F., Masoudl S., Yari M. (2000 b) Comparison of the volatile oils of *Artemisia santolina Schrenk* and *Artemisia gypsacea Krasch.*, M. Pop. et Lincz. Journal of Essential Oil Research, 12(3), 330-332. <https://doi.org/10.1080/10412905.2000.9699529> (in English)

Suleimenov E. M., Raldugin V. A., Adekenov S. M. (2008) Anhydroaustriolin from *Artemisia albida*. Chemistry of Natural Compounds, 44, 541-542. <https://doi.org/10.1007/s10600-008-9118-8> (in English)

Suleimenov E.M., Smagulova F.M., Morozova O.V., Raldugin V.A., Bagryanskaya I.Y., Gatilov Y.V., Yamovoi S.M., Adekenov S.M. (2005) Sesquiterpene lactones and flavonoids from *Artemisia albida*. Chemistry of Natural Compounds, 41, 689-691. <https://doi.org/10.1007/s10600-006-0013-x> (in English)

Taghizadeh Rabe S. Z., Mahmoudi M., Ahi A., Emami S. A. (2011) Antiproliferative effects of extracts from Iranian *Artemisia* species on cancer cell lines. Pharmaceutical Biology, 49(9), 962-969. <https://doi.org/10.3109/13880209.2011.559251> (in English)

**CONTENTS****PHYSICS**

<b>B.Zh. Abdikarimov, A.Zh. Seitmuratov, B.K. Kaliev, A.G. Ganiulla, T.M. Karabala</b>	
VISCOSITY PROPERTIES OF THE ISOBUTYRIC ACID-WATER SOLUTION NEAR THE CRITICAL SEPARATION TEMPERATURE.....	5
 <b>D.T. Agishev, S.A. Khokhlov, A.T. Agishev, N.L. Vaidman, A.T. Agishev</b>	
THE STUDY OF RADIATIVE AND CONVECTIVE TRANSPORT IN CLOSE BINARY SYSTEMS WITH LOW ACCRETION RATES.....	17
 <b>T.M. Aldabergenova, M.F. Vereshchak, A.S. Dikov, S.B. Kislitsin</b>	
FINE STRUCTURE OF COATING BASED ON HIGH ENTROPY ALLOY NITRIDES (ALTIZRYNB)N, DETERMINED BY THE CAMS METHOD ON IMPLANTED IRON-57 CORES.....	29
 <b>E. Bondar, A. Shongalova, A. Fedosimova, S. Ibraimova, A. Kemelbekova</b>	
ENHANCING HYDRONIUM ION MOBILITY IN GRAPHENE OXIDE-BASED PROTON EXCHANGE MEMBRANES.....	39
 <b>N.N. Zhanturina, G.K. Beketova, Z.K. Aimaganbetova, K.B. Bizhanova</b>	
MODERN PEROVSKITE SOLAR CELLS: INNOVATIONS IN MATERIALS AND TECHNOLOGIES FOR ENHANCED EFFICIENCY.....	50
 <b>U.K. Zhapbasbayev, G.I. Ramazanova, M.A. Pakhomov</b>	
TURBULENT FLOW OF VISCOPLASTIC FLUID IN A PIPE WITH SUDDEN EXPANSION.....	64
 <b>D.M. Zazulin, S.E. Kemelzhanova, N.A. Beissen, A.Sh. Tursumbekov, M.O. Alimkulova</b>	
GEOMETROTHERMODYNAMICS OF A HOLOGRAPHIC SYSTEM WITH ZERO SOUND.....	78
 <b>Y. Myrzakulov, A. Altaibayeva, A. Bulanbayeva</b>	
PHASE TRANSITIONS AND THERMODYNAMIC BEHAVIOR OF AdS BLACK HOLES COUPLED WITH NONLINEAR ELECTRODYNAMICS.....	89
 <b>Sh.A. Myrzakulova, A.A. Zhadyranova</b>	
INVESTIGATION OF F(G) GRAVITY USING NOETHER SYMMETRY.....	101

<b>D.A. Tolekov, D.M. Zharylgapova, A.M. Mukhambetzhan, A.A. Almagambetova, U.A. Abitaeva</b> ELECTRON-HOLE TRAPPING CENTERS IN ULTRA-VIOLET IRRADIATED Li <sub>2</sub> SO <sub>4</sub> -Mn CRYSTALS.....	115
<b>S.U. Sharipov, I.F. Spivak-Lavrov</b> ELECTROSTATIC CHARACTERISTICS OF THE EDGE FIELD BETWEEN THE DEFLECTOR PLATES AND THE GROUNDED SCREEN.....	125
<b>L.I. Shestakova, A.V. Serebryanskiy, Spassyuk Ruslan, Ch.T. Omarov</b> SEARCH FOR COMETARY-METEORITIC DUST IN THE INNER REGION OF THE SOLAR SYSTEM: THERMAL EMISSION IN THE DUST CORONA.....	138
<b>CHEMISTRY</b>	
<b>R.S. Abzhalov, Sh.T. Koshkarbayeva, A.K. Dikanbayeva, M.S. Satayev, B.S. Serikbayeva</b> STUDY OF THE OBTAINING OF SILVER NANOPARTICLES ON THE POLYMER SURFACE USING PHOTOCHEMICAL ACTIVATION.....	147
<b>K.T. Arynov, A.P. Auyeshov, Ch.Z. Yeskibayeva, A.K. Dikanbayeva, A.M. Ibrayeva</b> X-RAY PHASE AND THERMOANALYTICAL STUDY OF NEMALITE FROM THE ZHITIKARINSKOE DEPOSIT (KAZAKHSTAN).....	160
<b>G.Zh. Baisalova, A.S. Zhumadil, B.B. Torsykbaeva, D.T. Sadyrbekov, K.T. Umerdzhanova</b> CHEMICAL COMPOSITION OF FRUITS OF ELEAAGNUS ANGUSTIFOLIA.....	173
<b>N.N. Zhanikulov, D.K. Zhurgarayeva, G. Mukhtarhanova</b> INVESTIGATION OF THE SUITABILITY OF HEAP LEACHING WASTE FROM THE PROCESSING OF GOLD-BEARING ORE AS A RAW MATERIAL FOR PORTLAND CEMENT.....	184
<b>A.A. Zheldybaeva, A.CH. Katashova, K.A. Iskakov, D.E. Nurmukhanbetova, A. Azamatkyzy</b> NATURAL CRITERIA OF VEGETABLE JUICES AND THEIR QUALITY DETERMINATION.....	196
<b>A.B. Issayeva, A.A. Sharipova, M.O. Issakhov, G.A. Kadyrbekova</b> ROLE OF MICROENCAPSULATED HUMIC ACID BASED ON BIOPOLYMERS IN PLANT GROWTH STIMULATION.....	205

<b>A.T. Massenova*, A.S. Zhumakanova, I.I. Torlopov, K.S. Rakhmetova, A.Z. Abilmagzhanov, 2025.</b>	
HIERARCHICAL ZEOLITES BASED ON SYNTHETIC ZEOLITES ZSM-5, HY AND BEA FOR ALKYLATION OF AROMATIC HYDROCARBONS.....	219
 <b>A.K. Nurlybekova, A.A. Minkayeva, E. Shybyrai, H.A. Aisa, J. Jenis</b> GC-MS STUDY OF ORGANIC AND MINERAL COMPONENTS IN ARTEMISIA SPECIES FROM KAZAKHSTAN.....	233
 <b>T.S. Khosnudinova, A.O. Sapieva, N.G. Gemedzhieva, Zh.Zh. Karzhaubekova, N.A. Sultanova</b> DEVELOPMENT OF A BIOLOGICALLY ACTIVE COMPLEX FROM THE ROOTS OF <i>FERULA FOETIDA</i> (BUNGE) REGEL EXHIBITING ANTIOXIDANT ACTIVITY.....	252

## МАЗМҰНЫ

### ФИЗИКА

<b>Б.Ж. Әбдікәрімов, А.Ж. Сейтмұратов, Б.К. Калиев, Ә.Ғ. Ғаниұлла, Т.М. Қарабала</b> СЫНДЫҚ ТЕМПЕРАТУРА МАҢЫНДАҒЫ ИЗОМАЙ ҚЫШҚЫЛЫ – СҮ ЕРІТІНДІСІНІҢ ТҮТҚЫРЛЫҚ ҚАСИЕТТЕРИ.....	5
<b>Д.Т. Агишев, С.А. Хохлов, А.Т. Агишев, Н.Л. Вайдман, А.Т. Агишев</b> АККРЕЦИЯ ҚАРҚЫНЫ ТӨМЕН ТЫҒЫЗ ҚОС ЖҮЙЕЛЕРДЕГІ РАДИАЦИЯЛЫҚ ЖӘНЕ КОНВЕКТИВТІ ТАСЫМАЛДАУДЫ ЗЕРТТЕУ.....	17
<b>Т.М. Алдабергенова, М.Ф. Верещак, А.С. Диков, С.Б. Кислицин</b> ИМПЛАНТАЦИЯЛАНГАН ТЕМІР-57 ЯДРОЛАРЫНДА КИМС ӘДІСІМЕН АНЫҚТАЛГАН ЖОҒАРЫ ЭНТРОПИЯЛЫҚ ҚОРЫТПА НИТРИДТЕРИ (ALTIZRYNB) Н НЕГІЗІНДЕГІ ЖҮҚА ЖАБЫН ҚҰРЫЛЫМЫ.....	29
<b>Е. Бондарь, А. Шонғалова, А. Федосимова, С. Ибраимова, А. Кемелбекова</b> ГРАФЕН ОКСИДІ НЕГІЗІНДЕГІ ПРОТОН АЛМАСУ МЕМБРАНАЛАРЫНДА ГИДРОНИЙ ИОНДАРЫНЫҢ ҚОЗҒАЛҒЫШТЫҒЫН АРТТЫРУ.....	39
<b>Н.Н. Жантурина, Г.К. Бекетова, З.К. Аймаганбетова, К.Б. Бижанова, Л.У. Таймуратова</b> ҚАЗІРГІ ЗАМАНҒЫ ПЕРОВСКИТТІ КҮН БАТАРЕЯЛАРЫ: ТИМДІЛІКТІ АРТТЫРУҒА АРНАЛГАН МАТЕРИАЛДАР МЕН ТЕХНОЛОГИЯЛАРДАҒЫ ИННОВАЦИЯЛАР.....	50
<b>Ұ.Қ. Жапбасбаев, Г.І. Рамазанова, М.Ф. Пахомов</b> КЕНЕТТЕН КЕҢЕЮІ БАР ҚҰБЫРДАҒЫ ТҮТҚЫР-ПЛАСТИКАЛЫҚ СҮЙЫҚТЫҚТЫҢ ТУРБУЛЕНТТІК АҒЫНЫ.....	64
<b>Д.М. Зазулин, С.Е. Кемелжанова, Н.Ә. Бейсен, А.Ш. Турсумбеков, М.О. Алимқулова</b> НӨЛДІК ДЫБЫСЫ БАР ГОЛОГРАФИЯЛЫҚ ЖҮЙЕНИҢ ГЕОМЕТРОТЕРМОДИНАМИКАСЫ.....	78
<b>Е.М. Мырзакулов, А.Б. Алтайбаева, А.С. Бұланбаева</b> СЫЗЫҚТЫ ЕМЕС ЭЛЕКТРОДИНАМИКАМЕН БАЙЛАНЫСҚАН AdS ҚАРА ҚҮРДЫМДАРДЫҢ ФАЗАЛЫҚ АУЫСУЛАРЫ МЕН ТЕРМОДИНАМИКАЛЫҚ СИПАТТАМАЛАРЫ.....	89

<b>Ш.А. Мырзакурова, А.А. Жадыранова</b> НЕТЕР СИММЕТРИЯСЫН ҚОЛДАНА ОТЫРЫП, F(G) ГРАВИТАЦИЯСЫН ЗЕРТТЕУ.....	101
<b>Д.А. Төлеков, Д.М. Жарылғапова, А.М. Мұхамбетжанова, А.А. Алмагамбетова, Ү.Ә. Әбітаева</b> УЛЬТРА-КУЛГІНМЕН СӘУЛЕЛЕНГЕН $\text{Li}_2\text{SO}_4$ -Мп-дегі ЭЛЕКТРОНДЫ- КЕМТІКТІ ҚАРМАУ ОРТАЛЫҚТАРЫ.....	115
<b>С.У. Шарипов, И.Ф. Спивак-Лавров</b> ДЕФЛЕКТОРЛЫҚ ПЛАСТИНАЛАР МЕН ЖЕРГЕ ТҮЙЫҚТАЛҒАН ЭКРАН АРАСЫНДАҒЫ ШЕТТІК ӨРІСТІҢ ЭЛЕКТРОСТАТИКАЛЫҚ СИПАТТАМАЛАРЫ.....	125
<b>Л.И. Шестакова, А.В. Серебрянский, Р.Р. Спасюк, Ч.Т. Омаров</b> КҮН ЖҮЙЕСІНІҢ ШШКІ АЙМАҒЫНДАҒЫ КОМЕТАЛЫҚ-МЕТЕОРЛЫҚ ШАҢДЫ ІЗДЕУ: ШАҢДЫ КОРОНАДАҒЫ ЖЫЛУ ЭМИССИЯСЫ.....	138
<b>ХИМИЯ</b>	
<b>Р.С. Абжалов, Ш.Т. Кошкарбаева, А.К. Диканбаева, М.С. Сатаев, Б.С. Серикбаева</b> ФОТОХИМИЯЛЫҚ АКТИВТЕҢДІРУ АРҚЫЛЫ ПОЛИМЕР БЕТІНЕН КҮМІС НАНОБӨЛШЕКТЕРДІ АЛУДЫ ЗЕРТТЕУ.....	147
<b>К. Арынов, А. Ауешов, Ч. Ескибаева, А. Диканбаева, А. Ибраева</b> ЖІТІҚАРА КЕНОРНЫНЫң НЕМАЛИТҚҰРАМДАС ХРИЗОТИЛ-АСБЕСТІН РЕНТГЕНОФАЗАЛЫҚ ЖӘНЕ ТЕРМОАНАЛИТИКАЛЫҚ ЗЕРТТЕУ.....	160
<b>Г.Ж. Байсалова, Ә.С. Жұмаділ, Б.Б. Торсықбаева, Д.Т. Садырбеков, К.Т. Умерджанова</b> ELAEAGNUS ANGUSTIFOLIA ЖЕМІСТЕРІНІҢ ХИМИЯЛЫҚ КОМПОНЕНТТЕРІ.....	173
<b>Н.Н. Жаникулов, Д.К. Жургараева, Г. Мұхтарханова, А.С. Байлен, А.К. Свидерский</b> ПОРТЛАНДЦЕМЕНТ АЛУ ҮШІН АЛТЫН КЕНИН ӨНДЕУДЕН АЛЫНГАН ҮЙІНДІ ШАЙМАЛАУ ҚАЛДЫҚТАРДЫ ШИКІЗАТ РЕТИНДЕ ЖАРАМДЫЛЫҒЫН ЗЕРТТЕУ.....	184
<b>А.А. Жельдыбаева, А.Ч. Каташева, К.А. Искаков, Д.Е. Нурмуханбетова, А. Азаматқызы</b> КӨКӨНІС ШЫРЫНДАРЫНЫң ТАБИҒИ КРИТЕРИЙЛЕРІ МЕН САПАСЫН АНЫҚТАУ.....	196

<b>А.Б. Исаева, А.А. Шарипова, М.О. Исахов, Г.А. Кадирбекова</b> БИОПОЛИМЕРЛЕРГЕ НЕГІЗДЕЛГЕН МИКРОКАПСУЛДАНҒАН ГУМИН ҚЫШҚЫЛЫНЫҢ ӨСІМДІКТЕРДІҢ ӨСУІН ҮНТАЛАНДЫРУДАҒЫ РӨЛІ.....	205
<b>А.Т. Масенова, А.С. Жумақанова, И.И. Торлопов, К.С. Рахметова, А.З. Абильмагжанов</b> АРОМАТТЫ ҚӨМІРСУТЕКТЕРДІ АЛКИЛДЕУГЕ АРНАЛҒАН ZSM-5, HY ЖӘНЕ ВЕА СИНТЕТИКАЛЫҚ ЦЕОЛИТТЕРІНЕ НЕГІЗДЕЛГЕН ИЕРАРХИЯЛЫҚ ЦЕОЛИТТЕР.....	219
<b>А.К. Нұрлыбекова, А.А. Минкаева, Е. Шыбырай, Х.А. Айса, Ж. Женіс</b> ҚАЗАҚСТАНДАҒЫ <i>ARTEMISIA</i> ТҮРЛЕРІНІҢ ОРГАНИКАЛЫҚ ЖӘНЕ МИНЕРАЛДЫ ҚҰРАМЫН ГХ-МС АРҚЫЛЫ ЗЕРТТЕУ.....	233
<b>Т.С. Хоснұтдинова, А.О. Сәпиева, Н.Г. Гемеджиева, Ж.Ж. Қаржаубекова, Н.А. Сұлтанова</b> FERULA FOETIDA (BUNGE) REGEL ТАМЫРЫНАН АНТИОКСИДАНТТЫҚ БЕЛСЕНДІЛІГІ БАР БИОЛОГИЯЛЫҚ БЕЛСЕНДІ КЕШЕНДІ АЛУ.....	252

**СОДЕРЖАНИЕ****ФИЗИКА**

<b>Б.Ж. Абдикаримов, А.Ж. Сейтмуратов, Б.К. Калиев, А.Г. Ганиулла, Т.М. Карабала</b> СВОЙСТВА ВЯЗКОСТИ РАСТВОРА ИЗОМАСЛЯНАЯ КИСЛОТА – ВОДА ВБЛИЗИ КРИТИЧЕСКОЙ ТЕМПЕРАТУРЫ РАССЛОЕНИЯ.....	5
<b>Д.Т. Агишев, С.А. Хохлов, А.Т. Агишев, Н.Л. Вайдман, А.Т. Агишев</b> ИССЛЕДОВАНИЕ РАДИАЦИОННОГО И КОНВЕКТИВНОГО ПЕРЕНОСА В ТЕСНЫХ ДВОЙНЫХ СИСТЕМАХ С МАЛЫМ ТЕМПОМ АККРЕЦИИ ВЕЩЕСТВА.....	17
<b>Т.М. Алдабергенова, М.Ф. Верещак, А.С. Диков, С.Б. Кислицин</b> ТОНКАЯ СТРУКТУРА ПОКРЫТИЯ НА ОСНОВЕ НИТРИДОВ ВЫСОКОЭНТРОПИЙНОГО СПЛАВА (ALTIZRYNb)N, ОПРЕДЕЛЕННАЯ КЭМС МЕТОДОМ НА ЯДРАХ ИМПЛАНТИРОВАННОГО ЖЕЛЕЗА-57.....	29
<b>Е. Бондарь, А. Шонгалова, А. Федосимова, С. Ибраимова, А. Кемелбекова</b> ПОВЫШЕНИЕ ПОДВИЖНОСТИ ИОНОВ ГИДРОНИЯ В ПРОТОНООБМЕННЫХ МЕМБРАНАХ НА ОСНОВЕ ОКСИДА ГРАФЕНА....	39
<b>Н.Н. Жантуриня, Г.К. Бекетова, З.К. Аймаганбетова, К.Б. Бижанова, Л.У. Таймуратова</b> СОВРЕМЕННЫЕ ПЕРОВСКИТНЫЕ СОЛНЕЧНЫЕ ЭЛЕМЕНТЫ: ИННОВАЦИИ В МАТЕРИАЛАХ И ТЕХНОЛОГИЯХ ДЛЯ ПОВЫШЕНИЯ ЭФФЕКТИВНОСТИ.....	50
<b>У.К. Жапбасбаев, Г.И. Рамазанова, М.А. Пахомов</b> ТУРБУЛЕНТНОЕ ТЕЧЕНИЕ ВЯЗКОПЛАСТИЧНОЙ ЖИДКОСТИ В ТРУБЕ С РЕЗКИМ РАСШИРЕНИЕМ.....	64
<b>Д.М. Зазулин, С.Е. Кемелжанова, Н.А. Бейсен, А.Ш. Турсумбеков, М.О. Алимкулова</b> ГЕОМЕТРОТЕРМОДИНАМИКА ГОЛОГРАФИЧЕСКОЙ СИСТЕМЫ С НУЛЕВЫМ ЗВУКОМ.....	78
<b>Е.М. Мырзакулов, А.Б. Алтайбаева, А.С. Буланбаева</b> ФАЗОВЫЕ ПЕРЕХОДЫ И ТЕРМОДИНАМИЧЕСКОЕ ПОВЕДЕНИЕ AdS ЧЕРНЫХ ДЫР СВЯЗАННЫХ С НЕЛИНЕЙНОЙ ЭЛЕКТРОДИНАМИКОЙ....	89

<b>Ш.А. Мырзакулова, А.А. Жадыранова</b> ИССЛЕДОВАНИЕ F(G) ГРАВИТАЦИИ С ПРИМЕНЕНИЕМ СИММЕТРИИ НЁТЕР.....	101
 <b>Д.А. Толеков, Д.М. Жарылгапова, А.М. Мухамбетжанова, А.А. Алмагамбетова, У.А. Абитаева</b> ЭЛЕКТРОННО-ДЫРОЧНЫЕ ЦЕНТРЫ ЗАХВАТА В ОБЛУЧЕННОМ УЛЬТРА-ФИОЛЕТОМ-КРИСТАЛАХ $\text{Li}_2\text{SO}_4\text{-Mn}$ .....	115
 <b>С.У. Шарипов, И.Ф. Спивак-Лавров</b> ЭЛЕКТРОСТАТИЧЕСКИЕ ХАРАКТЕРИСТИКИ КРАЕВОГО ПОЛЯ МЕЖДУ ДЕФЛЕКТОРНЫМИ ПЛАСТИНАМИ И ЗАЗЕМЛЕННЫМ ЭКРАНОМ.....	125
 <b>Л.И. Шестакова, А.В. Серебрянский, Р.Р. Спасюк, Ч.Т. Омаров</b> ПОИСК ПЫЛИ КОМЕТНО-МЕТЕОРНОГО ПРОИСХОЖДЕНИЯ ВО ВНУТРЕННЕЙ ОБЛАСТИ СОЛНЕЧНОЙ СИСТЕМЫ: ТЕПЛОВАЯ ЭМИССИЯ В ПЫЛЕВОЙ КОРОНЕ .....	138
 <b>ХИМИЯ</b>	
 <b>Р.С. Абжалов, Ш.Т. Кошкарбаева, А.К. Диканбаева, М.С. Сатаев, Б.С. Серикбаева</b> ИССЛЕДОВАНИЕ ПОЛУЧЕНИЯ НАНОЧАСТИЦ СЕРЕБРА НА ПОВЕРХНОСТИ ПОЛИМЕРА С ПОМОЩЬЮ ФОТОХИМИЧЕСКОЙ АКТИВАЦИИ.....	147
 <b>К.Т. Арынов, А.П. Ауешов, Ч.З. Ескибаева, А.К. Диканбаева, А.М. Ибраева</b> РЕНТГЕНОФАЗОВОЕ И ТЕРМОАНАЛИТИЧЕСКОЕ ИССЛЕДОВАНИЕ НЕМАЛИТА ЖИТИКАРИНСКОГО МЕСТОРОЖДЕНИЯ (КАЗАХСТАН).....	160
 <b>Г.Ж. Байсалова, А.С.Жумадил, Б.Б. Торсыкбаева, Д.Т. Садырбеков, К.Т. Умерджанова</b> ХИМИЧЕСКИЙ СОСТАВ ПЛОДОВ <i>Elaeagnus angustifolia</i> .....	173
 <b>Н.Н. Жаникулов, Д.К. Жургараева, Г. Мухтарханова, А.С. Байлен, А.К. Свидерский</b> ИССЛЕДОВАНИЕ ПРИГОДНОСТИ ОТХОДОВ КУЧНОГО ВЫЩЕЛАЧИВАНИЯ ПРИ ПЕРЕРАБОТКЕ ЗОЛОТОСОДЕРЖАЩИХ РУД В КАЧЕСТВЕ СЫРЬЯ ДЛЯ ПОЛУЧЕНИЯ ПОРТЛАНДЦЕМЕНТА.....	184

<b>А.А. Жельдыбаева, А.Ч. Каташева, К.А. Искаков, Д.Е. Нурмуханбетова, А. Азаматкызы ОПРЕДЕЛЕНИЕ ЕСТЕСТВЕННЫХ КРИТЕРИЕВ И КАЧЕСТВА ОВОЩНЫХ СОКОВ.....</b>	196
<b>А.Б. Исаева, А.А. Шарипова, М.О. Исахов, Г.А. Кадирбекова РОЛЬ МИКРОКАПСУЛИРОВАННОЙ ГУМИНОВОЙ КИСЛОТЫ НА ОСНОВЕ БИОПОЛИМЕРОВ В СТИМУЛЯЦИИ РОСТА РАСТЕНИЙ.....</b>	205
<b>А.Т. Масенова, А.С. Жумаканова, И.И. Торлопов, К.С. Рахметова, А.З. Абыльмагжанов ИЕРАРХИЧЕСКИЕ ЦЕОЛИТЫ НА ОСНОВЕ СИНТЕТИЧЕСКИХ ЦЕОЛИТОВ ZSM-5, HY И VEA ДЛЯ АЛКИЛИРОВАНИЯ АРОМАТИЧЕСКИХ УГЛЕВОДОРОДОВ.....</b>	219
<b>А.К. Нурлыбекова, А.А. Минкаева, Е. Шыбырай, Х.А. Айса, Ж. Женис ИССЛЕДОВАНИЕ ОРГАНИЧЕСКИХ И МИНЕРАЛЬНЫХ КОМПОНЕНТОВ ВИДОВ <i>ARTEMISIA</i> ИЗ КАЗАХСТАНА МЕТОДОМ ГХ-МС.....</b>	233
<b>Т.С. Хоснудинова, А.О. Сапиева, Н.Г. Гемеджиева, Ж.Ж. Каржаубекова, Н.А. Султанова ПОЛУЧЕНИЕ БИОЛОГИЧЕСКИ АКТИВНОГО КОМПЛЕКСА ИЗ КОРНЕЙ <i>FERULA FOETIDA</i> (BUNGE) REGEL, ОБЛАДАЮЩЕГО АНТИОКСИДАНТНОЙ АКТИВНОСТЬЮ.....</b>	252

## **Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the work described has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct ([http://publicationethics.org/files/u2/New\\_Code.pdf](http://publicationethics.org/files/u2/New_Code.pdf)). To verify originality, your article may be checked by the originality detection service Cross Check <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

**[www.nauka-nanrk.kz](http://www.nauka-nanrk.kz)**

**ISSN 2518-1483 (Online), ISSN 2224-5227 (Print)**

**<http://reports-science.kz/index.php/en/archive>**

Директор отдела издания научных журналов НАН РК *А. Ботанқызы*

Редакторы: *Д.С. Аленов, Ж.Ш. Эден*

Верстка на компьютере *Г.Д. Жадырановой*

Подписано в печать 31.03.2025.

Формат 60x88<sup>1</sup>/<sub>8</sub>.

18,0 п.л. Заказ 1.