ҚАЗАҚСТАН РЕСПУБЛИКАСЫ ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

С. Ж. Асфендияров атындағы Қазақ ұлттық медицина университеті

ХАБАРЛАРЫ

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК РЕСПУБЛИКИ КАЗАХСТАН Казахский национальный медицинский университет им. С. Д. Асфендиярова

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

Asfendiyarov Kazakh National Medical University

SERIES OF BIOLOGICAL AND MEDICAL

6 (342) NOVENBER – DECEMBER 2020

PUBLISHED SINCE JANUARY 1963

PUBLISHED 6 TIMES A YEAR

Бас редактор

НҰРҒОЖИН Талғат Сейітжанұлы, медицина ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент мүшесі (Алматы, Қазақстан) H=10

РЕДАКЦИЯ АЛКАСЫ:

БЕРСІМБАЕВ Рахметқажы Ескендірұлы (бас редактордың орынбасары), биология ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) H = 12

ЖАМБАКИН Қабыл Жапарұлы (бас редактордың орынбасары), биология ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) H = 2

БИСЕНБАЕВ Амангелді Қуанышбайұлы, биология ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) H=7

ХОХМАНН Джудит, Сегед университетінің фармацевтика факультетінің фармакогнозия кафедрасының меңгерушісі, жаратылыстану ғылымдарының пәнаралық орталығының директоры (Сегед, Венгрия) H = 38

РОСС Самир, PhD докторы, Миссисипи университетінің өсімдік өнімдерін ғылыми зерттеу ұлттық орталығы Фармация мектебінің профессоры (Оксфорд, АҚШ) H = 35

ФАРУК Асана Дар, Хамдард Аль-Маджида шығыс медицина колледжінің профессоры, Хамдард университетінің Шығыс медицина факультеті (Карачи, Пәкістан) H = 21

ТОЙШЫБЕКОВ Мәкен Молдабайұлы, ауыл шаруашылығы ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 2

САҒИТОВ Абай Оразұлы, биология ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Казақстан) H = 4

ХУТОРЯНСКИЙ Виталий, философия докторы (Ph.D, фармацевт), Рединг университетінің профессоры (Рединг, Англия) H = 40

БЕНБЕРИН Валерий Васильевич, (бас редактордың орынбасары), медицина ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Қазақстан Республикасы Президенті Іс Басқармасы Медициналық орталығының директоры (Алматы, Қазақстан) H = 11

ЛОКШИН Вячеслав Нотанович, ҚР ҰҒА академигі, медицина ғылымдарының докторы, профессор, "PERSONA" халықаралық клиникалық репродуктология орталығының директоры (Алматы, Қазақстан) H=8

СЕМЕНОВ Владимир Григорьевич, биология ғылымдарының докторы, профессор, Чуваш республикасының еңбек сіңірген ғылым қайраткері, морфология, Акушерлік және терапия кафедрасының меңгерушісі, "Чуваш мемлекеттік аграрлық университеті" Федералдық мемлекеттік бюджеттік жоғары білім беру мекемесі (Чебоксары, Чуваш Республикасы, Ресей) H=23

ЩЕПЕТКИН Игорь Александрович, медицина ғылымдарының докторы, Монтана штаты университетінің профессоры (АҚШ) H = 27

«ҚР ҰҒА Хабарлары. Биология және медициналық сериясы».

ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)

Меншіктеуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан Республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 01.06.2006 ж. берілген №5546-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28; 219, 220 бөл.; тел.: 272-13-19

http://biological-medical.kz/index.php/en/

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2020

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Мұратбаев көш., 75.

Главный редактор:

НУРГОЖИН Талгат Сейтжанович, доктор медицинских наук, профессор, член-корреспондент НАН РК (Алматы, Казахстан) H = 10

Редакционная коллегия:

БЕРСИМБАЕВ Рахметкажи Искендирович (заместитель главного редактора), доктор биологических наук, профессор, академик НАН РК (Алматы, Казахстан) H = 12

ЖАМБАКИН Кабыл Жапарович (заместитель главного редактора), доктор биологических наук, профессор, академик НАН РК (Алматы, Казахстан) H = 2

БИСЕНБАЕВ Амангельды Куанбаевич (заместитель главного редактора), доктор биологических наук, профессор, академик НАН РК (Алматы, Казахстан) H = 7

ХОХМАНН Джудит, заведующий кафедрой Фармакогнозии Фармацевтического факультета Университета Сегеда, директор Междисциплинарного центра естественных наук (Сегед, Венгрия) H = 38

РОСС Самир, доктор PhD, профессор Школы Фармации национального центра научных исследований растительных продуктов Университета Миссисипи (Оксфорд, США) H = 35

ФАРУК Асана Дар, профессор колледжа Восточной медицины Хамдарда аль-Маджида, факультет Восточной медицины университета Хамдарда (Карачи, Пакистан) H = 21

ТОЙШИБЕКОВ Макен Молдабаевич, доктор сельскохозяйственных наук, профессор, академик НАН РК (Алматы, Казахстан) H=2

САГИТОВ Абай Оразович, доктор биологических наук, профессор, академик НАН РК (Алматы, Казахстан) H = 4

ХУТОРЯНСКИЙ Виталий, доктор философии (Ph.D, фармацевт), профессор Университета Рединга (Рединг, Англия) H = 40

БЕНБЕРИН Валерий Васильевич, доктор медицинских наук, профессор, академик НАН РК, директор Медицинского центра Управления делами Президента Республики Казахстан (Алматы, Казахстан) H = 11

ЛОКШИН Вячеслав Нотанович, академик НАН РК, доктор медицинских наук, профессор, директор Международного клинического центра репродуктологии «PERSONA» (Алматы, Казахстан) H=8

СЕМЕНОВ Владимир Григорьевич, доктор биологических наук, профессор, заслуженный деятель науки Чувашской Республики, заведующий кафедрой морфологии, акушерства и терапии, Федеральное государственное бюджетное образовательное учреждение высшего образования «Чувашский государственный аграрный университет» (Чебоксары, Чувашская Республика, Россия) H = 23

ЩЕПЕТКИН Игорь Александрович, доктор медицинских наук, профессор Университета штата Монтана (США) H = 27

«Известия НАН РК. Серия биологическая и медицинская».

ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №5546-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год. **Тираж:** 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28; ком. 219, 220; тел. 272-13-19

www:nauka-nanrk.kz / biological-medical.kz

© Национальная академия наук Республики Казахстан, 2020

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75.

Editor in chief:

NURGOZHIN Talgat Seitzhanovich, Doctor of Medicine, Professor, Corresponding Member of NAS RK (Almaty, Kazakhstan) H = 10

Editorial board:

BERSIMBAEV Rakhmetkazhi Iskendirovich (deputy editor-in-chief), Doctor of Biological Sciences, Professor, Academician of NAS RK, L.N. Gumilyov Eurasian National University (Nur-Sultan, Kazakhstan) H = 12

ZHAMBAKIN Kabyl Zhaparovich, Professor, Academician of the NAS RK, Director of the Institute of Plant Biology and Biotechnology (Almaty, Kazakhstan) H = 2

BISENBAEV Amangeldy Kuanbaevich (Deputy Editor-in-Chief), Doctor of Biological Sciences, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 7

HOHMANN Judith, Head of the Department of Pharmacognosy, Faculty of Pharmacy, University of Szeged, Director of the Interdisciplinary Center for Life Sciences (Szeged, Hungary) H = 38

ROSS Samir, Ph.D., Professor, School of Pharmacy, National Center for Scientific Research of Herbal Products, University of Mississippi (USA) H = 35

PHARUK Asana Dar, professor at Hamdard al-Majid College of Oriental Medicine. Faculty of Oriental Medicine, Hamdard University (Karachi, Pakistan) H = 21

TOISHIBEKOV Maken Moldabaevich, Doctor of Agricultural Sciences, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 2

SAGITOV Abai Orazovich, Doctor of Biological Sciences, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 4

KHUTORYANSKY Vitaly, Ph.D., pharmacist, professor at the University of Reading (Reading, England) H = 40

BENBERIN Valery Vasilievich, Doctor of Medicine, Professor, Academician of NAS RK, Director of the Medical Center of the Presidential Property Management Department of the Republic of Kazakhstan (Almaty, Kazakhstan) H = 11

LOKSHIN Vyacheslav Notanovich, Professor, Academician of NAS RK, Director of the PERSONA International Clinical Center for Reproductology (Almaty, Kazakhstan) H = 8

SEMENOV Vladimir Grigorievich, Doctor of Biological Sciences, Professor, Honored Scientist of the Chuvash Republic, Head of the Department of Morphology, Obstetrics and Therapy, Chuvash State Agrarian University (Cheboksary, Chuvash Republic, Russia) H = 23

TSHEPETKIN Igor Aleksandrovich, Doctor of Medical Sciences, Professor at the University of Montana (Montana, USA) H = 27

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of biology and medicine. ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty).

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan **N 5546-Ж**, is sued 01.06.2006.

Periodicity: 6 times a year. Circulation: 300 copies.

Editorial address: 28, Shevchenko str. of. 219, 220, Almaty, 050010; tel. 272-13-19

http://nauka-nanrk.kz/biological-medical.kz

© National Academy of Sciences of the Republic of Kazakhstan, 2020

Address of printing house: ST «Aruna», 75, Muratbayev str, Almaty.

____ 4 ____

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN SERIES OF BIOLOGICAL AND MEDICAL

ISSN 2224-5308

Volume 6, Number 342 (2020), 24 – 27

https://doi.org/10.32014/2020.2519-1629.46

HISTOLOGICAL CHANGES OF STURGEON FISHES IN RESERVOIRS OF ZHARKENT REGION

K. Sh. Nurgazy, K. K. Kayrullaev, G. A. Kulmanova, B. O. Nurgazy, A. Iskakbaev

Kazakh National Agrarian University, Almaty, Kazakhstan

Abstract. The article presents data on histological investigation the sturgeons organs from Zharkent region reservoirs in 2015. The results of the study led to give conclusion that the environmental situation and the condition of reservoirs in the region are tolerable.

Key words: histopathology, sturgeon fish, gills, liver, gonads, muscle, histopathology index.

Introduction. In our country, more and more pay great attention to the sturgeon. In this regard, created and successfully operate fish farms engaged in production of meat delicacies - caviar and sturgeon meat. Therefore, epizootic monitoring of fish becomes mandatory for many diseases. Histological method is not always possible to accurately diagnose the disease. However it gives the answer, how deep in the tissue and cellular level has gone pathological process and how widely affected all investigated fish herd. Wherein organs of apparently healthy fish at the tissue level may be at different stages of pathology, which allows determining the degree of damage in the whole herd [1]. Histopathological changes are integral result of various biochemical and physiological changes in the body [2, 3]. Identification of emerging pathologies and disfunctions in the systems of fish' organisms is important to understand the reasons of reducing or disappearance of fish populations, to predict changes in the conditions of decreasing or increasing of toxic load, as well as strategy of development and methods of preservation, also restoration of fishery resources [4]. Morpho-pathological studies of Volga fish have shown that the condition of organs and tissues related with environmental condition, nature of distribution of contaminants in the water area of the reservoir and particular qualities of ecology [5].

The aim of our study was to investigate the histological changes of sturgeon.

Material and Methods. Sturgeons have been investigated for histological changes of gills, gonads, liver and muscles. The material was collected in condition of pond farms at Zharkent region in 2015 Histological preparations were prepared by conventional methods [6, 7]. There were prepared and analyzed 27 histological preparations. Histological analysis of the reproductive system was produced on 5 milts and 9 ovaries.

Results and Discussion. Histological examination of the above organs revealed that the majority of surveyed fish has got histologic pathology in more than one organ.

Gill pathology. Gills are the body which directly contacted with the external environment and, therefore, have a direct impact of adverse factors, including complex pollutants. Condition of tissue structures of this organ and individuals in general depends on the quality of environment.

Light histologic abnormalities were characterized by elongation and deformation of the respiratory lamellae. Moderate deviations in the gills appear as hyperplasia of their end sections, hyperemia of filaments. There was hypoplasia, deformation of respiratory lamellae, desquamation of the respiratory epithelium. Difficult morphological changes were expressed in underdevelopment, distortion, merging of respiratory lamellae on large plots. In individual fish was marked atrophy of the respiratory lamellae, exposure of one side of the gill filaments.

Gonad Pathology. The main condition for sustainable existence of population is its reproductive potential, caused to both: population size and population structure, and physiological features of functioning of the reproductive system which determined their individually fertility [8]. There fore, histological studies of the reproductive systems of fish are highly relevant for the assessment of sustainability and the reproduction capacity of population.

Light morphological abnormalities in the ovaries were characterized by deformation of oocytes in the stage of protoplasmic growth and by karyopyknosis of nucleus. There were oocytes at the stage of nuclear fission. It was noted a small number of oocytes among the large number of fatty tissue. In the testicle at the stage of spermatogonia reproduction marked small cavity between the seminiferous tubules. Most of the examined milts had normal structure.

The share of fish with slight morphological changes was 72%. 28% of fish weren't revealed abnormalities in the gonads. Histopathological index was 1.7 points, which corresponds to the light degree of disturbance.

The pathology of liver. The liver is the main organ of detoxification of poisons enters the body. It not only accumulates the majority of poisons, but also displays the metabolites through the bile. The liver is not exposed to the direct impact of adverse environmental factors, such as gills, but they influence its structure and function indirectly - through the blood and lymph systems. Light Histopathological abnor-malities in the liver were evident by fatty degeneration of hepatocytes, presence of lymphoid cells clusters and granules of hemosiderin pigment. Observed hyperemia of blood vessels.

Moderate morphological abnormalities in the liver characterized by necrosis of hepatocytes, the displacement of the nucleus from the center to the periphery of hepatocytes, also nuclear pyknosis. It is significant accumulation of hemosiderin granules and lymphoid cells.

Pathology of muscles. Light histopathological abnormalities in cross-striated muscle tissue on the lengthwise sections characterized by the curvature of muscle fibers. There were minor lipid inclusions. On cross section bundles of muscle fiber were somewhat divided. It was noted the presence of optical cavities at the periphery of myofibrillar fields.

Moderate morphological abnormalities in the longitudinal sections expressed in deformation and pulping myofibrils. Between parallel rows of fibers marked lipid inclusions. There was the presence of blood cells in the intramuscular space. In transverse sections the individual fibers in the fascicle are absent and replaced by lipid inserts, which on the preparations shown as the form of Cellular optical cavities. Heavy histopathological abnormalities in the longitudinal sections of muscle tissue are evidenced in the lysis of myofibrils with formation of detritus. Marked faltering course of fiber were exchanged by lipid and connective tissues. In the intramuscular tissue there are blood cells. On the transverse section noted disintegration of fiber and lysis of myofibrils.

Results of histopathological analysis of sturgeon organs and tissues

Organs and fibers	Pathology level	Average histopathology index (баллы)
Gills	5,3% - light (1 x 2 point) 68,4% - mild (13 x 3 point) 26,3% - heavy (5 x 4 point)	3,2
Gonads	28% - normal (5 x 1 point) 72% - light (13 x 2 point)	1,7
Liver	5% - normal (1 x 1 point) 75% - light (14 x 2 point) 20% - temperate (4 x 3 point)	2,2

Muscle	16% - light (3 x 2 point) 63% - temperate (12 x 3 point) 21% - heavy (4 x 4 point)	3,1
--------	--	-----

Thus, on average, for all investigated sturgeon histopathological index of gills were 3.2 points, which corresponds to moderate deviations (Table). Histopathological index in the gonads has averaged 1.7 points, which corresponds to a slight abnormalities in the reproductive system. Histopathological index of liver was 2.2 points, which corresponds to a slight morphological abnormalities. Histopatho-logical index of muscle points was 3.1, which corresponds to moderate deflections in their structure.

Gill apparatus of fish - most reactive body, first of all sustain the action of surrounding background is in the high functional stress caused any pollution. Histopathological abnormalities in the gills were appear augmentation and deformation of respiratory lamellae, desquamation of respiratory epithelial, hyperplasia of the end sections of lamella, temperate hyperemia of filaments. There are several stages of morphological changes in gill apparatus under the influence of environmental factors. In the first stage, take place the adaptive-compensatory adjustment without any pathological nature. In the second stage there are structural disorders of the respiratory and gusset epithelium. These disorders lead to significant organ disfunctions, loss of body ions or dehydration, but the complete destruction of the epithelium and the lamellae does not occur, so this situation is in principle reversible.

Due to the high functional specialization liver plays an important role in maintaining homeostasis. Histological changes and liver damages can be classified in order of importance for the functional condition of organ (reversible and irreversible, breaking its function or not) and on structures and physio-logical processes in which the change occurs. According to the physiological and histological condition of liver it can be successfully and comparatively accurately judged about state of external conditions of particular individual environment. Histopathological aberrations in the liver generally described as lightweight. There was a slight fatty degeneration, focal necrosis of hepatocytes, small clusters of lym-phoid cells and hemosiderin granules, pyknosis of nucleus, congestion of blood vessels.

Histopathological abnormalities in the muscles of the investigated sturgeon were temperate on average and characterized by deformation, bending and pulping myofibrils. On the cross sections indicated the presence of optical cavities. In more severe cases there was signed lysis of myofibrils with the formation of detritus. Research muscles in sturgeon showed that those changes are reversible.

We know that the greatest number of violations in the gonads of sturgeon falls on sexually mature fish, in young individuals observed the normal development of sexual cells and gonads [9]. In our studies, we studied gonads only from juveniles. That's why it is explained relatively low degree of abnormalities in the gonads. Abnormalities in the reproductive system has slightly character. Histopathological abnor-mality in the ovaries of studied sturgeons appears in deformation of oocytes in protoplasmic growth stage and pyknosis of nucleus. Most examined milts were at the stage of spermatogonia multiplication and had normal structure. Light histopathological abnormalities appear in the presence of empty spaces between milt ampules.

Thus the internal organs and tissues (gonads, liver, muscles) negative externalities indirectly through the blood and lymph, while the gills exposed to immediate direct impact of negative environmental factors. This, perhaps, explains the deviation in the gills, although in general they have been modest.

Conclusion. Based on the foregoing, it can be concluded that the results of histopathological examination of some of sturgeon showed that the state of water in the reservoirs of Zharkent region is satisfactory.

ЖАРКЕНТ ӨҢІРІ СУ ҚОЙМАЛАРЫНДАҒЫ БЕКІРЕ БАЛЫҚТАРЫНДАҒЫ ГИСТОЛОГИЯЛЫҚ ӨЗГЕРІСТЕР

Қ. Ш. Нұрғазы, К. Қ. Қайруллаев, Г. А. Күлманова, Б. Ө. Нұрғазы, А. Ысқақбаев Қазақ ұлттық аграрлық университеті, Алматы, Қазақстан

Аннотация. Мақалада Жаркент өңірі су қоймаларындағы бекіре балықтарын 2015 ж. гистологиялық зерттеу жөнінде мәліметтер келтірілген. Зерттеу нәтижесі бойынша осы аймақтағы экологиялық жағдай мен су қоймаларының күйі қанағаттанарлықтай деп тұжырым жасалынды.

Тірек сөздер: гистопатология, бекіре балықтары, желбезектер, бауыр, гонадалар, бұлшық еттер, гистопатологиялық индекс.

ГИСТОЛОГИЧЕСКИЕ ИЗМЕНЕНИЯ У ОСЕТРОВЫХ РЫБ В ВОДОЕМАХ ЖАРКЕНТСКОГО РЕГИОНА

К.Ш. Нургазы, К.К. Кайруллаев, Г.А. Кулманова, Б.О. Нургазы, А. Искакбаев Казахский национальный аграрный университет, Алматы, Казахстан

Аннотация. В статье приведены данные по гистологическому исследованию органов осетровых рыб в водоемах Жаркентского региона в 2015 г. Результаты исследования позволили сделать заключение о том, что экологическая ситуа-ция и состояние водоемов в данном регионе являются удовлетворительными.

Ключевые слова: гистопатология, осетровые рыбы, жабры, печень, гонады, мышцы, гистопатологический индекс.

REFERENCES

- [1] Chernysheva N.B. Using histological method in ichthyopathology // Materials of the scientific conference "Problems of reproduction, feeding and disease control in the cultivation of fish in artificial conditions", Petrozavodsk, 14 18 oct., 2002, Petrozavodsk, 2002, pp 168 170.
 - [2] Heath A.G. Water Pollution and Fish Physiology. L.: Lewis Publ., 2002. 506 p.
- [3] Lawrens A.J., Arukwe A., Moor M. et al. Mollecular / cellular processes and the physiological recponse to pollution // Effects of Pollution on Fish / Ed. A.J. Lawrens, K.L. Hemingway. N.Y.: Blackwell Sci., 2003. P. 83 133.
 - [4] Moiseenko TI Aquatic Ecotoxicology: monograph. M.: Nauka. 2009. 400 p.
- [5] Vasilyev AS, Zaprudnova RA, Buinevich AV Monitoring the status of populations of bream Upper Volga reservoirs // Proceedings of the All-Russian scientific-practical conference "Ecological problems of the unique natural and anthropogenic landscapes", Yaroslavl, 16th December 17th., 2004. Yaroslavl, 2004, pp 192 197.
 - [6] Merkulov G. Course pathological techniques. L., 1961. 339 p.
- [7] Volkov O.V., Eletskii Yu. Fundamentals of histology with histological technique M., 1971. 211 p.
- [8] Shatunovskii M.I., Ruban G.I. Environmental aspects of age dynamics of indicators of fish reproduction // Ecology. 2009. № 5. S. 339-347.
- [9] Akimov N.V., Popova O.A., Reshetnikov Y.S., Kashulin N.A., Lukin A.A., Amundsen P.A. Morphological condition of the reproductive system of fish in the waters of the Kola Peninsula // Problems. ichthyology, 2000. T. 40. № 2. S. 282 285.

МАЗМҰНЫ – СОДЕРЖАНИЕ – CONTENTS

Baibussenov K.S.
LONG-TERM ANALYSIS OF HARMFUL GRASSHOPPERS POPULATION
DYNAMICS - SHAPING FACTOR OF FORECASTING THEIR ABUNDANCE
Чоманов У.Ч., Жумалиева Г.Е., Нурынбетова Г.
ИЗУЧЕНИЕ ПИЩЕВОЙ ЦЕННОСТИ И БИОЛОГИЧЕСКОЙ
ЦЕННОСТИ МАЛОЦЕННОГО РЫБНОГО И РАСТИТЕЛЬНОГО СЫРЬЯ12
Nurgazy K.Sh., Kayrullaev K.K., Kulmanova G.A., Nurgazy B.O.,
Iskakbaeva A., Turganbaeva F.A.
HISTOLOGICAL CHANGES OF STURGEON
FISHES IN RESERVOIRS OF ZHARKENT REGION24
Грабовский С.С., Грабовская А.С.
КОРРЕКЦИЯ ПЕРЕДУБОЙНОГО СТРЕССА У ЛАБОРАТОРНЫХ
ЖИВОТНЫХ БИОЛОГИЧЕСКИ АКТИВНЫМИ ВЕЩЕСТВАМИ28
ANDOTTIBIA BROJIOI ИЧЕСКИ АКТИВПВІМИ ВЕЩЕСТВАМИ20
Сулейменова Н.Ш., Филипова М., Добринов В., Абилдаев Е.С., Жараспаева С.М.
СОВРЕМЕННЫЕ ПЕСТИЦИДЫ ПРИ ВОЗДЕЛЫВАНИИ РАПСА И СОИ
Даутканов Н.Б., Убекова С.Б., Даутканова Д.Р.
РАЗРАБОТКА СХЕМЫ ПРОСЛЕЖИВАЕМОСТИ КАЧЕСТВА СЕМЕННОЙ КУКУРУЗЫ41
Саданов А.К., Дадонова Т.Н., Гаврилова Н.Н., Ратникова И.А.
СПОСОБЫ И ДОЗЫ ИНОКУЛЯЦИИ СЕМЯН БОБОВЫХ
КУЛЬТУР ПРЕПАРАТАМИ КЛУБЕНЬКОВЫХ БАКТЕРИЙ
Хусаинова Э.М., Бекманов Б.О., Жунусбекова Б.Б., Амиргалиева А.С., Муратова Ф.Т
АНАЛИЗ АССОЦИАЦИИ ПОЛИМОРФИЗМОВ ГЕНОВ
АПАЛИЗ АССОЦИАЦИИ ПОЛИМОГФИЗМОВ ГЕПОВ <i>АТМ</i> И <i>ТР53</i> С ФАКТОРОМ ОБЛУЧЕНИЯ В КАЗАХСТАНСКИХ ПОПУЛЯЦИЯХ53
АТМ И 1733 С ФАКТОГОМ ОВЛУЧЕНИЛ В КАЗАЛСТАНСКИЛ ПОПУЛЛЦИЛА
Кершанская О.И., Абдулжанова М.А., Исмаилова М.М., Даулетбаева С.К., Гулевич А.А.
КОНСТРУИРОВАНИЕ ГЕНА АНТИ-ОКИСЛИТЕЛЬНОГО
СТРЕССА FESOD ДЛЯ ГЕНЕТИЧЕСКОЙ ТРАНСФОРМАЦИИ СОИ62
Отеули Е.
ЦЕНТР АМБУЛАТОРНОГО ГЕМОДИАЛИЗА «ФРЕЗЕНИУС МЕДИКАЛ КЕЙР КАЗАХСТАН».
ДЕПТ АМБУЛАТОГНОГО ГЕМОДИАЛИЗА «ФРЕЗЕПИУС МЕДИКАЛ КЕИГ КАЗАЛСТАП». ИСТОРИЯ СОЗЛАНИЯ И ПЕРСПЕКТИВЫ РАЗВИТИЯ

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see http://www.elsevier.com/publishingethics and http://www.elsevier.com/journal-authors/ethics.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture academic thesis electronic or or as an preprint, see http://www.elsevier.com/postingpolicy), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyrightholder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service http://www.elsevier.com/editors/plagdetect.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

www:nauka-nanrk.kz

ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)

http://biological-medical.kz/index.php/en/

Редакторы: М.С. Ахметова, Д.С. Аленов, А. Ботанқызы Верстка на компьютере Зикирбаева В.С.

Подписано в печать 15.12.2020. Формат 60x881/8. Бумага офсетная. Печать — ризограф. 4,6 п.л. Тираж 300. Заказ 6.