

ISSN 2518-1629 (Online),  
ISSN 2224-5308 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ  
Өсімдіктердің биологиясы және биотехнологиясы институтының

# Х А Б А Р Л А Р Ы

---

---

## ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК  
РЕСПУБЛИКИ КАЗАХСТАН  
Института биологии и биотехнологии растений

## NEWS

OF THE NATIONAL ACADEMY OF SCIENCES  
OF THE REPUBLIC OF KAZAKHSTAN  
of the Institute of Plant Biology and Biotechnology

**БИОЛОГИЯ ЖӘНЕ МЕДИЦИНА  
СЕРИЯСЫ**



**СЕРИЯ**

**БИОЛОГИЧЕСКАЯ И МЕДИЦИНСКАЯ**



**SERIES**

**OF BIOLOGICAL AND MEDICAL**

**5 (329)**

**ҚЫРКҮЙЕК – ҚАЗАН 2018 ж.  
СЕНТЯБРЬ – ОКТЯБРЬ 2018 г.  
SEPTEMBER – OCTOBER 2018**

1963 ЖЫЛДЫҢ ҚАҢТАР АЙЫНАН ШЫҒА БАСТАҒАН  
ИЗДАЕТСЯ С ЯНВАРЯ 1963 ГОДА  
PUBLISHED SINCE JANUARY 1963

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ  
ВЫХОДИТ 6 РАЗ В ГОД  
PUBLISHED 6 TIMES A YEAR

АЛМАТЫ, ҚР ҰҒА  
АЛМАТЫ, НАН РК  
ALMATY, NAS RK

Б а с р е д а к т о р

ҚР ҰҒА академигі, м. ғ. д., проф. **Ж. А. Арзықұлов**

**Абжанов Архат** проф. (Бостон, АҚШ),  
**Абелев С.К.**, проф. (Мәскеу, Ресей),  
**Айтқожина Н.А.**, проф., академик (Қазақстан)  
**Ақшулаков С.К.**, проф., академик (Қазақстан)  
**Алшынбаев М.К.**, проф., академик (Қазақстан)  
**Бәтпенев Н.Д.**, проф., корр.-мүшесі (Қазақстан)  
**Березин В.Э.**, проф., корр.-мүшесі (Қазақстан)  
**Берсімбаев Р.И.**, проф., академик (Қазақстан)  
**Беркінбаев С.Ф.**, проф., (Қазақстан)  
**Бисенбаев А.К.**, проф., академик (Қазақстан)  
**Бишимбаева Н.Қ.**, проф., академик (Қазақстан)  
**Ботабекова Т.К.**, проф., корр.-мүшесі (Қазақстан)  
**Жансүгірова Л.Б.**, б.ғ.к., проф. (Қазақстан)  
**Ellenbogen Adrian** prof. (Tel-Aviv, Israel),  
**Жамбакин Қ.Ж.**, проф., академик (Қазақстан), бас ред. орынбасары  
**Заядан Б.К.**, проф., корр.-мүшесі (Қазақстан)  
**Ishchenko Alexander** prof. (Villejuif, France)  
**Исаева Р.Б.**, проф., (Қазақстан)  
**Қайдарова Д.Р.**, проф., академик (Қазақстан)  
**Кохметова А.М.**, проф., корр.-мүшесі (Қазақстан)  
**Күзденбаева Р.С.**, проф., академик (Қазақстан)  
**Локшин В.Н.**, проф., корр.-мүшесі (Қазақстан)  
**Лось Д.А.**, prof. (Мәскеу, Ресей)  
**Lunenfeld Bruno** prof. (Израиль)  
**Макашев Е.К.**, проф., корр.-мүшесі (Қазақстан)  
**Миталипов Ш.М.** (Америка)  
**Муминов Т.А.**, проф., академик (Қазақстан)  
**Огарь Н.П.**, проф., корр.-мүшесі (Қазақстан)  
**Омаров Р.Т.**, б.ғ.к., проф., (Қазақстан)  
**Продеус А.П.** проф. (Ресей)  
**Purton Saul** prof. (London, UK)  
**Рахыпбеков Т.К.**, проф., корр.-мүшесі (Қазақстан)  
**Сапарбаев Мұрат** проф. (Париж, Франция)  
**Сарбасов Дос** проф. (Хьюстон, АҚШ)  
**Тұрысбеков Е.К.**, б.ғ.к., асс.проф. (Қазақстан)  
**Шарманов А.Т.**, проф. (АҚШ)

«ҚР ҰҒА Хабарлары. Биология және медициналық сериясы».

**ISSN 2518-1629 (Online),**

**ISSN 2224-5308 (Print)**

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде  
01.06.2006 ж. берілген №5546-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,  
[www.nauka-nanrk.kz/biological-medical.kz](http://www.nauka-nanrk.kz/biological-medical.kz)

---

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2018

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

## Г л а в н ы й р е д а к т о р

академик НАН РК, д.м.н., проф. **Ж. А. Арзыкулов**

**Абжанов Архат** проф. (Бостон, США),  
**Абелев С.К.** проф. (Москва, Россия),  
**Айтхожина Н.А.** проф., академик (Казахстан)  
**Акшулаков С.К.** проф., академик (Казахстан)  
**Алчинбаев М.К.** проф., академик (Казахстан)  
**Батпенов Н.Д.** проф. член-корр.НАН РК (Казахстан)  
**Березин В.Э.,** проф., чл.-корр. (Казахстан)  
**Берсимбаев Р.И.,** проф., академик (Казахстан)  
**Беркинбаев С.Ф.** проф. (Казахстан)  
**Бисенбаев А.К.** проф., академик (Казахстан)  
**Бишимбаева Н.К.** проф., академик (Казахстан)  
**Ботабекова Т.К.** проф., чл.-корр. (Казахстан)  
**Джансугурова Л. Б.** к.б.н., проф. (Казахстан)  
**Ellenbogen Adrian** prof. (Tel-Aviv, Israel),  
**Жамбакин К.Ж.** проф., академик (Казахстан), зам. гл. ред.  
**Заядан Б.К.** проф., чл.-корр. (Казахстан)  
**Ishchenko Alexander,** prof. (Villejuif, France)  
**Исаева Р.Б.** проф. (Казахстан)  
**Кайдарова Д.Р.** проф., академик (Казахстан)  
**Кохметова А.М.** проф., чл.-корр. (Казахстан)  
**Кузденбаева Р.С.** проф., академик (Казахстан)  
**Локшин В.Н.,** проф., чл.-корр. (Казахстан)  
**Лось Д.А.** prof. (Москва, Россия)  
**Lunenfeld Bruno** prof. (Израиль)  
**Макашев Е.К.** проф., чл.-корр. (Казахстан)  
**Миталипов Ш.М.** (Америка)  
**Муминов Т.А.** проф., академик (Казахстан)  
**Огарь Н.П.** проф., чл.-корр. (Казахстан)  
**Омаров Р.Т.** к.б.н., проф. (Казахстан)  
**Продеус А.П.** проф. (Россия)  
**Purton Saul** prof. (London, UK)  
**Рахыпбеков Т.К.** проф., чл.-корр. (Казахстан)  
**Сапарбаев Мурат** проф. (Париж, Франция)  
**Сарбасов Дос** проф. (Хьюстон, США)  
**Турьсыбеков Е. К.,** к.б.н., асс.проф. (Казахстан)  
**Шарманов А.Т.** проф. (США)

**«Известия НАН РК. Серия биологическая и медицинская».**

**ISSN 2518-1629 (Online),**

**ISSN 2224-5308 (Print)**

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов  
Министерства культуры и информации Республики Казахстан №5546-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18,  
[www.nauka-nanrk.kz](http://www.nauka-nanrk.kz) / [biological-medical.kz](http://biological-medical.kz)

---

© Национальная академия наук Республики Казахстан, 2018

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

## Editor in chief

**Zh.A. Arzykulov**, academician of NAS RK, Dr. med., prof.

**Abzhanov Arkhat**, prof. (Boston, USA),  
**Abelev S.K.**, prof. (Moscow, Russia),  
**Aitkhozhina N.A.**, prof., academician (Kazakhstan)  
**Akshulakov S.K.**, prof., academician (Kazakhstan)  
**Alchinbayev M.K.**, prof., academician (Kazakhstan)  
**Batpenov N.D.**, prof., corr. member (Kazakhstan)  
**Berezin V.Ye.**, prof., corr. member. (Kazakhstan)  
**Bersimbayev R.I.**, prof., academician (Kazakhstan)  
**Berkinbaev S.F.**, prof. (Kazakhstan)  
**Bisenbayev A.K.**, prof., academician (Kazakhstan)  
**Bishimbayeva N.K.**, prof., academician (Kazakhstan)  
**Botabekova T.K.**, prof., corr. member. (Kazakhstan)  
**Dzhansugurova L.B.**, Cand. biol., prof. (Kazakhstan)  
**Ellenbogen Adrian**, prof. (Tel-Aviv, Israel),  
**Zhambakin K.Zh.**, prof., academician (Kazakhstan), deputy editor-in-chief  
**Ishchenko Alexander**, prof. (Villejuif, France)  
**Isayeva R.B.**, prof. (Kazakhstan)  
**Kaydarova D.R.**, prof., academician (Kazakhstan)  
**Kokhmetova A.**, prof., corr. member (Kazakhstan)  
**Kuzdenbayeva R.S.**, prof., academician (Kazakhstan)  
**Lokshin V.N.**, prof., corr. member (Kazakhstan)  
**Los D.A.**, prof. (Moscow, Russia)  
**Lunenfeld Bruno**, prof. (Israel)  
**Makashev E.K.**, prof., corr. member (Kazakhstan)  
**Mitalipov Sh.M.** (America)  
**Muminov T.A.**, prof., academician (Kazakhstan)  
**Ogar N.P.**, prof., corr. member (Kazakhstan)  
**Omarov R.T.**, Cand. biol., prof. (Kazakhstan)  
**Prodeus A.P.**, prof. (Russia)  
**Purton Saul**, prof. (London, UK)  
**Rakhypbekov T.K.**, prof., corr. member. (Kazakhstan)  
**Saparbayev Murat**, prof. (Paris, France)  
**Sarbassov Dos**, prof. (Houston, USA)  
**Turysbekov E.K.**, cand. biol., assoc. prof. (Kazakhstan)  
**Sharmanov A.T.**, prof. (USA)

**News of the National Academy of Sciences of the Republic of Kazakhstan. Series of biology and medicine.**

**ISSN 2518-1629 (Online),**

**ISSN 2224-5308 (Print)**

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 5546-Ж, issued 01.06.2006

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,  
<http://nauka-nanrk.kz/biological-medical.kz>

---

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

**NEWS**

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

**SERIES OF BIOLOGICAL AND MEDICAL**

ISSN 2224-5308

<https://doi.org/10.32014/2018.2518-1629.5>

Volume 5, Number 329 (2018), 37 – 44

UDC 579.674:637.146.2

MRNTI 34.27.39, 65.63, 65.63.91

**M. G. Saubenova, Ye. A. Oleinikova**

Research and Production Center of Microbiology and Virology, Almaty, Kazakhstan.

E-mail: msaubenova@mail.ru, elena.olejnikova@mail.ru

**DEVELOPMENT OF FUNCTIONAL BEVERAGES  
ON THE BASE OF WHEY**

**Abstract.** Nowadays, there are new facts on the connection of intestinal microbiome with diseases of not only the digestive tract. Because of violations in immune status and in composition of normal microbiome largely due to a decrease in food quality and safety, the humanity is experiencing an epidemic of opportunistic infections. In these conditions, the development, based on modern achievements of science and technology, fundamentally new original processes and technologies, which allow receiving innovative and functional products based on traditional and non-traditional raw materials that will contribute to the public health is of great importance. A special place in this respect belongs to curd and cheese whey, which is not inferior to the whole milk in terms of its biological value but mainly falls into the waste because of its taste qualities. The scientific data and rationale for the use of whey as a high-grade raw material for the production of beverages, improving the digestive function, immune system and metabolic processes in the human body, regulating them through the use of lactic acid microorganisms and natural plant supplements containing biologically active substances, preventing the emergence of a number of pathological conditions of the body are given. Specific examples of the production of whey-based beverages with improved organoleptic properties for a wide range of consumers are shown.

**Key words:** whey, functional beverages, lactic acid bacteria, phyto-additives, organoleptic properties.

The need to create functional foods is caused by a significant deterioration in the health status of the population, which is largely due to the decline in food quality and safety [1, 2]. Nowadays, there are new facts on the connection of intestinal microbiome with diseases of not only of gastrointestinal tract, but also with obesity, diabetes, malignant tumors, allergic, autoimmune, cardiovascular diseases and other [3-7]. Currently, everyday products are added with a large number of various physiologically unjustified food additives that lead to "diseases of civilization" and to a violation in the composition of the normal microflora of the gastrointestinal tract. In addition, contamination of raw materials and foodstuffs by extraneous microorganisms and their metabolic products, which have a toxic effect on the human body, takes place at all stages of production. In these conditions, the development, based on modern achievements of science and technology, fundamentally new original processes and technologies, which allow receiving innovative and functional products based on traditional and non-traditional raw materials that will contribute to the public health is of special importance.

Because of violations in the composition of normal microbiome and the decrease of immune status, the humanity is experiencing an epidemic of opportunistic infections, one of the leading places among which belongs to mycoses. The most frequent mycotic infection in all age groups is candidiasis of the mucous membranes of the digestive organs. Yeast of the genus *Candida* is widely spread in nature and their constant contact with a person explains the significant prevalence of transient candidiasis in human population.

*Candida albicans* is a commensal fungus of the oral, gastrointestinal and genital tracts in up to 80% of healthy individuals [8, 9]. Under specific host and environmental conditions, *C. albicans* can transit from its commensal state to a parasitic state causing mucosal (oral and vaginal) candidiasis and life-

threatening systemic disease. Yeasts of the genus *Candida* are easily included in microbial associations, contributing to exacerbation of chronic diseases [10]. They complicate surgical interventions, are the cause of systemic intractable mycoses, mimic oncological and tuberculosis diseases [11]. Cure of candidiasis requires diligence and time, as the fungus can take various forms, encapsulate, develop immunity to drugs and revive after treatment [12-14]. All the foregoing calls for the urgent need for scientific development of ways to prevent and eliminate the imbalance of microbiota, using specially selected functional foods [15-17]. Currently, one of the priority areas in healthy nutrition in international practice is the creation of functional wellness products. Worldwide, there is a growing demand for natural non-toxic compounds with a wide spectrum of action against pathogenic and opportunistic microorganisms, the use of which does not cause side effects. So, the actual task in this regard is the search for natural antibacterial and antimycotic agents.

Treatment of dysbiosis is largely based on the probiotic lactic acid bacteria and their metabolites. The consumer market of functional products is formed by 50-65% by lactic acid products suppressing putrefactive bacteria, preventing dysbiosis and intoxication of the body. Bacterial starter cultures used in such products are in fact unique probiotics adapted to the human digestive tract. At present, new functional properties of lactic acid bacteria, in addition to antimicrobial and antifungal ones, continue to appear: the ability to accumulate antioxidants, peptides, fibrinolytic activity, synthesis of polyglutamic acid, degradation of harmful components etc., which are the essential criteria for choosing starter cultures in increasing the biological value of dairy products and their directed physiological and biochemical properties [18-32].

A special place in the production of functional foods belongs to curd and cheese whey, a secondary product of the dairy industry. The whey mainly falls into the waste despite the fact that it contains up to 50% of milk solids, up to 250 different valuable compounds, about 20% of milk proteins, other nitrogenous, micro- and macro compounds, milk fat, mineral salts, lactose, vitamins, enzymes, and organic acids [33-39]. Whey proteins include more essential amino acids than caseins, which possess a biological value superior to that of chicken eggs that are a benchmark in nutritional evaluation of foods. The composition of milk whey indicates that it is a full-fledged kind of raw material, which is not inferior to the whole milk in terms of its biological value. The energy value of whey is 3.5 times lower than that of whole milk, which makes it expedient to use whey in the production of dietary food. Processing of secondary dairy raw materials, providing a closed production cycle, would significantly improve the efficiency and profitability of the food industry.

Methods for the production of various useful products, such as milk fat (whey cream), whey protein complex, lactose, have been developed on the basis of whey. The opportunity of extraction vitamins, peptides, amino acids, bacteriocins, bacterial pool, and water from the whey seems promising. Curd and cheese whey is the ideal medium for probiotic microorganisms, and on this paradigm, it is possible to reconsider the whole concept of obtaining dairy products. It is also the starting material for the synthesis of prebiotics, for example lactulose. On the basis of whey it is possible to implement the principles of biotechnology of synbiotics [39]. In this regard, in last few years, there has been an increase of interest in whey [41, 42]. The possibility of effective use of whey products in the treatment and prevention of diabetes, bowel diseases, hypertension, infections of integumentary and bone tissues, immunodeficiency, complications after surgical interventions has been clinically proven [43].

Unfortunately, the whey is not popular as a drink because of its taste, despite its useful properties. To increase consumer demand, the development of opportunities to regulate its organoleptic indicators is being carried out.

A popular way to increase the organoleptic parameters of whey is the addition of milk or cream, kefir, yogurt, and fruit juice, which greatly enriches the product. Fruits, berries and vegetable additives are used as phytochemicals [44-49]. The most popular functional foods on the market are beverages containing various fruit mixes, which give the drink a fruit ease and freshness. A special place is occupied among them by combined milk and vegetable products with increased nutritious and biological value. Drinks with milk and vegetable extracts can be classified as neuroceutical functional group, as they are characterized by high content of antioxidants, amino acids, vitamins, mineral compounds, polyphenols, have anti-stress and hypoglycemic effect, increase resistance and working capacity. The beneficial effect of lactic acid products is associated with their suppressive action against a number of microorganisms

including pathogens. This effect is due to the ability of lactic acid bacteria to produce lactic acid and other substances (hydrogen peroxide, acetic acid, benzoic acid, bacteriocins, etc.) that stop the development of pathogenic bacteria in the intestines, which usually leads to inhibition of putrefactive processes and the cessation of the formation of toxic decomposition products. Lactic acid not only gives certain taste qualities to the beverage, but also determines its dietary and preventive properties. The result of its action is activation of the release of digestive enzymes into intestinal tract and stimulation of their action. Lactic acid also increases the absorption of phosphorus and calcium in the body.

A number of technological solutions have been developed for the production of whey based beverages to improve digestive functions, immune system, metabolic processes in the human body, exert a bifidogenic effect, and prevent the emergence of a number of pathological conditions of the body – stress, atherosclerosis, myocardial infarction, malignant neoplasms, etc. [50-77]. A synergistic effect of herbs and extracts combinations was established [78].

The technology of new functional combined whey and vegetable nano-drinks for healthy nutrition based on whey with vitaminized additives in the form of nanostructured purees and phyto-additives in the form of phytoextracts has been scientifically proven and developed. To give the original taste and aroma to nano-drinks, they are added with additives in the form of phytoextracts from non-traditional spicy aromatic and medicinal raw materials (marjoram, basil, melilot, oregano, coriander seeds, lemon peel) and phytoextracts from natural spices, which, possessing antimicrobial activity, contribute to the products shelf life prolongation. It has been shown that the new nano-drinks exceed the known analogues in chemical composition and content of bioactive compounds (L-ascorbic acid, phenolic compounds, flavonol glycosides, tannins, catechins, etc.) and can be used as products with potential immunomodulating action [79]. In order to improve the organoleptic parameters, as well as adjust the micronutrient composition, and increase the nutritional and biological value of the final product based on a combination of whey with vegetable purees from table beet, carrots and pumpkin, fermentation of the drink with probiotic cultures was carried out. A common for all variants was a significant increase in the fermentation rate in comparison with the control, as well as intensification of the process with increasing mass fraction of puree. At the end of the fermentation time, the titrated acidity in whey samples with Jerusalem artichoke was 113-130°T, with carrots 108-121°T, with beets 104-119°T. The received data testify that the introduction of puree vegetable additives allows not only improving the organoleptic parameters of fermented whey-based beverages and balancing their micronutrient composition, but also intensifying the fermentation process due to the prebiotic effect. The greatest bifidogenic potential for *Bifidobacterium longum* had Jerusalem artichoke. Carrots and table beets had slightly less effect. The degustation evaluation of fermented samples showed that the ratio of puree and whey 25-30 : 75-80% was optimal from the point of view of taste qualities.

Based on the data obtained, the technology and recipe of whey beverages with pulp from individual vegetables and their mixtures, designed for functional nutrition, have been developed. The beverage had a pleasant sweet and sour taste, a homogeneous consistency characteristic for drinks with pulp, contained viable cells of bifidobacteria in an amount of  $>10^6$  CFU/g, which allows them to be positioned as functional. The use of such drinks contributes to the multifaceted positive effects that pre- and probiotics exert on the activity of the gastrointestinal tract and the state of the whole organism [80].

To expand the assortment of food products with functional properties on the basis of whey, recipes for desserts were developed, which were optimized with the help of mathematical modelling [81]. At the same time, the optimal ratio of whey base and fruit and vegetable fillers was determined, which provided favourable taste qualities of the desserts. The results of experimental studies give the reason for recommending the introduction of developed desserts into industrial production as functional food products.

A group of gelled products with the addition of fruits and/or berries, as well as citric acid, corn starch, sugar, fragrances and colorants are also produced on the basis of whey [82-84]. The introduction of these additives, as well as the use of clarification of whey in the production process are disadvantages that negatively affect the functional qualities of the processed products, lead to a decrease in the biological value of the jelly and to increase in production costs. Despite the great choice and attractiveness of modern colorants, flavors, fillers and products with their use, their application is physiologically unjustified, especially in children's nutrition, so competent consumers prefer environmentally friendly products based on natural components.

Structured whey-based products are very popular. It should be noted that, because of their high popularity, their assortment is intensively growing, mainly with the use of jelly-forming agents. For example, pectic substances, changing the consistency, give the product the desired properties. The prospects of using pectic substances for the production of functional foods based on whey are proved [85].

It is known that the addition of mono- (xylitol, sorbitol), poly- (pectins, dextrin, inulin) and oligo-saccharides (monosaccharides linked together by glycosidic bonds), antioxidant vitamins (A, C, E), microelements (selenium), plant extracts containing bioflavonoids, polyunsaturated fatty acids and other biologically active substances to useful microorganisms and their metabolic products positively affect the functions of the digestive tract. The presence of dietary fibres that are not digested in the gastrointestinal tract but effectively improve digestive functions and stimulate the beneficial intestinal microflora is of particular importance. This allows us to consider that the combination of lactic fermentation products and plant additives is one of the most promising ways of creating functional food products with the desired properties.

However, the list of developments with the use of bioactive cultures of microorganisms, as well as products aimed at normalizing the intestinal microflora with preventive action against fungal microorganisms, is limited.

At present, a special role in functional nutrition is given to products that contribute to optimizing the microecological status of the human body, since eubiosis is the key to immunobiological stability and potentially to the health in general [86]. Synbiotic products meet these criteria to the greatest extent, because they promote the colonization of the digestive tract by probiotic microorganisms and increase the biological activity of its own positive microflora due to the presence of prebiotic ingredients in the product. The starting cultures immobilized on the sorbent, which are plant fibers, have an additional degree of protection, including resistance to bile [87], due to which they are better reactivated upon ingestion in the digestive tract. The process of reactivation will also be accelerated due to quorum sensing of closely located cells on the sorbent [88]. In addition, the biodegradable sorbent will also serve as a source of nutrition not only for introduced bacteria, but also for resident microflora representatives.

Particularly relevant is the use of propionic acid bacteria producing B<sub>12</sub> vitamin, increasing the immune status of the human body, its anti-stress and antimutagenic properties, and preserving dairy products [89-91], as well as of yeast microorganisms, the cell walls of which actively absorb toxins and toxic metabolites, have a high lacto- and bifidogenic effect, acting not only as nutraceuticals, but also as parapharmaceuticals [92, 93], in the compositions of starter cultures.

A review of the existing scientific literature on the importance of curd and cheese whey as a secondary raw material for the production of food products with high levels of nutritional and biological value testifies to the inadmissibility of neglecting it and to an urgent need for its targeted use.

The work is carried out within the framework of the AP05132352 project financing under the budget program "Development of science", subprogram "Grant financing of scientific research" of the Ministry of Education and Science of the Republic of Kazakhstan.

#### REFERENCES

- [1] Fung F., Wang H.-Sh., Menon S. (2018) Food safety in the 21st century, *Biomedical Journal*, 41:88-95. DOI: 10.1016/j.bj.2018.03.003
- [2] Biesalski H.K., Tinz J. (2018) Micronutrients in the life cycle: Requirements and sufficient supply, *NFS Journal*, 11: 1–11. DOI: 0.1016/j.nfs.2018.03.001
- [3] Kaiuina-Czaplicska J., GNetarek P., Chartrand M.S., Dadar M., Bjurklund G. (2017) Is there a relationship between intestinal microbiota, dietary compounds, and obesity?, *Trends in Food Science and Technology*, 70:105–113. DOI: 10.1016/j.tifs.2017.10.010
- [4] Nallu A., Sharma S., Ramezani A., Muralidharan J., Raj D. (2017) Gut microbiome in chronic kidney disease: challenges and opportunities, *Translational Research*, 179:24-37. DOI: 10.1016/j.trsl.2016.04.007
- [5] Mancuso C., Santangelo R. (2018) Alzheimer's disease and gut microbiota modifications: The long way between preclinical studies and clinical evidence, *Pharmacological Research*, 129: 329–336. DOI: 10.1016/j.phrs.2017.12.009
- [6] Nie Y., Luo F., Lin Q. (2018) Dietary nutrition and gut microflora: A promising target for treating diseases, *Trends in Food Science and Technology*, 75:72–80. DOI: 10.1016/j.tifs.2018.03.002
- [7] Meng C., Bai C., Brown T.D., Hood L.E., Tian Q. Human (2018) Gut Microbiota and Gastrointestinal Cancer, *Genomics Proteomics Bioinformatics*, 16:33–49. DOI: 10.1016/j.gpb.2017.06.002
- [8] Shevjakov M.A. (2003) Therapeutic archive [Terapevticheskij arhiv] 1: 77-79. (In Russian)



- [9] Hall R.A., Noverr M.C. (2017) Fungal interactions with the human host: exploring the spectrum of symbiosis, *Current Opinion in Microbiology*, 40:58–64. DOI: 10.1016/j.mib.2017.10.020
- [10] Cherkasov S.V., Semenov A.V. (2012) *Siberian Medical Journal (Irkutsk) [Sibirskij medicinskij zhurnal (Irkutsk)]*, 2(109):78–82. (In Russian)
- [11] Biljalova K.I., Mashkeev A.K., Kalamkarova L.I. (2002) Osobennosti mikrobiocenoza detej v norme i patologii. *Izd-vo «Cennye bumagi»*, Almaty. (In Russian)
- [12] Dadar M., Tiwari R., Karthik K., Chakraborty S., Shahali Y., Dhama K. (2018) *Candida albicans* - Biology, molecular characterization, pathogenicity, and advances in diagnosis and control – An update, *Microbial Pathogenesis*, 117:128–138. DOI: 10.1016/j.micpath.2018.02.028
- [13] Bidaud A.L., Chowdhary A., Dannaoui (2018) *Candida auris*: An emerging drug resistant yeast – A mini-review, *Journal de Mycologie Medicale*. DOI:10.1016/j.mycmed.2018.06.007
- [14] Rai L.S., Singha R., Brahma P., Sanyal K. (2018) Epigenetic determinants of phenotypic plasticity in *Candida albicans*, *Fungal biology reviews*, 32:10–19. DOI: 10.1016/j.fbr.2017.07.002
- [15] Shenderov B.A. (2008) Funkcional'noe pitanie i ego rol' v profilaktike metabolicheskogo sindroma. M.: DeLi Print. (In Russian)
- [16] Tremaroli V., Backhed F. (2012) Functional interaction between the gut microbiota and host metabolism, *Nature*, 489(7415):242–249. DOI: 10.1038/nature11552
- [17] Karsybekova L.M. (2016) *Medicine [Medicina]* 8(169):32–38. (In Russian)
- [18] Hill C., Guarner F., Reid G., Gibson G.R., Merestein D.J., Pot B., Morelli L., Canani R.B., Flint H.J., Salminen S., Calder P.C., Sanders M.E. (2014) Expert consensus document: the international scientific association for probiotics and prebiotics consensus statement on the scope and appropriate use of the term probiotic, *Nat Rev Gastroenterol Hepatol*, 11:506–514. DOI: 10.1038/nrgastro.2014.66
- [19] Sharma A., Srivastava S. (2014) Anti-Candida activity of two-peptide bacteriocins, plantaricins (Pln E/F and J/K) and their mode of action, *Fungal Biol*, 118(2):264–275. DOI: 10.1016/j.funbio.2013.12.006
- [20] Belguesmia Y., Rabesona H., Mounier J. Pawtowski A., Le Blay G., Barbier G., Haertle T., Chobert J.-M. (2014) Characterization of antifungal organic acids produced by *Lactobacillus harbinensis* K.V9.3.1Np immobilized in gellan-xanthan beads during batch fermentation, *Food Control*, 36:205–211. DOI: 10.1016/j.foodcont.2013.08.028
- [21] Peyer L.C., Axel C., Lynch K.M., Zannini E., Jacob F., Arendt E.K. (2016) Inhibition of *Fusarium culmorum* by carbonxylic acid released from lactic acid bacteria in a barley malt substrate, *Food Control*, 69:227–236. DOI: 10.1016/j.foodcont.2016.05.010
- [22] Meira S. M. M., Daroit D. J., Helfer V. E. (2012) Bioactive peptides in water soluble extract of ovine cheese from southern Brazil and Uruguay, *Food Res Int*, 48:322–329. DOI: 10.1016/j.foodres.2012.05.009
- [23] Perna A., Intaglietta I., Simonetti A., Gambacorta E. (2013) Effect of genetic type and casein halotype on antioxidant activity of yogurts during storage, *J Dairy Sci*, 96:1–7. DOI: 10.3168/jds.2012-5859
- [24] De Mejia E. G., Dia V. P. (2010) The role of nutraceutical proteins and peptides in apoptosis, angiogenesis, and metastasis of cancer cells, *Cancer Metastasis Rev*, 29:511–528. DOI: 10.1007/s10555-010-9241-4
- [25] Kotb E. (2012) Fibrinolytic Bacterial Enzymes with Thrombolytic Activity. In: *Fibrinolytic Bacterial Enzymes with Thrombolytic Activity*. SpringerBriefs in Microbiology. Springer, Berlin, Heidelberg. ISBN 978-3-642-24979-2
- [26] Chettri R., Tamang J. P. (2014). Functional properties of Tungrymbai and Bekang, naturally fermented soybean foods of India, *Int J Fermented Foods*, 3:87–103. DOI: 10.5958/2321-712X.2014.01311.8.
- [27] Babalola O. O. (2014) Cyanide content of commercial gari from different areas of Ekiti State, Nigeria, *World Journal of Nutrition and Health*, 2(4):58–60. DOI: 10.12691/jnh-2-4-3
- [28] Badis A., Guetarni D., Moussa-Boudjemaa B., Henni D.E., Tornadijo M.E., Kihal M. (2014) Identification of cultivable lactic acid bacteria isolated from Algerian raw goat's milk and evaluation of their technological properties, *Food Microbiol*, 21:343–349. DOI: 10.1016/S0740-0020(03)00072-8
- [29] Thapa N., Tamang J. P. (2015) Functionality and therapeutic values of fermented foods In: *Health Benefits of Fermented Foods*. CRC Press, New York. 111–168. DOI: 10.1201/b18279-3
- [30] Hernández-Ledesma B., Del Mar Contreras M., Recio I. (2011) Antihypertensive peptides: production, bioavailability and incorporation into foods, *Advances in Colloid and Interface Science*, 165(1):23–35. DOI: 10.1016/j.cis.2010.11.001
- [31] Kechagia M. Basoulis D., Konstantopoulou S., Dimitriadi D., Gyftopoulou K., Skarmoutsou N., Fakiri E.M. (2013) *Health Benefits of Probiotics: A Review*, *ISRN Nutrition*. DOI: 10.5402/2013/481651.
- [32] Fernandez M., Hudson J.A., Korprla R., Reyes-Gavilan C.G. (2015) Impact on Human Health of Microorganisms Present in Fermented Dairy Products: An Overview, *Biomed Research International*. DOI: 10.1155/2015/412714.
- [33] Khrantsov A.G., Vasilisin S.V., Riabtseva S.A., Vorotnikova T.S. (2011) *Tekhnologiiia produktov iz vtorichnogo molochnogo syr'ia*. GIOR, SPb. ISBN 978-5-98879-089-1 (In Russian)
- [34] Pilipenko N.Ju. Razrabotka tehnologii syvorotchno-sokovyh napitkov s funkcional'nymi svojstvami: avtoref. ... kand. tehn. nauk: 05.18.04. - Stavropol', 2013. 24s. (In Russian)
- [35] Brykalov A.V., Pilipenko N.Ju. (2014) *KubGAU Scientific Journal [Nauchnyj zhurnal KubGAU]*. 98(4):1–12. (In Russian)
- [36] Shavan R.S., Shradha R.C., Kumar A.1 Nalawade T. (2015) Whey Based Beverage: Its Functionality, Formulations, Health Benefits and Applications, *J. Food Process.Technol.*, 6(10):495–503. DOI: 10.4172/2157-7110.1000495
- [37] Zobkova Z.S., Shherbakova S.A. (2007) Dairy industry [Molochnaja promyshlennost'], 46:54–55. (In Russian)
- [38] Kutuzova E.L., Konovalov S.N. (2012) Dairy industry [Molochnaja promyshlennost'], 2: 47–48. (In Russian)
- [39] Khrantsov A.G. (2009) Processing of milk [Pererabotka moloka], 5:8–11. (In Russian)

- [40] Khramtsov A.G. (2018) Fundamental research in food biotechnology [Fundamental'nye issledovaniya v pishhevoj biotekhnologii], 93-96. (In Russian)
- [41] Borisenko A. A. et al. (2018) Dispersion Medium on Functional Properties of the Proteins, Research Journal of Pharmaceutical, Biological and Chemical Sciences, 9(1):296–300.
- [42] Gorlov I. F. et al. (2018) The Effectiveness and Advantages of Saproel in Feeding Steers, Research Journal of Pharmaceutical, Biological and Chemical Sciences. 9(1):583–585.
- [43] Tremaroli V., Backhed F. (2012) Functional interaction between the gut microbiota and host metabolism, Nature, 489(7415):242-249. DOI: 10.1038/nature11552.
- [44] Sultanbekova A. B., Alimardanova M.K. (2013) Method of production of a drink from whey [Sposob proizvodstva napitka iz molochnoj syvorotki]. Innovative patent of the Republic of Kazakhstan [Innovacionnyj patent Respubliki Kazahstan] (In Russian)
- [45] Gorbatovskaja N. A., Mynbaeva A. (2009) Method of production of a beverage from curd whey and skim milk on a cereal basis [Sposob proizvodstva napitka iz tvorozhnoj syvorotki i obezhirennogo moloka na zernovoj osnove]. Innovative patent of the Republic of Kazakhstan [Innovacionnyj patent Respubliki Kazahstan] (In Russian)
- [46] Alimardanova M.K., Kenenbaj Sh. Y., Buzenus N. D. (2015) Sposob proizvodstva napitka na osnove molochnoj syvorotki i invertogo siropa s fitonapolniteljami [Method of production of a beverage based on whey and invert syrup with phyto-fillers]. Innovative patent of the Republic of Kazakhstan [Innovacionnyj patent Respubliki Kazahstan] (In Russian)
- [47] Puzyrevskaja O.M., Saubenova M. G., Nurumbetova B. K. (1999) Method of production of sour milk beverage [Sposob proizvodstva kislomolochnogo napitka]. Innovative patent of the Republic of Kazakhstan [Innovacionnyj patent Respubliki Kazahstan] (In Russian)
- [48] Zhajlaubaev Zh.D., Abimul'dina S.T., Smagulova Z.T., Iskakova B.B., Sergazina M.A. (2010) Composition for preparation of a sour-milk cocktail (variants) [Kompozicija dlja prigotovleniya kislomolochnogo koktejlja (varianty)]. Innovative patent of the Republic of Kazakhstan [Innovacionnyj patent Respubliki Kazahstan] (In Russian)
- [49] Voronova N.S., Ovcharov D.V. (2014) KubGAU Scientific Journal [Nauchnyj zhurnal KubGAU], 104(10). (In Russian)
- [50] Kosmodem'janskij Ju.V., Jurin V.N. (2003) A method of processing whey into a basis for beverages with prophylactic properties [Sposob pererabotki molochnoj syvorotki v osnovu dlja napitkov s profilakticheskimi svojstvami]. Patent of the Russian Federation (In Russian)
- [51] Mel'nikova E.I., Golubeva L.V. (2005) Non-alcoholic drink "stevilakt" based on curd whey [Bezalkogol'nyj napitok «stevilakt» na osnove tvorozhnoj syvorotki]. Patent of the Russian Federation (In Russian)
- [52] Gorlov I.F., Karengina T.V. (2005) A method for producing a beverage from whey [Sposob poluchenija napitka iz syvorotki]. Patent of the Russian Federation (In Russian)
- [53] Ryzhenkov, D. V. (2003) Development of functional products based on whey and grain additives [Razrabotka produktov funkcional'nogo naznachenija na osnove molochnoj syvorotki i zernovyh dobavok]: diss... kand. tehn. nauk: 05 18 04. Kemerovo. 183s. (In Russian)
- [54] Cherevach E.I., Ten'kovskaja L.A. (2005) Technique and technology of food production [Tehnika i tehnologija pishhevyh proizvodstv]. 4:99-105. (In Russian)
- [55] Jaroshhuk O.A., Ovcharova G.P., Donchenko L.V. (2007) Processing of milk [Pererabotka moloka]. 12:14-15. (In Russian)
- [56] Osipova, L. A. (2007) Scientific and practical substantiation and development of technology of canned functional drinks [Nauchno-prakticheskoe obosnovanie i razrabotka tehnologij konservirovannyh funkcional'nyh napitkov]: dis. ... dokt. tehn. nauk: 05.18.13. Odes.nac. akad. pishhevyh tehnologij. Odessa., 377 s. (In Russian)
- [57] Mel'nikova E.I., Korenman Ja.I., Niftaliev S.I., Boeva S.E. (2007) A method for obtaining a milky herbal extract from stevia leaves [Sposob poluchenija molochno-rastitel'nogo jekstrakta iz list'ev stevii]. Patent of the Russian Federation (In Russian)
- [58] Ladygin A.D., Hramcov A.G., Barsukov V.A. et al (2007) Dairy Industry [Molochnaja promyshlennost']. 4: 56-59. (In Russ.).
- [59] Shhepochkina Ju.A. (2009) Method of production of a beverage from whey [Sposob proizvodstva napitka iz molochnoj syvorotki]. Patent of the Russian Federation (In Russian)
- [60] Irkitova A.N., Vechernina N.A. (2010) Proceedings of the Altai State University [Izvestija altajskogo gosudarstvennogo universiteta]. 3-1:30-32. (In Russian)
- [61] Khramtsov A.G., Vasilisin S.V., Rjabceva S.A, Vorotnikova T.S. (2011) Technology of products from secondary dairy raw materials [Tehnologija produktov iz vtorichnogo molochnogo syr'ja]. GIORD, St. Petersburg. (In Russian)
- [62] Bogdanova E.V. (2011) Preparation and use of modified curd whey in the technology of milk-containing products [Poluchenie i primenenie modifitsirovannoj tvorozhnoj syvortki v tehnologii molokosoderzhashhih produktov]: diss. ...kand. tehn. nauk: 05.18.04, 05.18.07. Gos. obrazovat. uchr. vyssh. prof. obr. «Voronezhskaja gosudarstvennaja tehnologicheskaja akademija». Voronezh., 301 s. Inv. № 04201159948. (In Russian)
- [63] Kontareva V.Ju. (2011) Development of technology of sour-milk drink with bifidogenic properties and immunostimulating action [Razrabotka tehnologij kislomolochnogo napitka s bifidogenymi svojstvami i immunostimulirujushhim dejstviem]: diss. ... kand. tehn. nauk: 05.18.04. FGOU VPO «Donskoj gosudarstvennyj agrarnyj universitet». pos. Persianskij., 170 s. Inv. № 04201101663. (In Russian)
- [64] Alimardanova M.K., Sultanbekova A.B. (2012) The way of production of a drink from whey [Sposob proizvodstva napitka iz molochnoj syvorotki]. Patent of the Republic of Kazakhstan. (In Russian)
- [65] Gerasimova T.V. (2012) Development of technology of sour-milk drinks using plant extracts enriched with biologically active substances [Razrabotka tehnologij kislomolochnyh napitkov s ispol'zovaniem rastitel'nyh jekstraktov, obogashhenykh biologicheski aktivnymi veshhestvami]: diss. ... kand. tehn. nauk: 05.18.04. Severo-Kavkazskij gosudarstvennyj tehnickij universitet. Stavropol'. 173s. Inv. № 61 12-5/3424. (In Russian)

- [66] Khramtsov A.G., Brykalov A.V., Pilipenko N.Ju. 2012 Dairy industry [Molochnaja promyshlennost']. 7:64-66. (In Russian)
- [67] Menh G.V. (2012) Research and development of technology of products based on whey with the use of fruit of small-fruited apples [Issledovanie i razrabotka tehnologii produktov na osnove molochnoj syvorotki s ispol'zovaniem plodov melkoplodnyh jablok]: dis. ... kand. tehn. nauk: 05.18.04 / FGBOU VPO KemTIPP. Kemerovo. 141s. Inv. № 61 12-5/1901. (In Russian)
- [68] Mihneva V.A., Kulikova I.K., Evdokimov I.A., Volodin D.N. (2013) Method of production of a product based on whey [Sposob proizvodstva produkta na osnove molochnoj syvorotki]. Patent of the Russian Federation (In Russian)
- [69] Pilipenko N.Ju. (2013) Development of technology for whey and juice drinks with functional properties [Razrabotka tehnologii syvorotochno-sokovyh napitkov s funkcional'nymi svojstvami]: avtoref. ... kand. tehn. nauk: 05.18.04. Stavropol'. 24s. (In Russian)
- [70] Nikolaenko E.V. Ogneva O.A. (2014) Development of functional drinks based on whey, enriched with Jerusalem artichoke [Razrabotka funkcional'nyh napitkov na osnove molochnoj syvorotki, obogashhennoj topinamburom]. Materials of the Innovation Convent "Kuzbass: Education, Science, Innovations" [Materialy Innovacionnogo konventa «Kuzbass: obrazovanie, nauka, innovacii». Sibirskij gosudarstvennyj industrial'nyj universitet, Novokuzneck. S. 156-157. (In Russian)
- [71] Brykalov A.V., Pilipenko N.Ju. (2014) KubGAU Scientific Journal [Nauchnyj zhurnal KubGAU]. 98(04):1-12. (In Russian)
- [72] Yasmin A, SadiqButt M, ZiaShahid M. (2015) Supplementation of prebiotics to a whey-based beverage reduces the risk of hypercholesterolaemia in rats, International Dairy Journal, 48:80-84.
- [73] Smithers G.W. (2015) Whey-ing up the onions – Yesterday, today and tomorrow, International Dairy Journal, 48:2-14. DOI: 10.1016/j.idairyj.2015.01.011
- [74] Shavan R.S., Shraddha R.C., Kumar A.I Nalawade T. (2015) Whey Based Beverage: Its Functionality, Formulations, Health Benefits and Applications, J. Food Process. Technol. 6(10):495-503. DOI: 10.4172/2157-7110.1000495
- [75] Yasmin A, SadiqButt M, ZiaShahid M. (2015) Supplementation of prebiotics to a whey-based beverage reduces the risk of hypercholesterolaemia in rats, International Dairy Journal, 48:80-84. DOI: 10.1016/j.idairyj.2015.01.012
- [76] Bejsenbaev A.Ju., Shingisov A.U., Shambulova G.D. (2016) International Journal of Applied and Fundamental Research [Mezhdunarodnyj zhurnal prikladnyh i fundamental'nyh issledovanij], 7:11-18. (In Russian)
- [77] Ya-JuYu, Margues C. (2016) Effects of whey peptide extract on the growth of probiotics and gut microbiota, Journal of Functional Foods, 21:507-516. DOI: 10.1016/j.jff.2015.10.035
- [78] Черевач Е.И., Теньковская Л.А. (2015) Technology and technology of food production [Tehnika i tehnologija pishhevyh proizvodstv], 39(4) (In Russian)
- [79] Pavljuk R.I., Pogarskaja V.V., Abramova T.S., Berestovaja A.A., Loseva S.M. (2014) Eastern European Journal of Advanced Technologies [Vostochno-Evropejskij Zhurnal peredovyh tehnologij], 6(10):59-64 (In Russian)
- [80] Merkulova E.P., Kozhuhova M.A. (2009) Proceedings of Institutes of Higher Education. Food Technology [Izvestija VUZov. Pishhevaja Tehnologija], 4:40-42 (In Russian)
- [81] Akin'shina, V.A. (2007) Role-based information modeling in the process of teaching informatics to students of humanitarian specialties [Rolevoe informacionnoe modelirovanie v processe obuchenija informatike studentov gumanitarnyh special'nostej]: dis. ... kand. ped. nauk: 13.00.02. Rostov-na-Donu. 182 s. (In Russian)
- [82] Kozlov S.G., Vozhdaeva L.I. (2007) Dairy industry [Molochnaja promyshlennost'], 3:22 (In Russian)
- [83] Proseko, A.Ju., Razumnikova I.S., Menh G.V. (2011) Dairy industry [Molochnaja promyshlennost'], 7:78 (In Russian)
- [84] Panasenko N.A. (2007) Research and development of technology of jelly based on whey [Issledovanija i razrabotka tehnologii zhele na osnove molochnoj syvorotki]: diss. ... kand. tehn. nauk: 05.18.04. Kemerov. Tehnol. In-t pishhevoj prom. Kemerovo. 135 s. Inv. № 61:07-5/4136. (In Russian)
- [85] Ogneva O.A. Donchenko L.V. (2015) Polytechnical network electronic scientific journal of the Kuban State Agrarian University [Politematicheskij setevoj jelektronnyj nauchnyj zhurnal Kubanskogo gosudarstvennogo agrarnogo universiteta], 107:333-341. (In Russian)
- [86] Haritonov D.V., Haritonova I.V., Prosekov A.Ju. (2013) Technique and technology of food production [Tehnika i tehnologija pishhevyh proizvodstv], 4:91-94. (In Russian)
- [87] Fijaikowski K., PeitlerD., RakoczyR., IywickaA. (2016) Survival of probiotic lactic acid bacteria immobilized in different forms of bacterial cellulose in simulated gastric juices and bile salt solution, LWT - Food Science and Technology, 68:322–328. DOI: 10.1016/j.lwt.2015.12.038
- [88] Vahitov T.Ja., Sitkin S.I. (2014) Experimental and Clinical Gastroenterology [Jeksperimental'naja i klinicheskaja gastrojenterologija], 7(107):72-85. (In Russian)
- [89] Vorob'eva L.I. (1991) Microbiology [Mikrobiologija], 6:83-89. (In Russian)
- [90] Varjuhina S.Ju. (2004) Anti-stress and antimutagenic properties of propionic acid bacteria [Antistressovye i antimutagennye svojstva propionovokislyh bakterij]: avtoref. ... kand. biol. nauk: 03.00.07. M. 37 s. (In Russian)
- [91] Al-Lahham H.S., Maikel P., Peppelenbosch, H.R., Roel J.V. (2010) Biological effects of propionic acid in humans: metabolism, potential applications and underlying mechanisms, Biochimica et biophysicaacta (BBA), molecular and cell biology of lipids. 1801:1175-1183. 10.1016/j.bbalip.2010.07.007
- [92] Lysko K.A. (2007) Development of technology of yeast food enriches on the basis of whey and vegetable raw materials [Razrabotka tehnologii drozhzhzhevyh obogatitelej pishhi na baze molochnoj syvorotki i rastitel'nogo syr'ja]: diss. ... kand. tehn. nauk: 05.18.10. MGU Pishhevyh proizvodstv. M., 268 s. Inv. № 61 07-5/2469. (In Russian)
- [93] Shamsutdinova V.R. (2008) Deep cultivation of yeast on whey and development of technologies for fermented products [Glubinnoe kul'tivirovanie drozhzhez na molochnoj syvorotke i razrabotka tehnologij fermentirovannyh produktov]: diss. ... kand. tehn. nauk: 05.18.10. MGU Pishhevyh proizvodstv. M., 241 s. Inv. № 04200950073. (In Russian)

**М. Г. Саубенова, Е. А. Олейникова**

Микробиология және вирусология ғылыми-өндірістік орталығы, Алматы, Қазақстан

### **СҮТ САРЫСУЫНЫҢ НЕГІЗІНДЕ ФУНКЦИОНАЛДЫҚ СУСЫНДАР ДАЙЫНДАУ**

**Аннотация.** Қазіргі кезде ішек биоценозының тек қана асқазан-ішек тракты ауруларымен ғана емес байланысы жайында мәлімет беретін жаңа дәлелдемелер пайда болуда. Иммундық жүйе мен қалыпты микрофлора құрамының бұзылуларына байланысты, айтарлықтай дәрежеде азық-түлік өнімдерінің сапасы мен қауіпсіздігі төмендеуіне байланысты адамзат оппортунистік инфекциялар індетін басынан кешіруде. Бұл жағдайларда ерекше маңызға қоғам денсаулығының күйін жақсартуға мүмкіндік беретін функционалдық міндетке ие инновациялық азық-түліктер, дәстүрлі және дәстүрлі емес шикізаттар негізінде алуға болатын ғылым мен техниканың заманауи жетістіктерінің базасында, мақсатты түрде жаңа түпнұсқалық процесстер мен технологиялар ие. Осыған байланысты маңызды орынға, өзінің биологиялық құндылығы жағынан табиғи сүттен қалыспайтын, бірақ дәмдік сапасы нәтижесінде қалдықтарға жатқызылатын сүт сарысуы ие. Адам организміндегі иммундық жүйе мен зат алмасу процестерін, асқорыту қызыметтерін жақсартатын, сүтқышқылды микроорганизмдер мен табиғи өсімдік текті қоспаларды пайдалану арқылы реттеу, организмнің бірнеше патологиялық күйінің пайда болуының алдын алушы, сусындар өндірісіне арналған толық қанды шикізат ретінде сүт сарысуын пайдалану жөніндегі ғылыми мәліметтер мен дәлелдеулер келтіріледі. Тұтынушылардың кең аясы үшін тартымдылығын жоғарылатуға мүмкіндік беретін жақсартылған органолептикалық көрсеткіштеріне ие, сүт сарысуының негізіндегі сусындар өндірісінің нақтылы мысалдары келтірілген.

**Түйін сөздер:** сүт сарысуы, функционалды сусындар, сүтқышқылды бактериялар, фитокоспалар, органолептикалық көрсеткіштер.

**М. Г. Саубенова, Е. А. Олейникова**

Научно-производственный центр микробиологии и вирусологии, Алматы, Казахстан

### **РАЗРАБОТКА ФУНКЦИОНАЛЬНЫХ НАПИТКОВ НА ОСНОВЕ МОЛОЧНОЙ СЫВОРОТКИ**

**Аннотация.** В настоящее время появляются все новые факты, свидетельствующие о связи кишечного биоценоза с заболеваниями не только желудочно-кишечного тракта. Из-за нарушений иммунной системы и состава нормальной микрофлоры, в значительной степени из-за снижения качества и безопасности продуктов питания, человечество переживает эпидемию оппортунистических инфекций. В этих условиях особое значение приобретают разработки на базе современных достижений науки и техники принципиально новых оригинальных процессов и технологий, позволяющих получать на основе традиционного и нетрадиционного сырья, инновационные продукты функционального назначения, способствующие улучшению состояния здоровья населения. Особое место в этом плане занимает молочная сыворотка, которая не уступает цельному молоку по своей биологической ценности, но преимущественно попадает в отходы вследствие своих вкусовых качеств. Приводятся научные данные и обоснование использования молочной сыворотки как полноценного сырья для производства напитков, улучшающих функции пищеварения, иммунной системы и обменных процессов в организме человека, регулирования их путем использования молочнокислых микроорганизмов и натуральных растительных добавок, содержащих биологически активные вещества, предотвращающих возникновение ряда патологических состояний организма. Показаны конкретные примеры производства на основе молочной сыворотки напитков с улучшенными органолептическими показателями, способствующими повышению привлекательности для широкого круга потребителей.

**Ключевые слова:** молочная сыворотка, функциональные напитки, молочнокислые бактерии, фитодобавки, органолептические показатели.

#### **Information about authors:**

Saubenova Margarita Gabbasovna, Research and Production Center of Microbiology and Virology, Almaty, Chief Scientific Officer of the Laboratory of Environmental, Agricultural, and Technical Microbiology, Doctor of Biological Sciences, Professor; msaubenova@mail.ru; <https://orcid.org/0000-0002-8051-3775>

Oleinikova Yelena Andreevna, Research and Production Center of Microbiology and Virology, Almaty, Senior Researcher of the Laboratory of Environmental, Agricultural, and Technical Microbiology, Candidate of Biological Sciences; elena.olejnikova@mail.ru; <https://orcid.org/0000-0001-9820-9184>

## **Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct ([http://publicationethics.org/files/u2/New\\_Code.pdf](http://publicationethics.org/files/u2/New_Code.pdf)). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www.nauka-nanrk.kz](http://www.nauka-nanrk.kz)

**ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)**

<http://www.biological-medical.kz/index.php/ru/>

Редактор *М. С. Ахметова, Т. М. Апендиев, Д. С. Аленов*  
Верстка на компьютере *Д. Н. Калкабековой*

Подписано в печать 11.10.2018.

Формат 60x881/8. Бумага офсетная. Печать – ризограф.  
5,2 п.л. Тираж 300. Заказ 5.