

**ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Д.В. Сокольский атындағы «Жанармай,
катализ және электрохимия институты» АҚ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
АО «Институт топлива, катализа и
электрохимии им. Д.В. Сокольского»

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
JSC «D.V. Sokolsky institute of fuel, catalysis
and electrochemistry»

**SERIES
CHEMISTRY AND TECHNOLOGY**

4 (442)

JULY – AUGUST 2020

PUBLISHED SINCE JANUARY 1947

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of chemistry and technologies scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of chemistry and technologies in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of chemical sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Химия және технология сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Химия және технология сериясы Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді химиялық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия химии и технологий» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по химическим наукам для нашего сообщества.

Бас редакторы
х.ғ.д., проф., КР ҮҒА академигі
М.Ж. Жұрынов

Редакция алқасы:

Агабеков В.Е. проф., академик (Белорус)
Баешов А.Б. проф., академик (Қазақстан)
Бұркітбаев М.М. проф., академик (Қазақстан)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Ресей)
Газалиев А.М. проф., академик (Қазақстан)
Джусипбеков У.Ж. проф., корр.-мүшесі (Қазақстан)
Жармағамбетова А.К. проф. (Казакстан), бас ред. орынбасары
Жоробекова Ш.Ж. проф., академик (Қырғыстан)
Иткулова Ш.С. проф. (Қазақстан)
Манташян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Қазақстан)
Рахимов К.Д. проф., академик (Қазақстан)
Рудик В. проф., академик (Молдова)
Стрельцов Е. проф. (Белорус)
Тельтаев Б.Б. проф., академик (Қазақстан)
Тодераш И. проф., академик (Молдова)
Тулеуов Б.И. проф., академик (Қазақстан)
Фазылов С.Д. проф., академик (Қазақстан)
Фарзалиев В. проф., академик (Әзіrbайжан)
Халиков Д.Х. проф., академик (Тәжікстан)
Шайхутдинов Е.М. проф., академик (Қазақстан)

«КР ҮҒА Хабарлары. Химия және технология сериясы».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Меншіктенуші: «Қазақстан Республикасының Үлттық ғылым академиясы» Республикалық қоғамдық бірлестігі (Алматы қ.).

Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № KZ66VPY00025419 мерзімдік басылым тіркеуіне қойылу туралы күелік.

Мерзімділігі: жылдан 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28; 219, 220 бөл.; тел.: 272-13-19; 272-13-18,
<http://chemistry-technology.kz/index.php/en/arhiv>

© Қазақстан Республикасының Үлттық ғылым академиясы, 2020

Редакцияның мекенжайы: 050100, Алматы қ., Қонаев к-сі, 142, «Д. В. Сокольский атындағы отын, катализ және электрохимия институты» АҚ, каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Типографияның мекенжайы: «NurNaz GRACE», Алматы қ., Рысқұлов көш., 103.

Г л а в н ы й р е д а к т о р
д.х.н., проф., академик НАН РК
М.Ж. Журинов

Р е д а к ц и о н н а я к о л л е г и я:

Агабеков В.Е. проф., академик (Беларусь)
Баешов А.Б. проф., академик (Казахстан)
Буркитбаев М.М. проф., академик (Казахстан)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Россия)
Газалиев А.М. проф., академик (Казахстан)
Джусипбеков У.Ж. проф., чл.-корр. (Казахстан)
Жармагамбетова А.К. проф. (Казахстан), зам. гл. ред.
Жоробекова Ш.Ж. проф., академик (Кыргызстан)
Итқұлова Ш.С. проф. (Казахстан)
Манташян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Казахстан)
Рахимов К.Д. проф., академик (Казахстан)
Рудик В. проф., академик (Молдова)
Стрельцов Е. проф. (Беларусь)
Тельтаев Б.Б. проф., академик (Казахстан)
Тодераш И. проф., академик (Молдова)
Тулеуов Б.И. проф., академик (Казахстан)
Фазылов С.Д. проф., академик (Казахстан)
Фарзалиев В. проф., академик (Азербайджан)
Халиков Д.Х. проф., академик (Таджикистан)
Шайхутдинов Е.М. проф., академик (Казахстан)

«Известия НАН РК. Серия химии и технологий».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № KZ66VPY00025419, выданное 29.07.2020 г.

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28; ком. 219, 220; тел. 272-13-19; 272-13-18,
<http://chemistry-technology.kz/index.php/en/arhiv>

© Национальная академия наук Республики Казахстан, 2020

Адрес редакции: 050100, г. Алматы, ул. Кунаева, 142, АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского», каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Адрес типографии: «NurNaz GRACE», г. Алматы, ул. Рыскулова, 103.

Editor in chief
doctor of chemistry, professor, academician of NAS RK
M.Zh. Zhurinov

Editorial board:

Agabekov V.Ye. prof., academician (Belarus)
Bayeshov A.B. prof., academician (Kazakhstan)
Burkitbayev M.M. prof., academician (Kazakhstan)
Volkov S.V. prof., academician (Ukraine)
Vorotyntsev M.A. prof., academician (Russia)
Gazaliyev A.M. prof., academician (Kazakhstan)
Dzhusipbekov U.Zh. prof., corr. member (Kazakhstan)
Zharmagambetova A.K. prof. (Kazakhstan), deputy editor in chief
Zhorobekova Sh.Zh. prof., academician (Kyrgyzstan)
Itkulova Sh.S. prof. (Kazakhstan)
Mantashyan A.A. prof., academician (Armenia)
Praliyev K.D. prof., academician (Kazakhstan)
Rakhimov K.D. prof., academician (Kazakhstan)
Rudik V. prof., academician (Moldova)
Streltsov Ye. prof. (Belarus)
Teltaev B.B. prof., akademik (Kazakhstan)
Toderash I. prof., academician (Moldova)
Tuleuov B.I. prof., akademik (Kazakhstan)
Fazylov S.D. prof., akademik (Kazakhstan)
Farzaliyev V. prof., academician (Azerbaijan)
Khalikov D.Kh. prof., academician (Tadzhikistan)
Shaihutdinov E.M. prof., akademik (Kazakhstan)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of chemistry and technology.

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No. KZ66VPY00025419**, issued 29.07.2020.

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19; 272-13-18,
<http://chemistry-technology.kz/index.php/en/arhiv>

© National Academy of Sciences of the Republic of Kazakhstan, 2020

Editorial address: JSC «D.V. Sokolsky institute of fuel, catalysis and electrochemistry», 142, Kunayev str., of. 310, Almaty, 050100, tel. 291-62-80, fax 291-57-22, e-mail: orgcat@nursat.kz

Address of printing house: «NurNaz GRACE», 103, Ryskulov str, Almaty.

N E W S

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES CHEMISTRY AND TECHNOLOGY

ISSN 2224-5286

<https://doi.org/10.32014/2020.2518-1491.63>

Volume 4, Number 442 (2020), 44 – 50

UDC 612.461.276.62

IRSTI 61.31.41

**K.T. Zhantasov¹, G.S. Shaimerdenova¹, Zh.K. Dzhanmuldaeva¹,
A.A. Kadirbayeva¹, E.B. Mussirepova²**

¹M.Auezov South Kazakhstan State University, Shymkent, Kazakhstan;

²SILKWAY International university, Shymkent, Kazakhstan.

E-mail: k_zhantasov@mail.ru, daneldanel@bk.ru, zhanyld@mail.ru,
diac_2003@mail.ru, musrepova_elmira@mail.ru

**ON THE PRODUCTION OF PURIFIED DIAMMONIUM
PHOSPHATE FROM EXTRACTION PHOSPHORIC ACID BASED
ON OFF BALANCE ORES OF THE KARATAU BASIN**

Abstract. The problem of utilization of man-made waste from the mining complex has not lost its relevance since the end of the last century. The amount of waste only in the «Central» mine quarry of the Zhanatas field, is about 22 million tons of phosphate-silicon raw materials (PSRM). More than 12 million tons after flotation enrichment were used for acid processing and as commercial phosphates for electro thermal processing. When refining the Zhanatas quarries to the working depth, at least 18-19 million tons of PSRM will be formed [1].

Off-balance ores of internal overburden are represented by three special dumps of the mines "Kokjon", "Koksu", "Tjesay", "Aksay", the volume of which is more than 3.2 million tons with a content of up to 20% P₂O₅.

Mineral fertilizers in the agro-industrial sector of the economy play a key role in improving crop productivity and quality. Given the export orientation of the phosphorus industry, it cannot be considered outside of macroeconomics, as its situation remains complex and unstable.

The practical importance of innovative research to develop technological foundations and technical solutions for the production of diammonium phosphate (DAP) [7], derived from wet-process phosphoric acid (PSRM) balance Karatau phosphorite is no doubt also compiled the original data on the establishment of a pilot plant and the calculated techno-economic assessment of innovative industrial production.

Our proposed technology will reduce the economic costs of processing off-balance raw materials and increase the range of phosphorus-containing products to 10-15%, increase the production of PSRM and DAP to 20-25%; create additional jobs.

The results of innovative scientific research are applicable to the chemical enrichment of man-made waste for target products, which are urgently needed by the agro-industrial complex, to improve the environmental and economic indicators of industrial regions and the welfare of the population of Kazakhstan.

Keywords: Off-balance phosphorites, Karatau basin, diammonium phosphate, extraction phosphoric acid, drum granulator dryer, neutralization, evaporated and non-evaporated PSRM.

Introduction. In world practice, the trademark diammonium phosphate 18:46 has long been established, with a mass fraction of total nitrogen of at least 18 %, and total P₂O₅ of at least 46 %, exported fertilizers usually meet these requirements. In addition, export contracts more strictly regulate the granulometric composition [8]. This requires normalization of the proportion of the size of DAP granules from 2 to 4 mm or from 2 to 5 mm, produced by the largest producers of Russia-JSC "PhosAgro-Cherepovets" and LLC "Balakovskaya mineral fertilizers", which are part of the holding company "PhosAgro" and contain at least 95% of granules from 2 to 5 mm (in practice, from 97 to 100 %) [2].

The composition of the fertilizer DAP includes diammonium phosphate (NH₄)₂HPO₄ and monoammonium phosphate NH₄H₂PO₄, as well as impurities whose content depends on the chemical composition of the initial phosphoric acid [3].

Diammonium phosphate fertilizer (diammophos, DAP) - a complex fertilizer containing two main nutrients-nitrogen and phosphorus. In accordance with the technical conditions, diammonium phosphate fertilizer, according to its physical and chemical parameters, must meet the technical requirements of TU-113-08-556-93 [4,5].

Commercial innovative product is fire-and explosion-proof. Hazard class-4, maximum permissible concentration (MPC) of DAP dust in the air of the working area-10 mg/m³ [6].

Compared with ammophos, which contains the predominant amount of monoammonium phosphate (MAP) and diammonium phosphate per unit of P₂O₅ contains twice as much nitrogen, despite the fact that the total content of nutrients in MAP and DAP is the same (about 64 %), in addition, more concentrated fertilizers can be obtained on the basis of DAP [5,14].

In the process of innovative production of DAP, the extraction phosphoric acid is subjected to deeper ammonification, due to the introduction of the cheapest and one of the most concentrated nitrogen – containing components-ammonia-into the fertilizer.

This makes it possible to use a smaller amount of more expensive nitrogen-containing production components (ammonium nitrate or urea) for nutrient balancing [16], which makes it more economically feasible to obtain DAP and fertilizers based on it.

Especially important role of DAP plays in the process of blending. Due to the high concentration of nutrients, its use leads to savings in financial resources for transportation, storage and application of DAP-based fertilizers to the soil [1,12].

Currently, ammonium phosphates with a nutrient concentration (P₂O₅+N) of more than 60% are obtained in the CIS countries from Apatite concentrates and high-quality phosphorites of North Africa.

Production of highly concentrated fertilizers from phosphorites of the Karatau basin of the Republic of Kazakhstan requires deeper enrichment, with the production of concentrates containing more than 30% P₂O₅ and MgO less than 1% [3,7], or additional purification of extraction phosphoric acid from impurities, and especially from magnesium and fluorine, since iron and sulfur can play the role of micro-fertilizers.

The production of phosphorus and other mineral fertilizers in Kazakhstan is mainly carried out by three enterprises: - «Kainar» LLP, with a capacity of 240 thousand tons per year (Shymkent) and the «KazAzot» LLP plant (Aktau), where there are production facilities nitrogen fertilizers and liquid ammonia with a capacity of 1600 thousand tons per year, Taraz branch of «Kazphosphate» LLP mineral fertilizer plant (MFP), with a capacity of 150 thousand [19] tons per year. However, they do not fully satisfy the need of the Republic of Kazakhstan for fertilizers.

Therefore, establishing the mechanism of the influence of impurities, in particular compounds of fluoride and magnesium on the physico-chemical and physico-mechanical properties of purified DAF are necessary conditions for the creation of a hardware-technological scheme of the innovative technology of obtaining the target product (DAP) from natural phosphate rock of the Karatau basin and industrial wastes [16], stored in the dumps of the Zhanatas, Aksay and Kokjon mines.

In the course of research on the innovative process of obtaining DAP, the main attention is paid to the chemistry, kinetic dependencies and hardware design of the main technological stages, as well as to the quality of the finished product: such as caking, granule strength, and dust formation [18]. In the literature, the influence of the concentration of phosphoric acid, the impurities contained in it, and the hardware design of the process on the properties of the finished product, as well as the mechanism and chemise of this influence are not sufficiently developed, which is the goal of an innovative research work [8], which has relevance.

The difference between the innovative technology offered by us and the existing ones is the use of evaporated and unpaired extraction phosphoric acid from raw resources of domestic balance and off balance ores.

The production of mineral fertilizers from local raw materials will allow involving low-grade phosphorites and man-made waste in the new technology of enrichment.

DAP, obtained using phosphoric acid with a lower concentration than traditional technology, has lower physical and mechanical properties, increased hygroscopicity and traceability [10]. To preserve the quality of DAF during transportation and storage the moisture content of the finished product shall be not more than 2.0 %; for this purpose– exposure of the product to produce at least 2 hours and the temperature of the shipment is maintained in accordance with the requirements of normative technical documentation.

Materials and Methods. In connection with the rise of the economy of the Republic of Kazakhstan on the basis of innovative and industrial development and its transfer from a raw material to a competitive commodity-producing state, there is a need to develop new and improve existing technologies in all sectors of the economy [7].

Experimental research is traditionally the most objective method. Therefore, the main method of the proposed work is a free associative instrumental method of experiment, one of the most accessible and effective ways to develop a number of scientifically based physical, chemical, technological and technical solutions for the synthesis of competitive domestic DAP with an optimal ratio of paired and non-paired PSRM [9,11].

This will ensure compliance with the principles of scientific ethics and their use in the creation of technology for the synthesis of DAP in BGS using unpaired and evaporated PSRM and ammonia gas [17].

To conduct experiments, samples of phosphate raw materials from various deposits "Chulaktau", "Zhanatas" and "Kokjon" were studied on a raster electron microscope (SEM) for the content of P_2O_5 . The results of the study are shown in figures 2,4 and 6. Figures 1,3 and 5 show the appearance of a large and crushed sample of phosphorites taken for experiments.



Figure 1 - Coarse and crushed phosphorite sample taken from «Chulaktau» field




Figure 2 - Elemental composition and electronic image by electron microscopic examination of a phosphorite sample taken from the «Chulaktau» deposit



Figure 3 - A large and crushed phosphorite sample taken from the «Zhanatas» field




Figure 4 - The elemental composition and the electronic image are shown according to the results of an electron microscopic study of a phosphorite sample taken from the «Zhanatas» deposit



Figure 5. Coarse and crushed phosphorite sample taken from «Kokjon» deposit.




Figure 6 - The elemental composition and the electronic image are shown according to the results of electron microscopic examination of a phosphorite sample taken from the «Kokjon» deposit

Results and discussion. The chosen method, with its own individuality of the Association process, has common reference points of contact between individual participants of collective research, as well as with respondents offering various DAP production technologies [13].

Table 1 shows the content of P₂O₅ (%) in the phosphate feedstock of the «Chulaktau», «Zhanatas» and «Kokjon» deposits.

Table 1 - P₂O₅ content (%) in the phosphate feed of the «Chulaktau», «Zhanatas» and «Kokjon» deposits

Type of phosphate material	Content P ₂ O ₅ %	
	Weight %	Atomic %
Chulaktau	7,77	5,03
Zhanatas	8,18	7,10
Kokjon	6,13	3,79

Comparison of the results of research of samples of phosphate raw materials from various deposits «Chulaktau», «Zhanatas» and «Kokjon» for the content of P₂O₅ shows that the best quality is characterized by the phosphorite of the Deposit "Zhanatas", containing P₂O₅ - 8.18% [12].

The presence of harmful impurities and low P₂O₅ content make it necessary to enrich the phosphorous ore [1,15]. To do this, in our opinion, it is possible to use the flotation method of enrichment. At present, fine - milled fosmuka is obtained from carbonate ores and flotation phosphorous concentrate is obtained from it. Flotation phosphate concentrate is usually used as a raw material for the production of phosphorous-containing and complex mineral fertilizers, phosphoric acid.

Conclusion. Experimental data and technological schemes can be used to obtain diammonium phosphate from substandard phosphate raw materials. The aim of the research is to develop and create an innovative technology for obtaining high-quality diammonium phosphate in a drum granulator dryer from a mixture of evaporated and unpaired extraction phosphoric acid with a predominant share of unpaired EFC extracted from off-balance phosphorites of the Karatau basin. From the conducted research of samples of phosphate raw materials of various deposits, «Chulaktau», «Zhanatas» and «Kokjon», the best was the phosphorite of the "«Zhanatas» Deposit, containing P₂O₅ - 8.18%.

Scientific research and experimental work was carried out using modern laboratory equipment equipped with computer technology. The analysis of the raw materials, the resulting product and materials was performed using physical and physico-chemical methods of research on modern raster microscope JSM 6390 LV, DRONE, IR spectroscopy, etc., and comparative analysis was performed using mathematical processing of research results [4.19].

The results of the conducted research of bidit are applied in the development of technological bases and technical solutions for the innovative process of diammonium phosphate production using BGS from unpaired extraction phosphoric acid obtained from phosphorites of the Karatau basin.

**Қ.Т. Жантасов¹, Г.С. Шаймерденова¹,
Ж.К. Джанмұлдаева¹, А.А. Қадірбаева¹, Е.Б. Мұсірепова²**

¹М.Әуезов атындағы Оңтүстік Қазақстан мемлекеттік университеті, Шымкент, Қазақстан;
²Silkway халықаралық университеті, Шымкент, Қазақстан

ҚАРАТАУ БАССЕЙНІНІҢ БАЛАНСТАН ТЫС КЕНДЕРІ НЕГІЗІНДЕ ЭКСТРАКЦИЯЛЫҚ ФОСФОР ҚЫШҚЫЛЫНАН ТАЗАРТЫЛГАН ДИАММОНИЙФОСФАТ АЛУ

Аннотация. Тау-кен өндіру кешенінің техногендік қалдығын пайдаға жарату мәселесі өткен ғасырдың соңынан бастап өзектілігін жоғалтпай келеді. Жаңатас кен орны «Центральный» карьеріндегі қалдық мөлшері 22 млн. тоннага жуық фосфат-кремний шикізатын (ФКШ) құрайды. Флотациялық байытудан кейін 12 млн. тоннадан астам қышқылды өндеу үшін электротермиялық өндеуде тауарлық фосфорит ретинде пайдаланылған. «Жаңатас» карьерін жұмыс тереңдігіне дейін жетілдіру кезінде кемінде 18-19 млн. тонна ФКШ пайда болады [1].

Ішкі аршыма тау жыныстарының баланстан тыс кендері «Кокжон», «Көксу», «Тьесай», «Ақсай» сынды үш арнайы үйінді арқылы ұсынылды, көлемі 3,2 млн. тоннадан астам, құрамында 20% P₂O₅ бар.

Экономиканың агроөнеркәсіптік секторында минерал тыңайтыштар ауылшаруашылығы дақылдарының өнімділігі мен сапасын арттыруды маңызды ролі атқарады. Фосфор саласының экспорттық бағытын ескере отырып, оны макроэкономикадан тыс қарастыруға болмайды, өйткені оның жағдайы күрделі және түрлек болып қалады.

Диаммонийфосфат (ДАФ) өндірісінің технологиялық негізі мен техникалық шешімін әзірлеу бойынша инновациялық зерттеулердің практикалық маңыздылығы [7], Қаратай тенгерімдік фосфориттерінен экстракциялық фосфор қышқылышынан (ЭФК) алынатын, сондай-ақ тәжірибелік-өнеркәсіптік қондырығы құруға бастапқы деректер жасалған және өнеркәсіптік инновациялық өндірісті техникалық-экономикалық бағалау жұмысы есептелген.

Біз ұсынып отырган технология тенгерімнен тыс шикізатты қайта өндеуге, экономикалық шығынды азайтуға және құрамында фосфор бар өндірілетін өнім сұрыптамасын 10-15%-га, ЭФК және ДАФ өндіріс көлемін 20-25%-га дейін жоғарылатуға, косымша жұмыс орындарын құруға мүмкіндік береді.

Инновациялық ғылыми зерттеулер нәтижесі агроөндірістік кешен аса қажетті, мақсатты өнімдерге техногендік қалдықтарды химиялық байытуда, өнеркәсіптік аймақтардың экологиялық-экономикалық көрсеткіштерін және КР халқының әл-ауқатын жақсартуда қолданылады.

Түйін сөздер: балансстан тыс фосфориттер, Қаратай бассейні, диаммонийфосфат, экстракциялық фосфор қышқылы, барабанды түйіршіктегіш кептірігіш, бейтараптандыры, буланған және буланбаған ЭФК.

**К. Т. Жантасов¹, Г.С. Шаймерденова¹,
Ж.К. Джанмұлдаева¹, А.А. Қадірбаева¹, Е.Б. Мұсірепова²**

¹Южно-Казахстанский государственный университет имени М.Ауэзова, Шымкент, Казахстан;

²Международный Университет SILKWAY, Шымкент, Казахстан

О ПОЛУЧЕНИИ ОЧИЩЕННОГО ДИАММОНИЙ ФОСФАТА ИЗ ЭКСТРАКЦИОННОЙ ФОСФОРНОЙ КИСЛОТЫ НА ОСНОВЕ ЗАБАЛАНСОВЫХ РУД БАССЕЙНА КАРАТАУ

Аннотация. Проблема утилизации техногенных отходов горнодобывающего комплекса не теряет свою актуальность с конца прошлого столетия. Количество отходов только по карьеру «Центральный», месторождения Жанатас составляет около 22 млн. тонн фосфатно-кремниего сырья (ФКС). Более 12 млн. тонн после флотационного обогащения использовано для кислотной переработки и как товарные фосфориты при электротермической переработке. При доработке карьеров «Жанатас» до рабочей глубины образуется не менее 18-19 млн. тонн ФКС [1].

Забалансовые руды внутренней вскрышной породы представлены тремя спектральными рудниками «Кокжон», «Коксу», «Тьесай», объем которых составляет более 3,2 млн. тонн с содержанием до 20% P₂O₅.

Минеральные удобрения в агропромышленном секторе экономики играют ключевую роль в повышении урожайности и качества сельскохозяйственных культур. Учитывая экспортную направленность фосфорной отрасли, ее нельзя рассматривать вне макроэкономики, так как ее обстановка остается сложной и неустойчивой.

Практическая значимость инновационных исследований по разработке технологических основ и технических решений производства диаммонийфосфата(ДАФ)[7], получаемого из экстракционной фосфорной кислоты (ЭФК) забалансовых фосфоритов Караганы не вызывает сомнений, также составлены исходные данные на создание опытно-промышленной установки и рассчитана технико-экономическая оценка промышленного инновационного производства.

Предлагаемая нами технология позволит снизить экономические затраты на переработку забалансового сырья и увеличить ассортимент выпускаемых фосфорсодержащих продуктов до 10-15%; увеличить объем производства ЭФК и ДАФ до 20-25%; создать дополнительные рабочие места.

Результаты инновационных научных исследований применимы при химическом обогащении техногенных отходов на целевые продукты, в которых остро нуждается агропромышленный комплекс, в улучшении эколого-экономических показателей промышленных регионов и благосостояния населения РК.

Ключевые слова: забалансовые фосфориты, бассейн Караганда, диаммонийфосфат, экстракционная фосфорная кислота, барабанный гранулятор сушилка, нейтрализация, упаренная и неупаренная ЭФК.

Information about authors:

Zhantsov K.T., Doctor of technical sciences, professor, laureate of the State Prize in the field of science, technology and education of the Republic of Kazakhstan, M. Auezov South Kazakhstan State University, Shymkent, Kazakhstan, E-mail: k_zhantsov@mail.ru, <https://orcid.org/0000-0001-6867-1204>;

Shaimerdenova G.S., PhD doctoral student, M. Auezov South Kazakhstan State University, Shymkent, Kazakhstan, E-mail: daneldanel@bk.ru; <https://orcid.org/0000-0001-8685-7125>;

Dzhanmuldaeva Zh.K., Candidate of Technical Sciences, Professor, M. Auezov South Kazakhstan State University, Shymkent, Kazakhstan, E-mail: zhanyld@mail.ru, <https://orcid.org/0000-0002-7547-6519>;

Kadirbayeva A.A., Candidate of Technical Sciences, Associate Professor, M. Auezov South Kazakhstan State University, Shymkent, Kazakhstan, E-mail: diac_2003@mail.ru, <https://orcid.org/0000-0003-2057-8101>;

Mussirepova E.B., Senior Lecturer, Master, Silkway International University, Shymkent, Kazakhstan, E-mail: musrepova_elmira@mail.ru, <https://orcid.org/0000-0002-9349-7057>

REFERENCES

- [1] Zhantsov K.T., Iskandirov M.Z., Aybalaeva K.D., Alteev T.A., Novik D.M., Zhantasova D.M. (2015) Sovremennyye tekhnologii pererabotki mineral'nogo syr'ya [Modern technologies for processing mineral raw materials]. Uchebnik [textbook] Shymkent: M. Auezov SKSU, 476 p. [In Russ]
- [2] Abdullin A.A. (1994) Geologiya i mineral'nyye resursy Kazakhstana [Geology and mineral resources of Kazakhstan]. Almaty: Gylym,-400.
- [3] Brodsky A.A., Evdokimova L.I., Bukkolini N.V., Lobacheva M.P. (1999) Ispol'zovaniye bednykh fosforitov v tekhnologii NRK-udobreniy [The use of poor phosphorites in the technology of NRK fertilizers]. *Chem. prom* Vol.11. P.44-97.
- [4] Zabeleshinsky Yu.A., Korogozov N.S., Tsypina E.L. (1980) Effektivnost' proizvodstva i primeneniya mineral'nykh udobreniy [Efficiency of production and use of mineral fertilizers]. Moscow: *Chemistry*. p.15.
- [5] Ilyin A.P. (2011) Sovremennyye problemy khimicheskoy tekhnologii neorganicheskikh veshchestv [Modern problems of the chemical technology of inorganic substances]. *Ivan state chemical technology*. p.133
- [6] Aldashov B.A., Lisitsa V.I. (2006) Innovatsionnyye tekhnologii khimicheskoy pererabotki karatauskikh fosforitov i utilizatsii fosforsoderzhashchikh otkhodov [Innovative technologies for the chemical processing of Karatau phosphorites and the disposal of phosphorus-containing wastes]. Almaty: Gylym, p. 248
- [7] Dmitrevsky B.A. (2013) polucheniye i primeneniye mineral'nykh udobreniy [Properties, production and use of mineral fertilizers]. St. Petersburg: Prospect of Science, P.326
- [8] Syrchenkov A.Ya., Tikhonovich Z.A., Grishaev I.G., Korshuk A.A., Sobolev N.V. (2004) Issledovaniye fiziko-mekhanicheskikh svoystv diammoniifosfata udobritel'nogo [Study of the physical and mechanical properties of fertilizer diammonium phosphate]. Proceedings of the NIUIF. M., P. 389-394.
- [9] Dokholova A.N., Karmyshov V.F., Sidorina L.V. (1986) Proizvodstvo i primeneniye fosfatov amoniya [Production and use of ammonium phosphates] M. *Chemistry*, p.256
- [10] K. T. Zhantsov, S. Sh. Shalataev, A. A. Kadribayeva, D. M. Zhantasova, Zh. K. Dzhanmuldaeva et.al (2017) Glyphosate: Application and Production Ways// *Oriental Journal of Chemistry*. 33 (3): PP. 1381-1386
- [11] Zhantsov K.T., Moldabekov Sh.M., Kadribayeva A.A., Nalibaev M.I., Zhantasova D.M., Alteev T., Zhantasov M.K., Ziyat A.Zh., Bazhirova K.N. (2014). Usovremenstvoovaniye putey polucheniya slozhno-smeshannykh mineral'nykh udobreniy [Improving the ways of obtaining complex-mixed mineral fertilizers]. *Advances in modern natural sciences*, Moscow, Vol.12. Pp. 405-408.
- [12] K.T. Zhantsov, J.U. Myrkalykov, S. Moldabekov, M.M. Eskendirova and others (2015) Agronomical field testing of new kinds of multicomponent mineral fertilizers// *Eurasian Chemico-Technological journal* 17 (1): 79-86
- [13] Wesenberg Glen H. Diammonium phosphate plantes and processed. Manual of Fertilizer Processing. New York, Basel, 1987, p.227-287.
- [14] Loste R., Toral J.L. (1983) Improvements in SA crosspipe reactor technology. fertilizer 83: Int. Conf. Proc., London, 13-16 Nov., , v.1, p. 197-204
- [15] Development in the Cross fertilizer process improved efficiency, lower operating costs and higher caracity. Phosphorus and Potassium, 1979, №100, p. 25-30.
- [16] Granular Fertilizer Production. The Espindesa/ERT pipe reactor process. Phosphorus and Potassium, 1980, № 405, p. 28-29.
- [17] Zhantasova K.T. (2018) Tekhnologii dobychi i obogashcheniya fosfatno-kremnistogo syr'ya Karatau. [Technologies for the extraction and enrichment of phosphate-siliceous raw materials Karatau] Monografiya. [Monograph]. Taraz, p.366.
- [18] Shilaev V.P. (1986) Osnovy obogashcheniya poleznykh iskopayemykh [The basics of mineral processing]. Uchebnoye posobiye [Textbook]. M.: Nedra, p.296
- [19] Brodsky A.A., Evdokimova L.N., Bukkolini N.V., Lobacheva M.P. (2001) Polucheniye kompleksnykh NPK-udobreniy s ispol'zovaniyem bednykh fosforitov [Obtaining complex NPK fertilizers using poor phosphorites] Sulfur World, N, P, and K. Miner. fertilizers. Inform. Portal. Internet 12/15/.

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации
в журнале смотреть на сайте:

www:nauka-nanrk.kz

<http://chemistry-technology.kz/index.php/en/arhiv>

[ISSN 2518-1491 \(Online\), ISSN 2224-5286 \(Print\)](#)

Редакторы: *М. С. Ахметова, Д. С. Аленов, А. Ахметова*
Верстка на компьютере *А.М. Кульгинбаевой*

Подписано в печать 06.09. 2020.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
9 пл. Тираж 300. Заказ 4.

*Национальная академия наук РК
050010, Алматы, ул. Шевченко, 28, т. 272-13-18, 272-13-19*