

**ISSN 2518-1726 (Online),
ISSN 1991-346X (Print)**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

ӘЛЬ-ФАРАБИ АТЫНДАҒЫ
ҚАЗАҚ ҰЛТТЫҚ УНИВЕРСИТЕТИНІҢ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

КАЗАХСКИЙ НАЦИОНАЛЬНЫЙ
УНИВЕРСИТЕТ ИМЕНИ АЛЬ-ФАРАБИ

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

AL-FARABI KAZAKH
NATIONAL UNIVERSITY

ФИЗИКА-МАТЕМАТИКА СЕРИЯСЫ

СЕРИЯ ФИЗИКО-МАТЕМАТИЧЕСКАЯ

PHYSICO-MATHEMATICAL SERIES

6 (322)

ҚАРАША – ЖЕЛТОҚСАН 2018 ж.

НОЯБРЬ – ДЕКАБРЬ 2018 г.

NOVEMBER – DECEMBER 2018

1963 ЖЫЛДЫҢ ҚАҢТАР АЙЫНАН ШЫҒА БАСТАҒАН
ИЗДАЕТСЯ С ЯНВАРЯ 1963 ГОДА
PUBLISHED SINCE JANUARY 1963

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ
ВЫХОДИТ 6 РАЗ В ГОД
PUBLISHED 6 TIMES A YEAR

Бас редакторы
ф.-м.ғ.д., проф., КР ҮФА академигі **F.M. Мұтанов**

Редакция алқасы:

Жұмаділдаев А.С. проф., академик (Қазақстан)
Кальменов Т.Ш. проф., академик (Қазақстан)
Жантаев Ж.Ш. проф., корр.-мүшесі (Қазақстан)
Өмірбаев Ү.Ү. проф. корр.-мүшесі (Қазақстан)
Жусіпов М.А. проф. (Қазақстан)
Жұмабаев Д.С. проф. (Қазақстан)
Асанова А.Т. проф. (Қазақстан)
Бошкаев К.А. PhD докторы (Қазақстан)
Сұраған Ә. корр.-мүшесі (Қазақстан)
Quevedo Hernando проф. (Мексика),
Джунушалиев В.Д. проф. (Қыргызстан)
Вишневский И.Н. проф., академик (Украина)
Ковалев А.М. проф., академик (Украина)
Михалевич А.А. проф., академик (Белорус)
Пашаев А. проф., академик (Әзірбайжан)
Такибаев Н.Ж. проф., академик (Қазақстан), бас ред. орынбасары
Тигиняну И. проф., академик (Молдова)

«КР ҮФА Хабарлары. Физика-математикалық сериясы».

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Меншіктенуші: «Қазақстан Республикасының Үлттық ғылым академиясы» РКБ (Алматы қ.)
Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде
01.06.2006 ж. берілген №5543-Ж мерзімдік басылым тіркеуіне қойылу туралы қуәлік

Мерзімділігі: жылдана 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
www.nauka-nanrk.kz / physics-mathematics.kz

© Қазақстан Республикасының Үлттық ғылым академиясы, 2018

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д.ф.-м.н., проф. академик НАН РК **Г.М. Мутанов**

Р е д а к ц и о н на я кол л е г и я:

Джумадильдаев А.С. проф., академик (Казахстан)
Кальменов Т.Ш. проф., академик (Казахстан)
Жантаев Ж.Ш. проф., чл.-корр. (Казахстан)
Умирбаев У.У. проф. чл.-корр. (Казахстан)
Жусупов М.А. проф. (Казахстан)
Джумабаев Д.С. проф. (Казахстан)
Асанова А.Т. проф. (Казахстан)
Бошкаев К.А. доктор PhD (Казахстан)
Сураган Д. чл.-корр. (Казахстан)
Quevedo Hernando проф. (Мексика),
Джунушалиев В.Д. проф. (Кыргызстан)
Вишневский И.Н. проф., академик (Украина)
Ковалев А.М. проф., академик (Украина)
Михалевич А.А. проф., академик (Беларусь)
Пашаев А. проф., академик (Азербайджан)
Такибаев Н.Ж. проф., академик (Казахстан), зам. гл. ред.
Тигиняну И. проф., академик (Молдова)

«Известия НАН РК. Серия физико-математическая».

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №5543-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
www.nauka-nanrk.kz / physics-mathematics.kz

© Национальная академия наук Республики Казахстан, 2018

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75.

Editor in chief
doctor of physics and mathematics, professor, academician of NAS RK **G.M. Mutanov**

Editorial board:

Dzhumadildayev A.S. prof., academician (Kazakhstan)
Kalmenov T.Sh. prof., academician (Kazakhstan)
Zhantayev Zh.Sh. prof., corr. member. (Kazakhstan)
Umirbayev U.U. prof. corr. member. (Kazakhstan)
Zhusupov M.A. prof. (Kazakhstan)
Dzhumabayev D.S. prof. (Kazakhstan)
Asanova A.T. prof. (Kazakhstan)
Boshkayev K.A. PhD (Kazakhstan)
Suragan D. corr. member. (Kazakhstan)
Quevedo Hernando prof. (Mexico),
Dzhunushaliyev V.D. prof. (Kyrgyzstan)
Vishnevskyi I.N. prof., academician (Ukraine)
Kovalev A.M. prof., academician (Ukraine)
Mikhalevich A.A. prof., academician (Belarus)
Pashayev A. prof., academician (Azerbaijan)
Takibayev N.Zh. prof., academician (Kazakhstan), deputy editor in chief.
Tiginyanu I. prof., academician (Moldova)

News of the National Academy of Sciences of the Republic of Kazakhstan. Physical-mathematical series.

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)
The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 5543-Ж, issued 01.06.2006

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
www.nauka-nanrk.kz / physics-mathematics.kz

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

PHYSICO-MATHEMATICAL SERIES

ISSN 1991-346X

<https://doi.org/10.32014/2018.2518-1726.15>

Volume 6, Number 322 (2018), 37 – 43

UDC 517.925:62.50

IRSTI27.29.17

S.S.Zhumatov

Institute of Mathematics and Mathematical Modeling, Almaty, Kazakhstan

E-mail: sailau.math@mail.ru,sailau.math@gmail.com

ABSOLUTE STABILITY OF A PROGRAM MANIFOLD OF NON-AUTONOMOUS BASIC CONTROL SYSTEMS

Abstract. In this paper the inverse dynamics problem is studied: for a given manifold restore a force field, which lies in the tangent subspace to manifold. One of the general inverse problems of dynamics is solved: the corresponding system of differential equations is but as well as the stability is considered. This inverse problem is very important for a variety of mathematical models mechanics. Absolute stability of a program manifold of non-autonomous basic control systems with stationary nonlinearity is investigated. The problem of stability of the basic control systems is considered in the neighborhood of a program manifold. Nonlinearity satisfies to conditions of local quadratic relations. The sufficient conditions of the absolute stability of the program manifold have been obtained relatively to a given vector-function by means of construction of Lyapunov function, in the form "quadratic form plus an integral from nonlinearity". The obtained results are used to solve the problem of the synthesis of high-speed regulators.

Key words. Absolute stability, basic control systems, program manifold, Lyapunov function, local quadratic relation, high-speed regulators.

Introduction. The problem of constructing for systems of ordinary differential equations on a given integral curve was formulated by Yerugin in [1] and there was proposed a method for its solving. Later, this problem was developed by Galiullin, Mukhametzyanov, Mukharlyamov and others [2-19] to the problem of the construction of systems of differential equations by a given integral manifold, to solving of various inverse problems of dynamics, and to constructing of systems of program motion. The integral manifold is defined as the intersection of hypersurfaces. It should be noted that the construction of stable systems developed into an independent theory. A detailed survey of these works can be found in [2, 7, 16]. The works [2-5] are devoted to the construction of automatic control systems on the basis of a given manifold. In these works, control systems were constructed for a scalar nonlinear function $\varphi(\sigma)$, and sufficient conditions for absolute stability were established. The problem of the construction of automatic control systems for a vector nonlinear function with locally quadratic relations was solved in [6, 7]. In [10, 12, 13], inverse problems of dynamics are considered in the presence of random perturbations, namely in the class of stochastic differential Ito equations. In [20 - 22], conditions for reducibility to a canonical form and conditions for the stability of a Cauchy problem were established, and the problem of the existence of periodic solutions of equations unresolved with respect to the higher derivative was investigated. Sufficient conditions for the asymptotic stability of the program manifold of degenerate automatic control systems were obtained in [8]. The problem of the exponential stability of the trivial solution was investigated in [23]. In [24, 25], exponential-stability conditions were established for automatic control systems of a certain class. The problem of the synthesis of asymptotically stable systems possessing a given property was posed in [26], where a method for the synthesis of feedback laws was also given. Questions of the stability of the trivial solution of systems with variable coefficients were considered in the works [26, 27].

In the present paper, we investigate the stability of a program manifold with respect to the given vector-function of non-autonomous basic control systems with stationary nonlinearity.

Statement of the problem. Note, what the general statement of the problem is as follows:

To construct a material system describing by ordinary differential equations

$$\dot{x} = f(t, x, u), \quad t \in I = [0, \infty[, \quad (1)$$

where $x \in R^n$ is the state vector of the object; $u \in R^r$ - control vector; $f \in R^n$ is a continuous vector-function, on a given $(n-s)$ -dimensional program manifold $\Omega(t) \equiv \omega(t, x) = 0$, $\omega \in R^s$

The method of solving this problem consists in finding a set of right parts of the desired systems satisfying the equality on the manifold.

Definition 1. A set $\Omega(t)$ is called an integral manifold of equation (1) if, from that $\omega(t_0, x_0) \in \Omega(t_0)$ follows $\omega(t, x(t, t_0, x_0)) \in \Omega(t)$ for all $t \geq t_0$.

The concepts of an integral manifold and a program manifold have the same meaning, for convenience, we will use the term program manifold.

Taking into account the necessary and sufficient conditions for the manifold $\Omega(t)$ to be integral for the system (1), we get:

$$\dot{\omega} = \frac{\partial \omega}{\partial t} + \frac{\partial \omega}{\partial x} f(t, x, u) = F(t, \omega, u). \quad (2)$$

Here $F \in R^s$ is the Erugin vector-function [1] satisfying the condition $F(t, 0, u) \equiv 0$.

We will introduce for consideration a class Ξ of continuously-differentiable at times t and bounded on a norm matrices.

Suppose that the right-hand side of the system (1) can be represented in the form

$$\dot{x} = f(t, x) - B(t)\xi, \quad \xi = \varphi(\sigma), \quad \sigma = P^T(t)\omega, \quad t \in I = [0, \infty), \quad (3)$$

where $x \in R^n$ is a state vector of the object, $f \in R^n$ is a vector-function, satisfying to conditions of existence of a solution $x(t) = 0$, $B \in \Xi^{n \times r}$, $P \in \Xi^{s \times r}$ are matrices, $\omega \in R^s$ ($s \leq n$) is a vector, $\xi \in R^r$ is the control vector-function of the deviation from the given program, satisfying to conditions of local quadratic connection

$$\varphi(0) = 0 \wedge \varphi^T(\sigma)\theta(t)(\sigma - K^{-1}(t)\varphi(\sigma)) > 0, \quad \forall \sigma \neq 0, \quad (4)$$

$$K_1(t) \leq \frac{\partial \varphi(\sigma)}{\partial \sigma} \leq K_2(t),$$

$$[\theta = \text{diag}\|\theta_1, \dots, \theta_r\|] \in \Xi^{r \times r}, \quad K(t) = \text{diag}\|k_1(t), \dots, k_r(t)\|, \quad [K(t) = K^T(t) > 0] \in \Xi^{r \times r},$$

$$[K_i(t) = K_i^T(t) > 0 \quad i = 1, 2] \in \Xi^{r \times r}.$$

Note that the following estimate

$$\frac{\beta_1}{\nu_2} \|\omega\|^2 \leq \|\varphi\|^2 \leq \frac{\beta_2}{\nu_1} \|\omega\|^2 \quad (5)$$

can be obtained from the condition (4), where $\beta_1, \nu_1; \beta_2, \nu_2$ are the smallest, largest eigenvalues of matrices $P\theta P^T, \theta K^{-1}$.

The given program $\Omega(t)$ is exactly realized only if the initial values of the state vector satisfy the condition $\omega(t_0, x_0) = 0$. However, this condition cannot be exactly satisfied, because of always there exist initial and permanent acting perturbations. Therefore, the conditions of the stability of the program manifold $\Omega(t)$ with respect to the vector function ω should be additionally required in the construction of systems of program motion.

On the basis of relation (2) and our assumption, choosing the Yerugin function as $F = -A(t)\omega$, $A \in \Xi^{s \times s}$ we obtain the following system with respect to vector-function ω [2, 3]:

$$\dot{\omega} = -A(t)\omega - H(t)B(t)\xi, \quad \xi = \varphi(\sigma), \quad \sigma = P^T(t)\omega, \quad t \in I = [0, \infty), \quad (6)$$

where $H = \frac{\partial \omega}{\partial x}$ is the Jacobi matrix, nonlinearity $\varphi(\sigma)$ satisfies also to generalized conditions (4), (5).

Definition 2. A program manifold $\Omega(t)$ is called absolutely stable with respect to vector-function ω if it is asymptotically stable in whole for solution of equations (6) for all $\omega(t_0, x_0)$ and the function $\varphi(\sigma)$ satisfying conditions (4), (5).

Statement of the problem. To get the condition of absolute stability of a program manifold $\Omega(t)$ of the non-autonomous basic control systems in relation to the given vector-function ω .

Sufficient conditions of the program manifold's absolute stability. First, we consider a linear system of differential equations with respect to a vector function ω :

$$\dot{\omega} = -A(t)\omega, \quad t \in I = [0, \infty). \quad (7)$$

For this system, we have

Theorem1 [27]. Suppose that there exists $L(t) = L^T(t) > 0$ and $-\dot{V}|_{(7)} = W$.

Then for the asymptotic stability of a program manifold $\Omega(t)$, it is necessary and sufficient that the following relations hold

$$V = \omega^T L(t)\omega > 0,$$

$$W = \omega^T G(t)\omega > 0,$$

where V, W have the following properties

$$l_1 \|\omega\|^2 \leq V \leq l_2 \|\omega\|^2, \quad (8)$$

$$g_1 \|\omega\|^2 \leq W \leq g_2 \|\omega\|^2, \quad (9)$$

where l_1, l_2, g_1, g_2 are positive constants.

In the space, X_n we choose the region $G(R)$ as follows

$$G(R) = (t, x) : t \geq 0 \wedge \|\omega(t, x)\| < R < \infty. \quad (10)$$

Basic theorem. If there exists a real, continuous and differentiable function $V(t, \omega)$ in region (10) that is definitely positive and admits a higher limit as a whole, such that

$$-\frac{dV}{dt}|_{(6)} = W(t, \omega)$$

will be a definite-positive function for all values of ω , then the program manifold $\Omega(t)$ is absolutely stable.

Theorem 2. Suppose that there exist matrices

$$L(t) = L^T(t) > 0 \in \Xi^{s \times s}, \beta = \text{diag}(\beta_1, \dots, \beta_r) > 0$$

and non-linear function $\varphi(\sigma)$ satisfies the conditions (4), (5). Then, for the absolute stability of the program manifold $\Omega(t)$ with respect to the vector function ω it is sufficient performing of the following conditions

$$l_1 \|\omega\|^2 \leq V \leq l_2 \|\omega\|^2, \quad (11)$$

$$g_1 \|\omega\|^2 \leq -\dot{V} \leq g_2 (\|\omega\|^2), \quad (12)$$

where l_1, l_2, g_1, g_2 are positive constants.

Proof. Let there exist $L(t) = L^T(t) > 0 \in \Xi^{s \times s}$, $\beta = \text{diag}(\beta_1, \dots, \beta_r) > 0$, then for the system (6) we can construct a Lyapunov function of the form

$$V(\omega, \xi) = \omega^T L(t) \omega + \int_0^\sigma \varphi^T(\sigma) \beta d\sigma > 0. \quad (13)$$

Taking into account the property (4), making the substitution

$$\varphi(\sigma) = h\sigma \quad (0 \leq [h = h^T] \leq k) \quad k = \min_t K(t),$$

we obtain the estimate

$$l_1(t) \|\omega\|^2 \leq V \leq l_2(t) \|\omega\|^2, \quad (14)$$

where

$$\begin{aligned} l_1(t) &= l^{(1)}(t) + \lambda_1(t), \quad l_2(t) = l^{(2)}(t) + \lambda_2(t); \\ \lambda_1(t) \|\omega\|^2 &\leq \int_0^\sigma \varphi^T(\sigma) \beta d\sigma \leq \lambda_2(t) \|\omega\|^2. \end{aligned}$$

Here $l^{(1)}, \lambda_1, l^{(2)}, \lambda_2$ are the smallest and largest eigenvalues of matrices L, Λ , $\Lambda = P(t)H(t)\beta P^T(t)$. The diagonal elements of the matrix Λ are divided by the number 2. On the basis of property (5) the derivative of the function (13) takes the form

$$-\dot{V} = \omega^T G \omega + 2\omega^T G_1 \xi + \xi^T G_2 \xi > 0, \quad (15)$$

where

$$G(t) = -\dot{L} + A^T(t)L(t) + L(t)A(t);$$

$$G_1(t) = \frac{1}{2} A^T(t)P(t)\beta + L(t)H(t)B(t) + \frac{1}{2} \beta \dot{P}^T(t);$$

$$G_2(t) = \beta P^T(t)H(t)B(t).$$

Due to the fact that $-\dot{V} > 0$ the following estimates hold

$$q_1 (\|\omega\|^2 + \|\xi\|^2) \leq z^T Q z \leq q_2 (\|\omega\|^2 + \|\xi\|^2) \quad (16)$$

where

$$z = \begin{vmatrix} \omega \\ \xi \end{vmatrix}, \quad Q = \begin{vmatrix} G & G_1 \\ G_1^T & G_2 \end{vmatrix},$$

q_1, q_2 are the smallest and largest eigenvalues of matrix Q .

Taking into account the estimates (5) from (16), we get

$$\eta_1(t)\|\omega\|^2 \leq -\dot{V} \leq \eta_2(t)\|\omega\|^2, \quad (17)$$

$$\eta_1 = q_1 \left(1 + \frac{\beta_1}{\nu_2} \right); \quad \eta_2 = q_2 \left(1 + \frac{\beta_2}{\nu_1} \right).$$

On the basis of (11), (17), the inequalities are valid

$$l_2^{-1} V_0 \exp \left[- \int_{t_0}^t \alpha_1(\tau) d\tau \right] \leq \|\omega\|^2 \leq l_1^{-1} V_0 \exp \left[- \int_{t_0}^t \alpha_2(\tau) d\tau \right], \quad (18)$$

where

$$\alpha_1(t) = \frac{\eta_2(t)}{l_1(t)}; \quad \alpha_2(t) = \frac{\eta_1(t)}{l_2(t)}.$$

Assume that

$$\begin{aligned} \alpha_1 &= \sup_{t \in I} [-\alpha_1(t)] \wedge \alpha_2 = \inf_{t \in I} [-\alpha_2(t)]; \\ l_1 &= \inf_{t \in I} l_1(t) \wedge l_2 = \sup_{t \in I} l_2(t). \end{aligned}$$

from inequality (18) we obtain

$$l_2^{-1} V_0 \exp[\alpha_1(t - t_0)] \leq \|\omega\|^2 \leq l_1^{-1} V_0 \exp[\alpha_2(t - t_0)].$$

Whence follows the next estimates which hold on the sphere R:

$$\|\omega\|^2 \leq R^2 \exp[\alpha_2(t - t_0)]. \quad (19)$$

Conditions of the synthesis of high-speed regulators. The obtained results we use to solve of the problem of the syntewsis of high-speed regulators.

Let $t = t_0^*$. Then from (19) we get

$$R^2 \exp[\alpha_2(t_0^* - t_0)] = \varepsilon^2$$

or solving with respect to $t_0^* - t_0$:

$$t_0^* - t_0 = \alpha_2^{-1} \ln \frac{\varepsilon^2}{R^2}. \quad (20)$$

The control time $t_\rho = t^* - t_0$ on the basis of (20) is defined as follows

$$t_\rho = \alpha_2^{-1} \inf_{\omega_0} \ln \frac{\varepsilon^2}{R^2}. \quad (21)$$

The solution of the problem of the synthesis of high-speed regulators follows from inequalities

$$\alpha_2^{-1} \inf_{\omega_0} \ln \frac{\varepsilon^2}{R^2} \leq t_s.$$

here t_s is the specified time.

Funding. This results are supported by grant of the Ministry education and science of Republic Kazakhstan No. AP 05131369 for 2018-2020 years.

REFERENCES

- [1] Erugin N.P. Construction all the set of systems of differential equations, possessing by given integral curve. *Prikladnaya Matematika i Mekanika*, **1952**, 6, 659-670. (In Russ.)
- [2] Galiullin A.S., Mukhametzyanov I.A., Mukharlyamov R.G. A survey of investigating on analytic construction of program motion's systems. *Vestnik RUDN*. **1994**, No. 1., 5-21. (In Russ.)
- [3] Mukhametzyanov I.A. On stability of a program manifold. I. //Differential Equations. **1973**. Vol.9. No 5. P. 846-856. (In Russ.)
- [4] Mukhametzyanov I.A. On stability of a program manifold. II. //Differential Equations. **1973**. Vol. 9. No 6. P. 1057-1048. (In Russ.)
- [5] Mukhametzyanov I.A., Saakyan A.O. On some sufficient conditions for the absolute stability of nonlinear integral manifold, in: *Problems of Mechaniks of Controlled Motion*. Perm. **1979**, P.137-144. (In Russ.)
- [6] Maygarin B.G. Stability and quality of process of nonlinear automatic control system, Alma-Ata. Nauka. **1981**. (In Russ.)
- [7] Zhumatov S.S., Krementulo B.B., Maygarin B.G. Lyapunov's second method in the problems of stability and control by motion. Almaty. Gylym. **1999**. (In Russ.)
- [8] Zhumatov S.S. Stability of a program manifold of control systems with locally quadratic relationsw // Ukrainian Mathematical Journal. **2009**. Vol.61. No 3. P.500-509.
<https://doi.org/10.1007/s11253-008-0224-y>
- [9] Zhumatov S.S. Exponential stability of a program manifold of indirect control systems // Ukrainian Mathematical Journal. **2010**. Vol.62. No 6. P.907-915.
<https://doi.org/10.1007/s11253-010-0399-2>
- [10] Tleubergerov M.T. On the inverse stochastic reconstruction problem // Differential Equations. **2014**. Vol. 50. No 2. P. 274-278.
<https://doi.org/10.1134/s0012266114020165>
- [11] Mukharlyamov R.G. Simulation of Control Processes, Stability and Stabilization of Systems with Program Constraints. *Journal of Computer and Systems Sciences International*. **2015**. 54, No.1., 13-26.
- [12] Tleubergerov M.T., Ibraeva G.T. On the restoration problem with degenerated diffusion// in TWMS Journal of pure and applied mathematics: **2015**.Vol. 6, Issue: 1. P. 93-99.
- [13] Vasilina G.K., Tleubergerov M.T. Solution of the problem of stochastic stability of an integral manifold by the second Lyapunov method // Ukrainian Mathematical Journal. **2016**. Vol.68. No 1. P.14-28.
<https://doi.org/10.1007/s11253-016-1205-6>
- [14] Llibre J., Ramirez R. Inverse Problems in Ordinary Differential Equations and Applications. Springer International Publishing Switzerland. **2016**.
- [15] Zhumatov S.S. On an instability of the indirect control systems in the neighborhood of program manifold// Mathematical Journal.-Almaty, **2017**. Vol.17. No 1. P.91-97.
- [16] Zhumatov S.S. Frequently conditions of convergence of control systems in the neighborhoods of program manifold // Journal of Mathematical Sciences, **2017**.226(3), 260-269. DOI 10.1007/s10958-017-3532-z.
- [17] Zhumatov S.S. On a program manirfolds stability of one contour automatic control systems// Open Engineering, **2017**.Vol. 7, Issue 1, Pages 479-484, ISSN (Online) 2391-5439, DOI: <https://doi.org/10.1515/eng-2017-0051>.
- [18]. Zhumatov S.S. Instability of the control systems with non-stationary nonlinearities//,in Functional analysis in interdisciplinary applications (FAIA2017), AIP Conf. Proc.**2017**.1880, 060007-1-060007-5; doi: 10.1063/1.5000661Published by AIP Publishing. 978-0-7354-1560-7/30.00
- [19] Zhumatov S.S. On instability of a program manifold of basic control systems// inSpringer Proceedings in Mathematics & Statistics, Eds.: Kalmenov T.S., Nursultanov E.D., Ruzhansky M.V., Sadybekov M.A. – Springer, **2017**. – Vol. 216. – P. 467-474.
- [20] Samolenko A.M., Yakobetc V.P.. On the reducibility of a degenerate linear system to the central canonical form // Dopovedi Nath.Akad Nauk Ukr. **1993**. No 4. P.10-13.(In Russ.)
- [21] Yakobetc V.P. On some properties of degenerate systems // Ukrainian Mathematical Journal. **1997**. Vol.49. No 9. P.1278-1296.(In Russ.)
- [22] Yakobetc V.P. On the structure of the general solution of degenerate linear system of second-order differential equations // Ukrainian Mathematical Journal. **1998**. Vol.50. No 2. P.292-298.(In Russ.)
- [23] Demidovich V.P. Lectures on the mathematical theory of stability. M.: Fizmatgiz. **1967**.(In Russ.)

- [24] Yakubovich V.A/ Methods of theory of absolute stability. In: Methods for Investigation of Nonlinear Automatic Control Systems. M.: Nauka. **1975.** P. 74-180. (in Russ.)
 [25] Voronov A.A. Stability, Controllability and Observability. M.: Nauka. **1979.** (in Russ.)
 [26] Letov A.M. Mathematical theory of control processes, M.: Nauka, **1981.** (in Russ.)
 [27] Zubov V.I. Lectures on control theory. M.: Nauka. **1975.** (In Russ.)

УДК 517.925:62.50
МРНТИ 27.29.17

С.С.Жұматов

Математика және математикалық моделдеу институты, Алматы, Қазақстан

АВТОНОМДЫ ЕМЕС НЕГІЗГІ БАСҚАРУ ЖҮЙЕЛЕРІНІҢ БАҒДАРЛАМАЛЫҚ ҚӨПБЕЙНЕСІНІҢ АБСОЛЮТ ОРНЫҚТЫЛЫҒЫ

Аннотация. Мақалада динамиканың көрі есебі зерттеледі: яғни, берілген көпбейне үшін, көпбейнеге перпендикуляр жазықшада жататын күш өрісі түргышылады. Динамиканың жалпы есебі шешіледі: яғни сәйкес дифференциалдық тендеулер жүйесінің орнықтылығы зерттейледі. Бұл көрі есеп механиканың түрлі математикалық моделдері үшін өте маңызды. Стационар бейсызықты автономды емес негізгі басқару жүйелерінің абсолютті орнықтылығы зерттеледі. Негізгі басқару жүйелерінің орнықтылығы бағдарламалық көпбейненің маңайында қарастырылады. Бейсызықтықтар локалды квадраттық байланыстарды қанағаттандырады. Бағдарламалық көпбейненің берілген вектор-функция бойынша абсолютті орнықтылығының жеткілікті шарттары “квадраттық форма қосу бейсызықтың интеграл” түріндегі Ляпунов функциясын құру арқылы алынады. Алынған нәтижелер тез жылдамдықты реттегіштерді синтездеу есебіне қолданылды.

Түйін сөздер. Абсолюттік отнықтылық, негізгі басқару жүйелері, бағдарламалық көпбейне, Ляпунов функциясы, локалді квадраттық байланыс, жоғары жылдамдықты реттегіш.

УДК 517.925:62.50
МРНТИ 27.29.17

С.С. Жұматов

Институт математики и математического моделирования, Алматы, Казахстан

АБСОЛЮТНАЯ УСТОЙЧИВОСТЬ ПРОГРАММНОГО МНОГООБРАЗИЯ НЕ АВТОНОМНЫХ ОСНОВНЫХ СИСТЕМ УПРАВЛЕНИЯ

Аннотация. В статье рассматривается обратная задача динамики: для заданного многообразия воостанавливается поле сил, которые расположены на перпендикулярной полуплоскости к многообразию. Решается более общая задача динамики: исследуются устойчивость систем соответствующих дифференциальных уравнений. Эти обратные задачи очень важны для различных моделей механических систем. Исследуется абсолютная устойчивость программного многообразия не автономных основных систем управления со стационарными нелинейностями. Условия устойчивости основных систем исследованы в окрестности заданного программного многообразия. Нелинейности удовлетворяют условиям локальной квадратичной связи. Достаточные условия абсолютной устойчивости программного многообразия, относительно заданной вектор-функции, получены с помощью построения функции Ляпунова, «квадратичная форма плюс интеграл от нелинейности». Полученные результаты использованы для решения задачи синтеза быстродействующих регуляторов.

Ключевые слова. Абсолютная устойчивость, основная система управления, прогораммное многообразие, функция Ляпунова, локальная квадратичная связь, быстродействующие регуляторы.

Information about authors:

Zhumatov Sailaubay Sagimbaevich - Institute of Mathematics and Mathematical Modeling, chief scientific researcher, Doctor of Physical and Mathematical Sciences, sailau.math@mail.ru,sailau.math@gmail.com

МАЗМУНЫ

<i>Асқарова А.С., Бөлекенова С.Ә., Шафаржык П., Бөлекенова С.Ә., Максимов В.Ю., Бекетаева М.Т., Нұғманова А.О.</i> Қазандықтардың жану камераларында шантектес көмірдің жану процестерінің заманауи компьютерлік тәжірибелері....	5
<i>Насурла Маулен, Бұртебаев Н., Керимкулов Ж. К., Сузуки Т., Сакута С. Б., Насурла Маржсан, Ходжаев Р.</i>	
Энергисы 14.5 МэВ дейтрондардың ^7Li ядроларынан шашырауын зерттеу.....	15
<i>Макаренко Н.Г., Чойонг-беком, Есеналиева А.Б.</i> Текстураларды тану үшін риманметрикасы.....	23
<i>Дауылбаев М.Қ., Атамахан Н., Мирзакурова А.Е.</i> Жоғарғы ретті сингулярлы ауытқыған интегралды- дифференциалдық теңдеу үшін жалпыланған бастапқы секірісті шеттік есебі шешімінің асимптотикалық жіктелуі.....	28
<i>Жұматов С.С.</i> Автономды емес негізгі басқару жүйелерінің бағдарламалық көпбейнесінің абсолют орнықтылығы	37
<i>Амангельдиева А., Қайратқызы Д., Қонысбаев Т.</i> Қараңғы материя үшін бейстационар күй параметрі.....	44
<i>Бадаев С.А., Калмурзаев Б.С., Кабылжанова Д.К., Абешев К.Ш.</i> Универсал позитив жарты реттер.....	49
<i>Жақып-тегі К. Б.</i> Сұзгінің табигаттық теңдеулері. «Дарси заңының» құрығаны.....	54

СОДЕРЖАНИЕ

<i>Аскарова А.С., Болегенова С.А., Шафаржик П., Болегенова С.А., Максимов В.Ю., Бекетаева М.Т., Нугманова А.О.</i>	
Современные компьютерные эксперименты процессов сжигания угольной пыли в топочных камерах котлов.....	5
<i>Насурлла Маулен, Буртебаев Н., Керимкулов Ж. К., Сузуки Т., Сакута С. Б., Насурлла Маржсан, Ходжаев Р.</i>	
Исследование рассеяния дейтеронов на ядрах ^7Li при энергии 14.5 МэВ.....	15
<i>Макаренко Н.Г., Чойонг-беом, Есеналиева А.Б. Риманова метрика для распознавания текстур.....</i>	23
<i>Дауылбаев М.К., Атахан Н., Мирзакулова А.Е. Асимптотическое разложение решения общей краевой задачи с начальными скачками для высшего порядка сингулярно возмущенное интегро-дифференциальное уравнение.....</i>	28
<i>Жуматов С.С. Абсолютная устойчивость программного многообразия неавтономных основных систем управления.....</i>	37
<i>Амангельдиева А., Кайраткызы Д., Конысбаев Т. О нестационарном параметре состояния темной материи.....</i>	44
<i>Бадаев С.А., Калмурзаев Б.С., Кабылжанова Д.К., Абешев К.Ш. Универсальные позитивные предпорядки.....</i>	49
<i>Жакупов К. Б. Уравнения естественной фильтрации. Фиаско "закона Дарси".....</i>	54

CONTENTS

<i>Askarova A.S., Bolegenova S.A., Safarik P., Bolegenova S.A., Maximov V.Yu., Beketayeva M.T., Nugymanova A.O.</i>	
Modern computing experiments on pulverized coal combustion processes in boiler furnaces.....	5
<i>Nassurlla Maulen, Burtebayev N., Kerimkulov Zh.K., Suzuki T., Sakuta S.B., Nassurlla Marzhan, Khojayev R.</i>	
Investigation of deuteron scattering BY ^7Li nuclei at energy of 14.5 MeV	15
<i>Makarenko N.G., ChoYong-beom, Yessenaliyeva A.B.</i> Riemannian metric for texture recognition.....	23
<i>Dauylbayev M.K., Atakhan N., Mirzakulova A.E.</i> Asymptotic expansion of solution of general bvp with initial jumps for higher-ordersingularly perturbed integro-differential equation.....	28
<i>Zhumatov S.S.</i> Absolute stability of a program manifold of non-autonomous basic control systems	37
<i>Amangeldyieva A., Kairatkzy D., Konysbayev T.</i> On the nonstationary parameter of state for dark matter.....	44
<i>Badaev S.A., Kalmurzayev B.S., Kabylzhanova D.K., Abeshev K.Sh.</i> Universal positive preorders.....	49
<i>Jakupov K. B.</i> Natural filtration equations. Fiasco“ of Darcy's LAW”.....	54

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

<http://www.physics-mathematics.kz>

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Редакторы М. С. Ахметова, Т.А. Апендиев, Д.С. Аленов
Верстка на компьютере А.М. Кульгинбаевой

Подписано в печать 05.12.2018.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
4,75 пл. Тираж 300. Заказ 6.

Национальная академия наук РК
050010, Алматы, ул. Шевченко, 28, т. 272-13-18, 272-13-19